


Rosa - Vicenza - Italy www.fulgor-milano.com nfo@fulgor-milano.com

07.202





BBQ



FULGOR MILANO

BBQ

STAINLESS BBQ MATTE BLACK BBQ

> ACCESSORIES DATA SHEETS



page 6 page 16 page 20 page 22

SINCE 1949

FULGOR MILANO, with more than 70 years long history, sink deep its roots in the know-how of the territory where it has developed. Its leading principles are the will to marry beauty with practicality, innovation with elegance, form with precision, to meet the needs of our ever-changing everyday life.

Nowadays technologies have introduced a lot of new opportunities, new demands, but also improvements and ways to achieve the desired results, which has led to meet the need for change and renovation so common in all human beings. The huge availability of information, something never seen before, has given you the freedom to choose between the different options with more awareness.

The heartiness and joyfulness of our lives are assured by the use of tools that are simple to use, efficient, and aesthetically pleasing at the same time. This will give us more time to spend with the people we love and in more meaningful activities. With our products, our goal is to enable you to experience the happiness of cooking, while enjoying the company of your family and friends, all gathered together to taste the masterpieces of your culinary art.

For this reason, FULGOR MILANO continues to offer more and more options for those who love cooking, for those who want to become chefs in their own homes, for those who are already professional cooks or enjoy the pleasures of outdoor cooking. We want not only to give you the best technologies available, but also products that follow the latest aesthetic trends, but that can be reliable and a point of reference in the years to come.



Gioun Ausophetti

General Manager



NEW

CLEANING AND MAINTENANCE

Thanks to its structure and cooking surfaces in stainless steel, our barbecue is easy to clean and to maintain. Stainless steel is an ideal material, since it offers an igienic surface and it doesn't alter the taste of food to which comes in contact. Each element is easy to disassemble. Plate and griddles are easy to remove.

TEPPANYAKI

The Teppanyaki surface allows you to cook directly on its surface both vegetables and shellfish without the need of adding any condiment. The Teppanyaki - griddles configuration can be rearranged according to your needs, moving also the deflectors positioned over the flame beaneath the griddles.

GRILLING

The large steel griddles supplied with the barbecue allow you to cook large portions of meat or fish, based on what you need. As on request accessory is available cast-iron griddles.

OUTDOOR BBQ PROFESSIONAL

LIDS

Two possible options: a standard lid, which protects the cooking surface after cooking, and a high lid that allows you to cook roasts with heat maintenance inside, equipped with a thermometer and a large handle.


SAFETY

No electrical wiring needed, just a battery for lighting the burners; the gas burners are equipped with a Flame-out Sensing valve.

METAL KNOBS

Robust and sizable brushed metal knobs ensure easy handling and precise control while cooking.

100 GAS BARBECUE





FOBQ 1000 G X

ð

CODE ID

88


210







HIGH LID

AISI 316 stainless steel For roasting and keep warm External thermometer for detection of the cooking temperature Tubular steel handle









OUTDOOR GAS BARBECUE

4 tubular gas burners, in line,

usable with both NG and LPG,

Metal knobs with lateral position

Electronic ignition (with battery)

2 stainless steel grids (split) Stainless steel plate (Teppanyaki)

Removable grease collector,

oil and cooking residues.

AISI 316 stainless steel

PERFORMANCE

Total power 15.2 kW

Grilling and roasting

FEATURES

STAINLESS STEEL FOBQ 1000 G X

SAFETY


GasProtekt Gas detection and stop system

OPTIONAL ACCESSORIES

FOBQ GRT X Two stainless steel griddles FOBQ TY X Stainless steel Teppanyaki FOBQ LL 1000 X Standard lid FOBQ HL 1000 X High lid for roasting

Grill and teppanyaki are also available in cast iron

FOBQ GRT CAST Two cast iron griddles FOBQ GRT H CAST Two cast iron griddles with holes FOBQ TY CAST Cast iron Teppanyaki



1002,5

1025

493,4

505

ACCESSORIES DATA SHEETS

22

26

STAINLESS STEEL FOBQ HL 1000 X

8 FULGOR MILANO


STANDARD LID


FOBQ LL 1000 X




STANDARD LID

AISI 316 stainless steel Flat metal handle









STAINLESS STEEL FOBQ LL 1000 X

80 GAS BARBECUE



CODE ID

89

ð

NEW

FOBQ 803 G X





CODE ID

FOBQ HL 800 X





HIGH LID


AISI 316 stainless steel For roasting and keep warm External thermometer for detection of the cooking temperature Tubular steel handle


OUTDOOR

HIGH LID











OUTDOOR GAS BARBECUE

3 tubular gas burners, in line,

usable with both NG and LPG,

Metal knobs with lateral position

Electronic ignition (with battery)

3 stainless steel grids (split)

Removable grease collector,

oil and cooking residues.

AISI 316 stainless steel

PERFORMANCE

Total power 11.4 kW

Grilling and roasting

FEATURES

STAINLESS STEEL FOBQ 803 G X

SAFETY


GasProtekt Gas detection and stop system

OPTIONAL ACCESSORIES

FOBQ 601 TY G X Gas Teppanyaki 60 FOBQ LL 800 X Standard lid FOBQ HL 800 X High lid for roasting

Grill and teppanyaki are also available in cast iron

FOBQ GRT CAST Two cast iron griddles FOBQ GRT H CAST Two cast iron griddles with holes FOBQ TY CAST Cast iron Teppanyaki



22

27

786,5

800

493,4

505

ACCESSORIES

DATA SHEETS

STAINLESS STEEL FOBQ HL 800 X





CODE ID

STANDARD LID

FOBQ LL 800 X









STAINLESS STEEL FOBQ LL 800 X

60 GAS BARBECUE



CODE ID

M

NFW


FOBQ 602 G X




OUTDOOR

60 GAS TEPPANYAKI







OUTDOOR GAS BARBECUE

AISI 316 stainless steel

PERFORMANCE

2 tubular gas burners, in line, usable with both NG and LPG, Total power 7.6 kW Grilling and roasting

FEATURES

Metal knobs with lateral position Electronic ignition (with battery) 2 stainless steel grids (split) Removable grease collector, oil and cooking residues




GasProtekt Gas detection and stop system

OPTIONAL ACCESSORIES

FOBQ 601 TY G X Gas Teppanyaki 60 FOBQ LL 600 X Standard cover FOBQ HL 600 X High lid for roasting

Grill and teppanyaki are also available in cast iron

FOBQ GRT CAST Two cast iron griddles FOBQ GRT H CAST Two cast iron griddles with holes FOBQ TY CAST Cast iron Teppanyaki





AISI 316 stainless steel

PERFORMANCE

2 tubular gas burners, in line, usable with both NG and LPG, Total power 7.6 kW Grilling and roasting

FEATURES

Metal knobs with lateral position Electronic ignition (with battery) Stainless steel plate (Teppanyaki) Removable grease collector, oil and cooking residues

SAFETY

GasProtekt Gas detection and stop system

OPTIONAL ACCESSORIES

FOBQ GRT X Two stainless steel griddles FOBQ LL 600 X Standard cover FOBQ HL 600 X High lid for roasting

Grill and teppanyaki are also available in cast iron

FOBQ GRT CAST Two cast iron griddles FOBQ TY CAST Cast iron Teppanyaki



STAINLESS STEEL FOBQ 602 G X

ACCESSORIES DATA SHEETS

pag

22

28



STAINLESS STEEL FOBQ 601 TY G X



ð

CODE ID

FOBQ 601 TY G X



Gas supply




Gas safety


Grill



Teppanyaki







ACCESSORIES DATA SHEETS

22 28

HIGH LID


CODE ID FOBQ HL 600 X


NEW




HIGH LID AISI 316 stainless steel For roasting and keep warm External thermometer for detection of the cooking temperature

Tubular steel handle









STAINLESS STEEL FOBQ HL 600 X




NEW


CODE ID


FOBQ LL 600 X

STANDARD LID AISI 316 stainless steel Flat metal handle

STANDARD LID










STAINLESS STEEL FOBQ LL 600 X



BBQ PROFESSIONAL CAST-IRON ACCESSORIES







PROFESSIONAL OUTDOOR BBQ

MATTE BLACK FINISH

The matte black enamel gives a unique style to this barbecue and to its matchable lids.

ERGONOMIC CONTROLS

Its durable metal knobs and lid handles are easy to use and allow to perfectly control both the cooking process and the opening of the lids.

TEPPANYAKI PLATE AND CAST-IRON GRIDDLES

In this new barbecue version, its elegant matte black finish, the Teppanyaki plate, and the griddles are made of high-resistant enameled cast-iron. This grants perfect cooking of food, durability over time, and easiness of cleaning.



100 GAS BARBECUE



SAFETY

GasProtekt

in stainless steel

Gas detection and stop system

OPTIONAL ACCESSORIES

FOBQ GRT CAST Two cast iron griddles

FOBQ HL 1000 MBK High lid for roasting

FOBQ GRT X Two stainless steel griddles

FOBQ TY X Stainless steel Teppanyaki

FOBQ TY CAST Cast iron Teppanyaki

FOBQ LL 1000 MBK Standard cover

Grill and teppanyaki are also available

FOBQ GRT H CAST Two cast iron griddles with holes



FOBQ 1000 G MBK

ð

CODE ID

89


1002,5


1025




HIGH LID

Matte black steel For roasting and keep warm External thermometer for detection of the cooking temperature Tubular steel handle









35



MATTE BLACK FOBQ HL 1000 MBK

pag

22

29

OUTDOOR GAS BARBECUE

Matte black enameled

PERFORMANCE

4 tubular gas burners, in line, usable with both NG and LPG, Total power 15.2 kW Grilling and roasting

FEATURES

Metal knobs with lateral position Electronic ignition (with battery) 2 cast iron grids Cast iron plate (Teppanyaki) Removable binder for fat, oil and cooking residues



MATTE BLACK FOBQ 1000 G MBK


STANDARD LID


FOBQ LL 1000 MBK




STANDARD LID

Matte black steel Metal steel handle









MATTE BLACK FOBQ LL 1000 MBK

80 GAS BARBECUE



OUTDOOR GAS BARBECUE

Matte black enameled

PERFORMANCE

3 tubular gas burners, in line, usable with both NG and LPG, Total power 11.4 kW Grilling and roasting

FEATURES

Metal knobs with lateral position Electronic ignition (with battery) 3 cast iron grids Removable grease collector, oil and cooking residues.

SAFETY


GasProtekt Gas detection and stop system


OPTIONAL ACCESSORIES

FOBQ GRT CAST Two cast iron griddles FOBQ GRT H CAST Two cast iron griddles with holes FOBQ TY CAST Cast iron Teppanyaki FOBQ LL 800 MBK Standard cover FOBQ HL 800 MBK High lid for roasting

Grill and teppanyaki are also available in stainless steel

FOBQ GRT X Two stainless steel griddles FOBQ TY X Stainless steel Teppanyaki





page

22

30




MATTE BLACK FOBQ HL 800 MBK



CODE ID

FOBQ HL 800 MBK





NEW

CODE ID

GAS

₹

FOBQ 803 G MBK

Gas supply

Gas safety


Cast Iron griddles

Grill

<u>د05</u>

35

ð





HIGH LID


Matte black steel For roasting and keep warm External thermometer for detection of the cooking temperature Tubular steel handle

OUTDOOR

HIGH LID









MATTE BLACK FOBQ 803 G MBK

ACCESSORIES	
//00200011120	
DATA SHEETS	
DITING	

20 FULGOR MILANO



CODE ID


STANDARD LID


FOBQ LL 800 MBK




STANDARD LID

Matte black steel Flat metal handle











MATTE BLACK FOBQ LL 800 MBK

ACCESSORIES FOR OUTDOOR BARBECUES

ACCESSORIES ON REQUEST






CODE FOBQ GRT X



Stainless steel Teppanyaki CODE **FOBQ TY X**







Cast iron Teppanyaki CODE **FOBQ TY CAST**

	I	ľ	1	1	ľ	1	1	ľ		
0	I	C	0	0	ľ		ĺ	I		1
					Ľ					
					Ľ]	0			
				H	10	0	H	H		
						1				
ļ		Ļ	H		h	1	H	h		
	H	Ļ		H	ŀ	8	H	H		
				H	ļ			ŀ		
		L		L	l			I.		
									1	

Two cast iron griddles with holes CODE **FOBQ GRT H CAST**







DATA

GAS BARBEQUE





	FOBQ 1000 G X	FOBQ HL 1000 X	FOBQ LL 1000 X
Туре	Built-in barbecue	High lid	Standard lid
Finishing	Stainless steel	Stainless steel	Stainless steel
EXTERIOR			
Knobs material / no.	Stainless steel / 4	-	-
Lid with double level for roasting	-	•	-
Standard lid	-	-	•
INTERIOR			
Teppanyaki (material)	Stainless steel	-	-
Grids (material)	Stainless steel	-	-
Tubular burners	4	-	-
Internal tub	Black enamel	-	-
Steel handle	-	•	•
FEATURES			
Supply	Gas	-	-
Grids n.	2	-	-
Gastronorm tray to collect liquids	•	-	-
Grid for reheating	-	•	-
Total power of gas burners	15,2 kW	-	-
Electronic ignition	•	-	-
Battery for ignition	•	-	-
Thermometer	-	•	-
Types of gas	NG - LPG	-	-
DIMENSIONS			
Cooking zone width mm	900	-	-
Width mm	1046	920	920
Height mm	189	191	54
Depth mm	540	600	559
Cut-out (W x H x D) mm	1025 x 210 x 505	-	-

OUTDOOR

GAS BARBEQUE



NEW

	FOBQ 803 G X	FOBQ HL 800 X	FOBQ LL 800 X
Туре	Built-in barbecue	High lid	Standard lid
Finishing	Stainless steel	Stainless steel	Stainless steel
EXTERIOR			
Knobs material / no.	Steel / 3	-	-
Lid with double level for roasting	-	•	-
Standard lid	-	-	•
INTERIOR			
Teppanyaki (material)	-	-	-
Grids (material)	Stainless steel	-	-
Tubular burners	3	-	-
Internal tub	Black enamel	-	-
Steel handle	-	•	•
FEATURES			
Supply	Gas	-	-
Grids n.	3	-	-
Gastronorm tray to collect liquids	٠	-	-
Grid for reheating	-	•	-
Total power of gas burners	11,4 kW	-	-
Electronic ignition	٠	-	-
Battery for ignition	•	-	-
Thermometer	-	•	-
Types of gas	NG - LPG	-	-
DIMENSIONS			
Cooking zone width mm	650	-	-
Width mm	830	705	705
Height mm	189	191	54
Depth mm	540	600	559
Cut-out (W x H x D) mm	800 x 210 x 505	-	-





	FOBQ 602 G X	FOBQ 601 TY G X	FOBQ HL 600 X	FOBQ LL 600 X
Туре	Built-in barbecue	Built-in Teppanyaki	High lid	Standard lid
Finishing	Stainless steel	Stainless steel	Stainless steel	Stainless steel
EXTERIOR				
Knobs material / no.	Steel / 2	Steel / 2	-	-
Lid with double level for roasting	-	-	•	-
Standard lid	-	-	-	•
INTERIOR				
Teppanyaki (material)	-	Stainless steel	-	-
Grids (material)	Stainless steel	-	-	-
Tubular burners	2	2	-	-
Internal tub	Black enamel	Black enamel	-	-
Steel handle	-	-	•	•
FEATURES				
Supply	Gas	Gas	-	-
Grids n.	-	-	-	-
Gastronorm tray to collect liquids	•	•	-	-
Grid for reheating	-	-	•	-
Total power of gas burners	7,6 kW	7,6 kW	-	-
Electronic ignition	•	•	-	-
Battery for ignition	•	•	-	-
Thermometer	-	-	•	-
Types of gas	NG - LPG	NG - LPG	-	-
DIMENSIONS				
Cooking zone width mm	440	440	-	-
Width mm	615	615	490	490
Height mm	189	189	191	54
Depth mm	540	540	600	559
Cut-out (W x H x D) mm	585 x 210 x 505	585 x 210 x 505	-	-

GAS BARBECUE

	FOBQ 1000 G MBK	FOBQ HL 1000 MBK	FOBQ LL 1000 MBK
Туре	Built-in barbecue	High lid	Standard lid
Finishing	Matte black	Matte black	Matte black
EXTERIOR			
Knobs material / no.	Steel / 4	-	-
Lid with double level for roasting	-	•	-
Standard lid	-	-	•
INTERIOR			
Teppanyaki (material)	Cast iron	-	-
Grids (material)	Cast iron	-	-
Tubular burners	4	-	-
Internal tub	Black enamel	-	-
Steel handle	-	•	•
FEATURES			
Supply	Gas	-	-
Grids n.	2	-	-
Gastronorm tray to collect liquids	•	-	-
Grid for reheating	-	•	-
Total power of gas burners	15,2 kW	-	-
Electronic ignition	•	-	-
Battery for ignition	•	-	-
Thermometer	-	•	-
Types of gas	NG - LPG	-	-
DIMENSIONS			
Cooking zone width mm	900	-	-
Width mm	1046	920	920
Height mm	189	191	54
Depth mm	540	600	559
Cut-out (W x H x D) mm	1025 x 210 x 505	-	-









	FOBQ 803 G MBK	FOBQ HL 800 MBK	FOBQ LL 800 MBK
Туре	Built-in barbecue	High lid	Standard lid
Finishing	Matte black	Matte black	Matte black
EXTERIOR			
Knobs material / no.	Steel / 3	-	-
Lid with double level for roasting	-	•	-
Standard lid	-	-	•
INTERIOR			
Teppanyaki (material)	-	-	-
Grids (material)	Cast iron	-	-
Tubular burners	3	-	-
Internal tub	Black enamel	-	-
Steel handle	-	•	•
FEATURES			
Supply	Gas	-	-
Grids n.	3	-	-
Gastronorm tray to collect liquids	•	-	-
Grid for reheating	-	•	-
Total power of gas burners	11,4 kW	-	-
Electronic ignition	•	-	-
Battery for ignition	•	-	-
Thermometer	-	•	-
Types of gas	NG - LPG	-	-
DIMENSIONS			
Cooking zone width mm	650	-	-
Width mm	830	705	705
Height mm	189	191	54
Depth mm	540	600	559
Cut-out (W x H x D) mm	800 x 210 x 505	-	-



DECLARATION OF THE MANUFACTURER

The manufacturer declares that, depending on their type, the products in this catalogue conformto the fundamental requirements of European Directives and, for this reason, the product bears the CE mark, for which this declaration of conformity was issued and made available to market supervisory bodies.



DISPOSAL OF USED APPLIANCES

At the end of their useful life, these appliances may not be disposed of with normal urban waste,but must be delivered to a collection and recycling point for electrical and electronic equipment. This is indicated by the symbol shown on the product, in the instruction manual or on the packing materials. The materials used in this appliance can be reused in conformity with their intended use. Thanks to the reuse, recycling or other forms of recovery of unusable appliances, you will make a contribution to protecting our natural environment. You can obtain information about the disposal points for unusable appliances from your local authorities.

The manufacturer declines all responsibility for inaccuracies contained in this catalog due to typographical errors. We reserve the right to make improvements or essential changes to the products without altering their essential specifications. The products may undergo modifications following requests for improvements and CE regulations.