

FULGOR
MILANO

SINCE
PASSIONE | ITALIANA
1949

ED 12

FULGOR
MILANO



CONTENTS:

PROFESSIONAL	004	148	DRAWERS
BARBECUE	046	160	HOBS
CLUSTER	060	226	EXTRACTION
URBANTECH	082	238	REFRIGERATION
PLANO	110	250	DISHWASHING
ACCESSORIES	268	280	TECHNICAL DATA



FULGOR
MILANO

SINCE 1949

PASSIONE ITALIANA

FULGOR MILANO is the emblem of Italian craftsmanship. Its brand has a history spanning more than 70 years, deeply rooted in Italy's manufacturing tradition and creativity, producing unique and innovative ideas. FULGOR MILANO is synonymous with design, modernity, beauty, and functionality. The company continuously improves its flagship to meet the demands of a modern consumer who wants to use smart, high-performing appliances.

Finding ways to streamline time management is essential in today's dynamic, environmentally conscious society.

Fulgor Milano meets everyday living needs and makes new cooking and food preservation opportunities accessible, maintaining nutritional and sensory properties.

The kitchen has always been the queen of the house, a place of conviviality to share happy moments with your dear ones. Families gather in this pleasant and colourful setting every evening to share the day's happenings while unleashing their creativity to invent new dishes.

Fulgor Milano is ideal for those who love mixing and matching different flavours and ingredients to make complex recipes. By choosing FULGOR MILANO, you choose top-quality, high-tech home appliances meeting the highest demands.

Giancarlo Piretti

General Manager



FULGOR
MILANO

SOFIA PROFESSIONAL



CLASSIC BEAUTY

The iconic SOFIA range features a modern and rigorous Italian design where style meets technology. Fulgor Milano's Professional range ensures Italy's proverbial quality and high performance. SOFIA combines tradition and innovation, winning over international cuisine lovers.

SOFIA PROFESSIONAL

FULGOR
MILANO



SOFIA PROFESSIONAL

FULGOR
MILANO



SOFIA IS UNIQUE

We designed a professional Range with a unique style. Sofia integrates valuable metals such as stainless steel, brass, heavy duty cast-iron, and brushed aluminium for an elegant and distinctive design.

CONTROL AND SENSITIVITY

The Professional range stands out in every detail. And the top cooking surface is no exception. The matte black enamelled bowl promotes cleanliness. Moreover, CRESCENDO GAS burners with 5 power levels ensure accuracy and flexibility.

EASY ACCESS

All functions are easy to manage thanks to the user-friendly knob control and graphic interface. The user-friendly control panel allows users to easily select all the multiple oven functions as well as timer setting and meat probe.


ARTISANAL CARE

FULGOR MILANO's multifunction range combines the characteristics of a professional product with the elegance of a craft made process, enhancing the unique Italian style.

FULGOR
MILANO

5 in 1

"CRESCENDO" BURNERS



CRESCENDO is a special brass gas burner that ensures powerful and flexible heat distribution, making it suitable for any pan size and meeting any culinary needs.



STRONG

1

At the peak of its 20,000 BTU capability, meat is seared to produce a crust worthy of your favorite chef. Large pots quickly recover to a rigorous boil, and no culinary conquest seems unattainable. All burner rings engage to produce the most powerful flame for cooking.



MEDIUM/STRONG

2

Perfect al dente pasta is a snap. Progressive control of the burner ensures maximum heat distribution without excessive flame for an even and moderate boil.



MEDIUM

3

Creamy risotto and smooth custards come to life as the burner rings combine to provide enough heat to encourage the cooking but discourage scorching.



MEDIUM/LOW

4

Simmer, poach, or braise your way to a tender sauce, soup or stew. Flame curls around the diffuser cap to barely brush the base of the cooking vessel with perfect control for extended periods of low heat cooking.



LOW

5

Melt butter, temper chocolate, or gently coax the flavor from savory vegetables, this lowest setting is achieved by the flame from the simmer burner rolling gently under the diffuser cap to radiate whisper soft heat.

FULGOR
MILANO

48 DUAL FUEL

SOFIA PROFESSIONAL

SOFIA 48 DUAL FUEL is an example of FULGOR MILANO's excellence. It is a combination of Italian style, design, and accuracy. Since its beginnings, SOFIA 48 has been an international style icon thanks to its dimensions, and functionality. Moreover, it is flexible and enhances the creativity of professional chefs.



48 SOFIA PROFESSIONAL

THE BEST PERFORMANCE

UNRIVALLED WORKMANSHIP

Italy's proverbial workmanship in producing and processing steel ensures kitchens made with the utmost attention to detail, outstanding finishes, and excellent component assembly.

COOL-TOUCH DOOR

The four heat-reflecting door glass panes are an efficient safety barrier as they maintain the heat inside the oven cavity even during the pyrolytic self-cleaning process (460 °C).

ACCESSORY OVEN

This smaller multi-function and self-cleaning oven adds efficiency and flexibility to a SOFIA kitchen. It is fitted with telescopic racks, a ventilation system, and a soft closing door.

CAST IRON GRATES

The professional continuous cast iron grates allows users to move the pans from one burner to another easily. The cast iron rear chimney perfectly blends in with the racks, allowing for ventilation.

BRASS BURNERS

SOFIA 48" features six cooking zones (besides the Teppanyaki grill), each with CRESCENDO brass burners with five power levels. These burners have a double ring and combine power with even heat distribution, allowing optimal results using small and large pans.



MAIN OVEN

The CREAACTIVE technology embedded in the main oven allows users to program specific functions and predefined recipes with the utmost flexibility. The Pizza Pizzeria 350° function bakes pizzas in 3 minutes, like our favourite pizzeria's wood-burning oven. The telescopic rack allows users to remove the trays easily. The pyrolytic function self-cleans oven: heat power against dirt. The door is always cool, thanks to its four heat-reflecting glass panels.

SOFT-CLOSING DOOR

The oven's door is fitted with a SOFT CLOSING system that slows down the closing movement.

48 SOFIA PROFESSIONAL



GRILL | TEPPANYAKI

SOFIA 48 ensures the highest performance and versatility. Besides the CRESCENDO brass burners, it is equipped with a double-sided cast iron griddle. One side has special grooves for an authentic barbecue effect. The other side is a smooth griddle surface, ideal for Teppanyaki, a traditional Japanese cooking method known as one of the most healthy. Alternatively, the Teppanyaki griddle (tri-laminated with a stainless steel surface for even heat distribution) can be purchased separately. This cooking method enhances the taste of your preparations, maintaining their nutritional and organoleptic properties.

The special tubular aluminium burner distributes the flame evenly across the griddle surface, always ensuring optimal performance.

Therefore, the cooking method becomes a personal and exclusive cooking experience.

36 DUAL FUEL | GAS SOFIA PROFESSIONAL

SOFIA is synonymous with Italian style, craftsmanship, and design. It is available in the Dual Fuel and All Gas versions. This product has become extremely popular worldwide because of its design and functionality. Moreover, it is flexible and enhances the creativity of professional chefs. SOFIA's iconic style combines minimalist design with timeless classic lines, fitting harmoniously into the best international kitchens.

COOKING COOKTOP

Sofia 36" cooktop features a special matte black enamelled surface, ensuring high resistance and easy cleaning. The six 5-in-1 CRESCENDO burners are the cooktop's core and are made of double-ring brass elements. These burners perfectly combine power and even heat distribution, for excellent results with both large and small pans. The professional continuous cast iron grates allow users to move the pans from one burner to another easily. The cast iron rear chimney perfectly blends in with the cooktop grates, allowing for ventilation.

MULTIFUNCTION OVEN

SOFIA 36" professional oven features a 161 Liters cavity and a dual convection system to ensure perfect and homogeneous results. Moreover, the oven comes with professional racks and telescopic rails (fully removable). The pyrolytic self-cleaning function (Dual Fuel version) uses heat against dirt; whereas the four heat-reflecting door glass panes are an efficient safety barrier as they maintain the heat inside the oven cavity. The oven's door is fitted with a SOFT CLOSING system that slows the closing movement.






Pro Multifunction 48"

FSRC 4807 2P MK 2F X



- Electronic multifunction ovens
- Pizza Pizzeria 350 °C function
- AirFry (oven-frying) function
- Pyrolytic self-cleaning ovens
- Fast pre-heat function
- Main oven with dual convection
- Ventilated accessory oven
- Meat Probe
- Cool touch soft-close door
- Creactive Digital Control with knobs
- INOX finish reversible plate cover
- Metal knobs with stainless steel finish
- Professional cast iron grates
- Pro Heavy Duty Enamelled Ribbon Plate / Griddle
- Matte black enamelled bowl
- 6 Crescendo Dual Gas Burners
- 1 Teppanyaki tubular burner
- NG or LPG supply



Features

SOFIA PRO 48 DUAL FUEL represents the excellence of FULGOR MILANO, it is synonymous with Italian style, mastery in product development and accuracy in workmanship. Thanks to the cooktop equipped with 6 Crescendo Dual brass gas burners, the reversible griddle featuring grills or TeppanYaki, and the two high-performance pyrolytic multifunction ovens, this version proves to be a flexible tool, capable of enhancing the creative aptitudes of kitchen professionals. The standard accessories of the main oven include a fully extractable telescopic rack, two flat racks, a MEAT probe, pizza set (round rack, peel and pizza stone), enameled tray with anti-splash and tray for AirFry. The support oven has a fully extractable telescopic rack, two flat racks and a stainless-steel tray for AirFry.

Accessories on request	pag	270
Technical data	pag	282



STAINLESS STEEL
FSRC 4807 2P MK 2F X
EAN 8019801022649



MATTE BLACK
FSRC 4807 2P MK 2F MBK
EAN 8019801022656




Pro Multifunction 36"

FSRC 3606 P MG MK 2F X



- Professional Digit Control
- Pizza Pizzeria 350 °C function
- AirFry (oven-frying) function
- Metal knobs with stainless steel finish
- 6 Crescendo Dual Burners
- Matte black enamelled bowl
- Professional cast iron grates
- NG or LPG supply
- Pyrolytic Multifunction Oven
- Fast Pre-Heat BOOSTER
- Interior dual convection



Features

SOFIA PRO 36" MULTIFUNCTION is synonymous with Italian style, masterful design and accuracy in steel processing. The professional cooktop is equipped with 6 flexible gas burners (Crescendo Dual brass burners), sturdy continuous cast iron pan supports and bowl coated with special matt black enamel which guarantees durability and easy cleaning. The 36" pyrolytic multifunction oven is the largest currently produced by Fulgor Milano. The standard accessories of the oven include a fully extractable telescopic rack, a meat probe, two flat racks, a pizza set (round rack, peel and pizza stone), enameled tray with anti-splash and tray for AirFry.

Accessories on request	page	270
Technical data	page	283



STAINLESS STEEL
FSRC 3606 P MG MK 2F X
EAN 8019801031870



MATTE BLACK
FSRC 3606 P MG MK 2F MBK
EAN 8019801031900




Pro Gas 36"

FSRC 3606 GG ED 2F X



- Professional Digit Control
- Metal knobs with stainless steel finish
- 6 Crescendo Dual Burners
- Matte black enamelled bowl
- Professional cast iron grates
- NG or LPG supply
- Gas-powered oven (NG or LPG)
- Interior dual convection
- Cool touch soft-close door
- Telescopic rack



Features

SOFIA 36" PRO GAS is designed for those who appreciate the typical cooking characteristics of a gas oven. Like the other models, this version is characterized by an iconic style recognized all over the world. The professional cooktop is equipped with 6 flexible burners gas oven (Crescendo Dual brass burners), sturdy continuous cast iron grates and bowl coated with special matt black enamel, which guarantees durability and easy cleaning. The oven is the largest gas oven in terms of size and capacity (161 liters) currently produced by Fulgor Milano. The standard equipment of the oven includes a fully extractable telescopic rack, two flat racks and an enameled tray with anti-splash.

Accessories on request	page	270
Technical data	page	283



STAINLESS STEEL
FSRC 3606 GG ED 2F X
EAN 8019801017263



MATTE BLACK
FSRC 3606 GG ED 2F MBK
EAN 8019801031931



FULGOR
MILANO

30|36 INDUCTION SOFIA PROFESSIONAL

The SOFIA range stands out for its iconic design and high performance. It comes with a 30 and 36 inches induction module. Fulgor Milano has fitted the oven and cooktop with a user-friendly knob control to meet the requests of professional chefs. The cooktop control display is located under the glass. The elegant glass-ceramic surface with its special anti-scratch texture is easy to clean. SOFIA is fitted with top-quality inductors ensuring durability, efficiency, and energy savings.

SOFIA's main multifunction oven features dual convection and produces a balanced airflow, ensuring even temperature. Cooking is optimized throughout the cavity's various layers. The Meat Probe monitors the food temperature, digitally controlling the cooking process. The electric grill heating element inside the cavity is ideal for grilling and browning food over high heat. Besides the classic cooking programmes, the oven includes a set of features, such as the 4-pane glass cool-touch door, soft closing system, meat probe, telescopic rails, and self-cleaning function.

SOFIA: a Modern Classic.

FULGOR
MILANO

SOFIA PROFESSIONAL INDUCTION



DUAL MAX POWER

Sofia 36" features an exclusive Premium five-zone cooktop with a special anti-scratch surface. The large and powerful DUAL MAX POWER zone at the centre is incredibly versatile as it automatically recognises the pan size and choosing the cooking zone accordingly.



KNOBS AND TIMER

The user-friendly knobs control the oven and the induction cooktop, ensuring fast cooking and efficiency while combining style, ergonomic design, and sturdiness. With the knob interface, Fulgor Milano meets the requests of professional chefs.

The digital timer helps chefs control the progress of their preparations. Its countdown is displayed on the induction cooktop.



Induction hob 36"

FSRC 3605 P MI MK 2F X




Induction hob 30"

FSRC 3004 P MI MK 2F X



- Professional Digit Control
- Pizza Pizzeria 350 °C function
- AirFry (oven-frying) function
- Metal knobs with stainless steel finish
- 5 cooking zones
- 1 Dual Max Power Zone - Ø 28 cm
- Glass-ceramic surface
- Pan detection sensor
- Pyrolytic Multifunction Oven
- Fast Pre-Heat BOOSTER
- Interior dual convection



Features

Sofia 36" Induction is characterized by an exclusive five-zone Premium cooktop (knob control), the black glass-ceramic surface has an anti-scratch texture and control glass display. The DUAL MAX POWER cooking zone in the center is capable of automatically recognizing pot size. The 36" pyro multifunction oven includes a series of features that make it unique: 4-glazed "cool" door, door soft close mechanism and self-cleaning function (Pyrolysis). The standard accessories of the oven include a fully extractable telescopic rack, a meat probe, two flat racks, a pizza set (round rack, peel and pizza stone), enameled tray with anti-splash and tray for AirFry.

Accessories on request page 270
Technical data page 284




STAINLESS STEEL
FSRC 3605 P MI MK 2F X
EAN 8019801031887



MATTE BLACK
FSRC 3605 P MI MK 2F MBK
EAN 8019801031917



- Professional Digit Control
- Pizza Pizzeria 350 °C function
- AirFry (oven-frying) function
- Metal knobs with stainless steel finish
- 4 cooking zones
- Glass-ceramic surface
- Pan detection sensor
- Pyrolytic Multifunction Oven
- Fast Pre-Heat BOOSTER
- Interior dual convection
- Cool touch soft-close door



Features

Sofia PRO 30" Induction is characterized by an exclusive Premium cooktop with four cooking zones controlled by the intuitive knob control. The heavy-duty black ceramic glass surface has a special anti-scratch texture and a control display. The oven, in addition to the classic cooking modes, includes a series of features that make it unique: 4-glazed "cool" door, door soft close mechanism and self-cleaning function (Pyrolysis). The standard accessories of the oven include a fully extractable telescopic rack, a meat probe, two flat racks, a pizza set (round rack, peel and pizza stone), enameled tray with anti-splash and tray for AirFry.

Accessories on request page 270
Technical data page 284



STAINLESS STEEL
FSRC 3004 P MI MK 2F X
EAN 8019801031894



MATTE BLACK
FSRC 3004 P MI MK 2F MBK
EAN 8019801031924

FULGOR
MILANO

SOFIA PROFESSIONAL OVEN



The Professional product line dedicated to built-in appliances includes the SOFIA 30" Pyrolytic Multifunction oven. Fulgor Milano provides the possibility to arrange products from the same family, like the steam oven, microwave oven and warming drawer, on the same column to meet the needs of the most demanding clients. The various Professional built-in product combinations allow for extraordinary aesthetic results.

PROFESSIONAL

OVEN




Piro Oven 30"

FSO 300 P MK 2F X



- Stainless steel finish
- Pizza Pizzeria 350 °C function
- AirFry (oven-frying) function
- Digital timer and steel knobs
- 18 cooking functions
- Pyrolytic self-cleaning oven
- Fast Pre-Heat BOOSTER
- Interior dual convection
- Cool touch soft-close door
- Telescopic rack
- Energy Class A



Features

This 30" pyrolytic oven features a great structure, functional and aesthetic qualities that characterize the products of the Sofia Professional series. In addition to the classic cooking modes, there are a series of important technical features such as: double internal convection, "cool" door with 4 glasses, door soft close mechanism and self-cleaning function (Pyrolysis).

The standard accessories of the oven include a fully extractable telescopic rack, a meat probe, two flat racks, a pizza set (round rack, peel and pizza stone), enameled tray with anti-splash and tray for AirFry.

Accessories on request
Technical data

page 270
page 285



STAINLESS STEEL
FSO 300 P MK 2F X
EAN 8019801031948

NEW

FULGOR
MILANOSOFIA
30
SPECIAL
OVENS

MICROWAVE

With Fulgor Milano's Combi Microwave Oven, chefs can enjoy all the advantages of combined cooking. They can grill or choose one of the many combined cooking functions to speed up the cooking. It perfectly combines with the other Professional built-in home appliances.

STEAM

Practical and versatile oven that uses steam heat to cook food healthily and maintain all its organoleptic properties. This oven can alternate steam cooking with the thermo-convection mode. Once the water boiler has heated the water, the steam is sprayed inside the cooking chamber.






Combi 30" Steam Oven
FPCSO 300 TEM X



- Stainless steel finish
- 12 cooking functions
- AirFry (oven-frying) function
- Steam recovery cycle
- Combined cooking mode
- CLEAN assisted cleaning cycle
- Stainless steel interior



Features

The Professional product line, dedicated to the built-in, offers to the most demanding customers the possibility of placing products in columns, combining, for example, the products of the same line; such as, the 30" oven, steam oven, microwave and warming drawer, allowing thus obtaining extraordinary aesthetic and cooking results. The steam oven has 12 cooking functions, among which we mention, for example, the combined cooking capacity, combined cooking modes and AirFry cooking. The digital control allows the use of predefined cooking modes as well as the ability to create new recipes. The standard accessories include a meat probe, a perforated tray with lid, a stainless steel support for perforated tray, a stainless steel tray, a flat grill rack and a water tank.

Accessories on request	page 274
Technical data	page 286




STAINLESS STEEL
FPCSO 300 TEM X
EAN 8019801031153



Combi 30" Microwave Oven
FPCMO 300 TEM X



- Stainless steel finish
- 10 cooking functions
- AirFry (oven-frying) function
- Microwave modes (6 levels)
- Assisted ventilation mode
- Combined cooking mode
- Microwave and grill mode
- Defrosting
- Stainless steel interior



Features

The Professional product line, dedicated to built-in, offers to the most demanding customers the possibility of placing products in columns, for example by combining the 30" oven with products from the same line such as the steam oven, microwave oven and warming drawer, allowing thus obtaining extraordinary aesthetic and cooking results. The microwave oven has 10 cooking functions, among which we mention for example the combined cooking capacity, microwave, grilling modes and AirFry cooking. The digital control allows the use of programs predefined cooking modes as well as the possibility of creating new recipes. The standard accessories include a glass turntable plate, a stainless steel tray, a flat grill rack and a round grill rack.

Accessories on request	page 275
Technical data	page 286



STAINLESS STEEL
FPCMO 300 TEM X
EAN 8019801031160



PROFESSIONAL
30" COFFEE
MACHINE




The integrated coffee machine can be considered as a personal barista. It instantly grinds and automatically stores coffee beans while storing the coffee waste in the waste container. At the touch of a button, you can choose among 5 variants, from espresso to cappuccino, just like at the bar. Besides being easy to use, this Italian professional coffee machine perfectly complements your Fulgor Milano kitchen appliances. The exclusive 30" KIT PRO (optional) perfectly combines with the other Professional built-in home appliances.



30" coffee machine
FCM 4500 TF BK + F6PTK30BC



- Deep Black finish
- 30 functions
- TFT touch control display
- Automatic programs
- Coffee bean container (200 g)
- Integrated and adjustable grinding
- Milk container
- Water container (1.8 l)
- Removable hot water dispenser
- Liquid collection container
- Five types of cup



Features

The integrated coffee machine can be considered a personal barista. It allows the conservation of coffee beans, their instant grinding and the automatic storage of the grounds in the collection tray. Coffee like at the coffeshop, with the possibility, with the simple touch of a button, of choosing 5 different coffee variations, passing from espresso to cappuccino. This professional quality machine, easy to use and made in Italy, is the perfect complement to your Fulgor Milano kitchen products. The exclusive PRO FRAME KIT (optional) allows perfect combination with the other built-in appliances of the Professional 30" series. The touch control and the digital display make the use of the coffee machine intuitive and immediate. There is the possibility of choose coffee quantity and intensity, from very light to extra strong. In addition to this, numerous drinks can be prepared thanks to the automatic cappuccino maker and the hot water dispensing for tea and herbal teas. For an optimal result, it is also possible to verify the water hardness The system is equipped with stand-by to save electricity and an extensive safety system: light indicator for no water, no coffee, need for a cleaning cycle and replacement of the limescale filter. Access to the service compartments is through a practical opening. The badge with the Fulgor Milano logo can optionally be positioned as desired by the customer.

Accessories on request
Technical data

page 277
page 319



BLACK GLASS
FCM 4500 TF BK
EAN 8019801025077



PRO FRAME KIT
F6PTK30BC
EAN 8019801026265




30” warming drawer

FPWD 3024 X



- Stainless steel finish
- Handle opening
- Keep-warm function
- Defrosting
- Dough leavening
- Slow cooking up to 85 °C
- Dish pre-heating function
- Coffee cup pre-heating function
- Convection
- Internal light
- Soft closing



Features

The warming drawer of the Professional line is made entirely of metal and is characterized by a front panel in stainless steel and handle of the Professional series. It has various functions including, for example: maintaining food temperature, defrosting, dough leavening, delicate cooking up to 85°C and dishes preheating. With generous internal dimensions (60 litres), the drawer is equipped with: adjustable control thermostat from 30°C to 85°C, non-slip rubber mat, internal lighting, soft closing (telescopic rails).

Techical data

page 287



STAINLESS STEEL
FPWD 3024 X
EAN 8019801031221



FULGOR
MILANO

PROFESSIONAL

36 SLOT-IN



PROFESSIONAL Slot-in cooktop: style and performance, elegance and efficiency. The combination of solid materials and state-of-the-art technologies ensures versatile and functional solutions. The distinctive features of this cooktop are the sturdy stainless steel finish, the continuous , the cooktop with a special matte black enamelled finish, and the stainless steel knobs. The Crescendo gas burners provide endless possibilities for cooking like a true chef.




36" slot-in hob

FSRT 3606 G X



- Stainless steel finish
- NG or LPG supply
- 6 Crescendo Burners
- Matte black enamelled bowl
- Professional cast iron grates
- Steel knobs



Features

The Slot-in cooktop by Fulgor Milano has inherited the iconic design of the Sofia Professional series.

For those who want a built-in installation, this product (combined with the professional built-in oven) features a combination of solid materials and cutting-edge technologies, ensuring versatile and functional solutions. Distinctive elements with a sure visual effect are the sturdiness of the stainless-steel structure (handcrafted), the continuous grates, bowl with a special matt black enameled finish and the metal knobs.

The high-quality Crescendo Dual gas burners adjustable from 450 to 4500 W (NG), offer infinite adjustment possibilities in all six cooking zones. The cooktop is naturally equipped with a Gas-Stop safety devices.

Accessories on request
Technical data

page 270
page 287



STAINLESS STEEL
FSRT 3606 G X
EAN 8019801017294



FULGOR MILANO

PROFESSIONAL EXTRACTION

48 | 36

FEATURES

TWIN MOTOR

Twin aluminum body electric motor allow for suitable extraction even under intensive use.

SOFT-TOUCH CONTROLS

The user-friendly controls ensure operation precision and function coordination.

PROFESSIONAL FILTERS

The stainless steel labyrinth filters improve ventilation and grease collection. Moreover, thanks to the oil drip trays, they are the best solution for maintaining and cleaning the product.

LED LIGHTING

The two high-efficiency LED side bars provide optimal illumination to the cooking area.



The matching wall-mounted hood (available in two sizes) was designed to keep the kitchen free from smoke, food residues, and excess heat. Two powerful electric motors combined with stainless steel labyrinth filters silently extract all odours. The LED side bars light up the cooking area.




48" wall-mounted hood

FPRHD 482 TC X



- Soft touch controls
- AISI 430 stainless steel finish
- 2 motors
- Suction power 1,450 m³/h
- 4 extraction levels
- Power off timer
- Sound power from 48 to 75 dBA
- 2 LED bars
- Stainless steel labyrinth grease filter + filter saturation warning light
- Oil drip tray + non-return valve
- Energy Class A



Features

The 48" wall hood comes in two different finishes: stainless steel and matt black. Designed to keep the kitchen environment free from smoke, steam and excess heat, it is equipped with two powerful motors which, in combination with the stainless-steel grease filters (Baffle) allow odors to be expelled in silence. With the HP activated carbon filter accessory, the hood can work in filtering mode. The LED lighting guaranteed by two side bars illuminates the cooking surface area.

- On request:
- | | |
|-----------------------------------|------------------------|
| - 48" stainless steel chimney kit | Code FPRHD 482 KIT X |
| - 48" matte black chimney kit | Code FPRHD 482 KIT MBK |
| - HP activated carbon filter | Code FCHF 22 |

Accessories on request	page 271
Technical data	page 288



STAINLESS STEEL
FPRHD 482 TC X
EAN 8019801022038



MATTE BLACK
FPRHD 482 TC MBK
EAN 8019801022076




36" wall-mounted hood

FPRHD 362 TC X



- Soft touch controls
- AISI 430 stainless steel finish
- 2 motors
- Suction power 1,450 m³/h
- 4 extraction levels
- Power off timer
- Sound power from 48 to 75 dBA
- 2 LED bars
- Stainless steel labyrinth grease filter + filter saturation warning light + non-return valve
- Energy Class A



Features

The 36" wall hood comes in two different finishes: stainless steel and matt black. Designed to keep the kitchen environment free from smoke, steam and excess heat, it is equipped with two powerful motors which, in combination with the stainless-steel grease filters (Baffle) allow s silent operation. With the HP activated carbon filter accessory the hood can work in filtering mode. The LED lighting guaranteed by two side bars illuminates the cooking surface area.

- On request:
- | | |
|-----------------------------------|------------------------|
| - 36" stainless steel chimney kit | Code FPRHD 362 KIT X |
| - 36" matte black chimney kit | Code FPRHD 362 KIT MBK |
| - HP activated carbon filter | Code FCHF 23 |

Accessories on request	page 271
Technical data	page 288



STAINLESS STEEL
FPRHD 362 TC X
EAN 8019801022021



MATTE BLACK
FPRHD 362 TC MBK
EAN 8019801022069

FULGOR
MILANO

PROFESSIONAL DISHWASHING



ELECTRONIC CONTROLS

The control panel and digital display make washing cycles easy to programme and set.

THIRD RACK

The third rack on the top allows users to position the cutlery rationally, enabling better distribution of the dishes in the lower rack.

SAFETY

The AcquaStop system prevents damage resulting from accidental water leaks. Moreover, the interior body contains a few level sensors.

STAINLESS STEEL RACKS

The two stainless steel racks are coated with a protective film to reduce noise.

FINISH

This Professional product stands out for the elegant finish of the stainless steel door, the unique design of the handle, and the iconic Fulgor Milano badge.

EFFICIENCY

Thanks to the automated door, the Enersave (ECO) option combined with the set program dries the dishes in an optimal way, even at low rinsing temperatures, thus saving energy.




Dishwasher 60

FPDW 82103 XX



- Stainless steel finish + professional handle
- 13 place settings
- Auto-balanced door
- Double-fulcrum hinge
- External operating mode LED
- Stainless steel finish
- 10 programs - 5 temperatures
- Delayed start
- End-of-cycle door release
- Protection against water leaks
- Energy class D - Washing Efficiency class A



Features

Dishwasher characterized by the stainless-steel aesthetics of the door with the distinctive element of the Sofia PRO handle, it is equipped with three baskets for an optimal and flexible distribution of the dishes. It features a self-balancing door for maintaining the selected opening position and it is equipped with hinges with variable fulcrum and adjustable toe-kick up to 10 cm. Moreover, it has the 3/1 option, allowing the use of detergents integrated with salt and rinse aid. The Soft Touch control panel, in the upper inner part of the door, allows users to select the washing program and warns them when salt and rinse aid are running low. The hot water (max 60 °C) hook-up option reduces electricity consumption by 30%. The lower rack holds dishes up to 30 cm in diameter. Delayed start from half an hour to 24 hours and end-of-cycle door release. The safety devices include AcquaStop, level sensors and seals against water leaks.

Technical data

page 289



STAINLESS STEEL
FPDW 82103 XX
EAN 8019801023318



PRO HANDLE

FULGOR
MILANO

BBQ



FULGOR
MILANO

BBQ

COOKING OUTDOORS

Thanks to the FULGOR BBQ range, you can grill, cook, and roast meat, fish, and vegetables in your garden, by the poolside or on the terrace. FULGOR barbecues ensure versatility and high performance.

MAINTENANCE AND CLEANING

Cleaning the barbecue has never been easier, thanks to the stainless steel finish and cooking surfaces. Stainless steel is a highly hygienic and durable material. Moreover, it does not alter food flavours. Every component is interlocked in the structure to facilitate their removal. Therefore, the grill racks and griddle can be easily removed and washed.

TEPPANYAKI

The stainless steel griddle is suitable for Teppanyaki, a Japanese cooking style considered one of the most healthy methods because it maintains nutritional and organoleptic properties. The griddle and grill racks can be positioned depending on the cooking needs. However, users must remember to reposition the gas burner baffles provided for the grill racks.

GRILLING

The oversized stainless steel grill racks supplied with the barbecue are perfect for cooking generous portions of meat or fish. They are also available in cast iron (to be purchased separately).

LIDS

FULGOR BBQ can be completed with a lid (accessory) available in two versions (high or low), depending on your preference.

The high lid has two walls and a thermometer to control the cavity's temperature when the BBQ is closed. The low lid is designed to protect the BBQ's surface from harsh weather conditions. Both these lids are fitted with a Professional handle.

SAFETY

No electric connection, just a battery to start the burners, which are equipped with a detection and supply blocking valve.

METAL KNOBS

FULGOR Professional metal knobs are large to ensure an ergonomic grip.

BBQ

MATTE BLACK FINISH


The matte black finish provides a unique style to the barbecue and lids.


ERGONOMIC CONTROLS

The steel handle and knobs are particularly resistant and easy to use.

TEPPANYAKI GRIDDLE AND CAST IRON GRILL RACKS

In the elegant matte black version, the Teppanyaki griddle and grill racks are made of highly resistant enamelled cast iron. This ensures greater durability and easy cleaning.






Barbecue 1000
FOBQ 1000 G X



- AISI 316 stainless steel
- NG or LPG supply
- 4 in-line tubular gas burners
- Metal knobs
- Battery-operated electronic ignition
- Stainless steel Teppanyaki griddle
- 2 stainless steel grill racks
- Removable drip tray




Features

The Fulgor Milano built-in barbecue in AISI 316 stainless steel has 4 tubular gas burners, with a total power of approximately 15,2 kW. Special gas conversion nozzles are supplied as standard to allow the use with both NG and LPG. The in-line arrangement of the burners allows you to separate the cooking zones and also allowing the use of different temperatures. The BBQ is equipped with Gas-Stop safety devices. Among the accessories on request, in addition to the different types of grates, two different lid models are available (high and low).

Accessories on request page 272
Technical data page 290




STAINLESS STEEL
FOBQ 1000 G X
EAN 8019801021857



Barbecue 1000
FOBQ 1000 G MBK



- Matte black enamelled steel
- NG or LPG supply
- 4 in-line tubular gas burners
- Metal knobs
- Battery-operated electronic ignition
- Cast-iron Teppanyaki griddle
- 2 cast-iron grill racks
- Removable drip tray



Features

The Fulgor Milano built-in barbecue with matt black enameled steel finish is equipped as standard with sturdy cast iron grates and has 4 tubular gas burners, with a total power of approximately 15,2 kW. Special gas conversion nozzles are supplied as standard to allow the use with both NG and LPG. The in-line arrangement of the burners allows you to separate the cooking zones and also allowing the use of different temperatures. The BBQ is equipped with Gas-Stop safety devices. Among the accessories on request, in addition to the different types of grates, two different lid models are available (high and low).

Accessories on request page 272
Technical data page 291




MATTE BLACK
FOBQ 1000 G MBK
EAN 8019801021888



High lid 1000
FOBQ HL 1000 X



- AISI 316 stainless steel finish
- External thermometer
- Inner temperature control
- Steel tubular knob



NOTE: In the image, other than seeing the lid also the BBQ is shown (sold separately)

Accessories on request page 290
Technical data page 291



STAINLESS STEEL
FOBQ HL 1000 X
EAN 8019801021864




MATTE BLACK
FOBQ HL 1000 MBK
EAN 8019801021895



Low lid 1000
FOBQ LL 1000 X



- AISI 316 stainless steel finish
- Steel flat knob



NOTE: In the image, other than seeing the lid also the BBQ is shown (sold separately)

Accessories on request page 290
Technical data page 291



STAINLESS STEEL
FOBQ LL 1000 X
EAN 8019801021871




MATTE BLACK
FOBQ LL 1000 MBK
EAN 8019801021901



Barbecue 800
FOBQ 803 G X



- AISI 316 stainless steel
- NG or LPG supply
- 3 in-line tubular gas burners
- Metal knobs
- Battery-operated electronic ignition
- 3 stainless steel grill racks
- Removable drip tray



Features

The Fulgor Milano built-in barbecue in AISI 316 stainless steel has 3 tubular gas burners, with a total power of approximately 11,4 kW. Special gas conversion nozzles are supplied as standard to allow the use with both NG and LPG. The in-line arrangement of the burners allows you to separate the cooking zones and also allowing the use of different temperatures. The BBQ is equipped with Gas-Stop safety devices. Among the accessories on request, in addition to a TappanYaki griddle and the different types of grates, two different lid models are available (high and low).

Accessories on request	page 272
Technical data	page 292




STAINLESS STEEL
FOBQ 803 G X
EAN 8019801027392



Barbecue 800
FOBQ 803 G MBK



- Black matte enamelled steel
- NG or LPG supply
- 3 in-line tubular gas burners
- Metal knobs
- Battery-operated electronic ignition
- 3 cast-iron grill racks
- Removable drip tray



Features

The Fulgor Milano built-in barbecue with matt black enameled steel finish is equipped as standard with sturdy cast iron grates and has 3 tubular gas burners, with a total power of approximately 11,4 kW. Special gas conversion nozzles are supplied as standard to allow the use with both NG and LPG. The in-line arrangement of the burners allows you to separate the cooking zones and also allowing the use of different temperatures. The BBQ is equipped with Gas-Stop safety devices. Among the accessories on request, in addition to a TeppanYaki griddle and the different types of grates, two different lid models are available (high and low).

Accessories on request	page 272
Technical data	page 293




MATTE BLACK
FOBQ 803 G MBK
EAN 8019801031344



High lid 800
FOBQ HL 800 X



- AISI 316 stainless steel finish
- External thermometer
- Inner temperature control
- Steel tubular knob



NOTE: In the image, other than seeing the lid also the BBQ is shown (sold separately)

Accessories on request	page 292
Technical data	page 293



STAINLESS STEEL
FOBQ HL 800 X
EAN 8019801027453




MATTE BLACK
FOBQ HL 800 MBK
EAN 8019801031269



Low lid 800
FOBQ LL 800 X



- AISI 316 stainless steel finish
- Steel flat knob



NOTE: In the image, other than seeing the lid also the BBQ is shown (sold separately)

Accessories on request	page 292
Technical data	page 293



STAINLESS STEEL
FOBQ LL 800 X
EAN 8019801027446




MATTE BLACK
FOBQ LL 800 MBK
EAN 8019801031962



Barbecue 600
FOBQ 601 TY G X



- NG or LPG supply
- AISI 316 stainless steel finish
- 2 in-line tubular gas burners
- Metal knobs
- Battery-operated electronic ignition
- Stainless steel Teppanyaki griddle
- Removable drip tray



Features

The Fulgor Milano built-in barbecue in AISI 316 stainless steel comes with Teppanyaki plate and has 2 tubular gas burners, with a total power of approximately 7,6 kW. Special gas conversion nozzles are supplied as standard to allow the use with both NG and LPG. The in-line arrangement of the burners allows you to separate the cooking zones and also allowing the use of different temperatures. The BBQ is equipped with Gas-Stop safety devices. Among the accessories on request, in addition to different types of grates, two different lid models are available (high and low).

Accessories on request page 272
Technical data page 292




STAINLESS STEEL
FOBQ 601 TY G X
EAN 8019801027415



Barbecue 600
FOBQ 602 G X



- NG or LPG supply
- AISI 316 stainless steel finish
- 2 in-line tubular gas burners
- Metal knobs
- Battery-operated electronic ignition
- 2 stainless steel grates
- Removable drip tray



Features

The Fulgor Milano built-in barbecue in AISI 316 stainless steel comes with two stainless steel grates and has 2 tubular gas burners, with a total power of approximately 7,6 kW. Special gas conversion nozzles are supplied as standard to allow the use with both NG and LPG. The in-line arrangement of the burners allows you to separate the cooking zones and also allowing the use of different temperatures. The BBQ is equipped with Gas-Stop safety devices. Among the accessories on request, in addition to Teppanyaki and different types of grates, two different lid models are available (high and low).

Accessories on request page 272
Technical data page 292




STAINLESS STEEL
FOBQ 602 G X
EAN 8019801027408



High lid 600
FOBQ HL 600 X



- AISI 316 stainless steel finish
- External thermometer
- Inner temperature control
- Steel tubular knob



NOTE: In the image, other than seeing the lid also the BBQ is shown (sold separately)

Technical data page 292




STAINLESS STEEL
FOBQ HL 600 X
EAN 8019801027439



Low lid 600
FOBQ LL 600 X



- AISI 316 stainless steel finish
- Steel flat knob



NOTE: In the image, other than seeing the lid also the BBQ is shown (sold separately)

Technical data page 292



STAINLESS STEEL
FOBQ LL 600 X
EAN 8019801027422

FULGOR
MILANO

**WATER ASPIRES TO BECOME
STEAM AND STEAM
TO TURN WATER AGAIN**

(Marguerite Yourcenar)



ATMOS STEAM OVEN

FULGOR
MILANO

CLUSTER LINE

Deep Black and metal, black glass and stainless steel finish: the combination of materials in CLUSTER's distinguishing features creates a trendy appearance.

The original design of the handle and control panel makes the CLUSTER range unique and exclusive.

CLUSTER MULTIFUNCTION OVENS

FULGOR
MILANO



PIZZA PIZZERIA 350°C

FULGOR MILANO's Piro Pizza oven is the first oven for household use that cooks several pizzas simultaneously in 3 minutes, like a traditional wood-burning oven. The result is a perfectly cooked pizza. The oven reaches a temperature of 350 °C, ensuring a steaming pizza for all diners.

Thanks to the Creactive Extended control with dual keypad, selecting the appropriate cooking function will be a piece of cake. All you have to do is select the recipes on the display, and the oven will do the rest.

COOL TOUCH - SOFT-CLOSE DOOR

The three heat-reflecting door glass panes are an efficient safety barrier as they isolate the heat inside the oven cavity even during the pyrolytic self-cleaning process.

Some ovens include fully removable telescopic rails to help you remove the trays easily.

60/75/90 Cluster ovens are fitted with a SOFT CLOSING door.

CLUSTER ATMOS OVEN

AUTO CONTROL PANEL OPENING

ATMOS, a premium product, presents an automatic control panel opening system. This system allows you to fill the water tank without opening the oven's door, dispersing heat. The large water tank is easy to reach, and is fitted with baffles to prevent water spillage. Thanks to a sensor system, you can check the water level in the tank from the control panel.

SPECIAL BOILER

ATMOS has a special boiler with two power levels to reach the set temperature quickly and maintain it to increase, for the same amount of water, the cooking times.

EASY CLEANING

The automatic descaling program (to be launched periodically) and the cleaning functions of the cavity and circuit place ATMOS as a TOP-range product.

100 X 100 STEAM

Thanks to the 100x100 steam function, you can steam cook your food, preserving its flavour and nutritional properties.

PUFF OF STEAM

During fan or static cooking, once the temperature exceeds 100 °C, you can add a steam puff any time you want, thanks to the PUFF of STEAM function. This function is particularly suitable for cooking vegetables, fish, side dishes, and even fruit.

ADJUSTABLE STEAM

Temperature increments are 1°C for all steam cooking and some special recipes up to 100°C, beyond which the increment is 5°C. This allows you to calibrate the right amount of steam for each recipe.

ATMOS is the latest addition to FULGOR MILANO's oven range. ATMOS is a steam oven with 24 cooking functions, ideal for complex and easy preparations. ATMOS is synonymous with versatility. For example, there's a cooking function for any preparation, which you can use with the peace of mind that only a product in energy class A++ can ensure. One oven for steam and traditional cooking.

ATMOS is available in the elegant aesthetics of the CLUSTER range and with the professional stainless steel finish of the PLANO range. Made with top-quality materials, taking care of the smallest details, this oven's structure is intended to last over time.




FULGOR
MILANO

CREACTIVE

THE OPERATING SYSTEM FOR ASSISTED COOKING

EXTENDED

Selecting the appropriate cooking function is now a piece of cake. All you have to do is select the recipes on the display, and the oven will do the rest. The CREAACTIVE EXTENDED operating system allows you to adapt preset recipes to your needs, varying the weight and cooking time. This system improves the overall performance, reduces energy consumption, and increases the number of cooking functions. Even safety is improved, thanks to the automatic control system that warns and prevents damage.



MULTILEVEL COOKING

Heat is distributed evenly and consistently inside the oven. You can cook several dishes simultaneously on several levels without contamination, thanks to the assisted ventilation system.

GRILLING

The grill function is the best way to brown a steak or roast while keeping it soft and tender.

TRADITIONAL CUISINE

This method is perfect for blending flavours naturally while heat is evenly distributed across the oven.

PIZZA PIZZERIA 350°C

What a feeling when you bake your dough in a wood-burning oven! Piro Pizza oven is built with top-quality materials and fitted with state-of-the-art technology. It reaches a temperature of 350 °C to cook pizza in just three minutes

CUSTOMISABLE RECIPES

The control board uses predefined cooking programs with pre-selected settings to make your life easier when cooking your dishes. However, you can modify cooking times and methods to unleash your creativity and meet everyone's needs.

SELF-CLEANING FUNCTION


You can select the self-cleaning function from the display. In this case, the oven's cavity reaches a high temperature to burn off residues of grease or food while the safety system blocks the door. Once the cycle is complete, you can remove the ashes using a damp cloth without detergent.



XXL 90 Multifunction Oven
FCLO 9615 TEM 2F BK



- Deep Black finish
- 16 functions
- AirFry (oven-frying) function
- Creactive Extended controls
- Meat probe
- Fast Pre-Heat BOOSTER
- Soft Closing
- Telescopic rails
- CLEAN assisted cleaning cycle
- 3-pane glass cool-touch door
- Energy Class A+



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. With the Meat Probe, you can obtain perfect results because it allows you to monitor the progress by measuring the food core temperature. This product comes with the following accessories: telescopic rails, a Meat Probe, an enamelled tray, a flat rack, a rotisseries kit and an enamelled AirFry tray.

Accessories on request page 273
Technical data page 294




DEEP BLACK GLASS
FCLO 9615 TEM 2F BK
EAN 8019801023288



XL 75 Multifunction Oven
FCLO 7515 TEM BK



- Deep Black finish
- 16 functions
- AirFry (oven-frying) function
- Creactive Extended controls
- Meat probe
- Pre-Heat BOOSTER
- Soft Closing
- Telescopic rails
- CLEAN assisted cleaning cycle
- 3-pane glass cool-touch door
- Energy Class A+



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. With the Meat Probe, you can obtain perfect results because it allows you to monitor the cooking progress by measuring the food core temperature. This product comes with the following accessories: telescopic rails, a Meat Probe, an enamelled tray, a flat rack, a rotisseries kit and an enamelled AirFry tray.

Accessories on request page 273
Technical data page 294




DEEP BLACK GLASS
FCLO 7515 TEM BK
EAN 8019801023264



Steam oven 75x45
FCLSO 7510 TEM BK



- Deep Black finish
- 11 functions
- AirFry (oven-frying) function
- Creactive Extended controls
- Meat probe
- Steam cooking
- Combined cooking
- Steam recovery cycle
- CLEAN assisted cleaning cycle
- 3-pane glass cool-touch door
- Energy Class A++



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. With the Meat Probe, you can obtain perfect results because it allows you to monitor the cooking progress by measuring the food core temperature. This product comes with the following accessories: a meat probe, a perforated tray with lid, a stainless steel support for perforated tray, a stainless steel tray, a flat grill rack and a water tank.

Accessories on request page 273
Technical data page 295




DEEP BLACK GLASS
FCLSO 7510 TEM BK
EAN 8019801031979



Microwave oven 75x45
FCLMO 7510 TEM BK



- Deep Black finish
- 10 Combined Functions
- AirFry (oven-frying) function
- Creactive Extended controls
- Automatic Cooking
- Microwave with 6 power levels
- Microwave & ventilation
- Microwave & grill
- Defrosting
- 3-pane glass cool-touch door



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. Fulgor Milano combi oven is the solution to heat and cook food quickly, combining the advantages of a microwave oven with a traditional ventilated one. A complete and performing household appliance in a small space. With the microwave & ventilation function, you can cook golden brown dishes on the outside and well-cooked on the inside in no time. This product comes with the following accessories: a glass turntable plate, a stainless steel tray, a flat grill rack and a round grill rack.

Accessories on request page 273
Technical data page 295



DEEP BLACK GLASS
FCLMO 7510 TEM BK
EAN 8019801031986




ATMOS Cluster Steam Oven 60

FCLSO 6023 TEM BK



- Deep Black finish
- Classic Pizza mode + AirFry (oven-frying) function)
- Meat probe
- TFT touch control display
- 1300 ml water tank
- 11 classic cooking functions
- 6 steam cooking functions
- 7 special cooking functions
- 100% steam in 5 minutes
- Soft Closing
- Energy Class A++



Features

ATMOS, FULGOR MILANO's steam oven has 24 cooking functions, ideal for complex and easy preparations. Premium household appliance with an automatic control panel opening system to help you fill the water tank without opening the oven. Numerous recipes are available, even for prolonged cooking (up to 3 hours of continuous steam). Water level sensor and reset notice. Cavity and circuit cleaning and descaling functions. This product comes with the following accessories: fully removable telescopic rails, a Meat Probe, a stainless steel steam kit (perforated tray and surface with support), an AirFry tray, an enamelled tray, and a flat grill rack.

Accessories on request page 273
Technical data page 296



DEEP BLACK GLASS
FCLSO 6023 TEM BK
EAN 8019801031993




Multifunction Piro Pizza 60

FCLPO 6215 P TEM BK



- Deep Black finish
- 18 functions
- Pizza Pizzeria 350 °C function
- AirFry (oven-frying) function
- Pyrolytic self-cleaning oven
- Creative Extended controls
- Meat probe
- Fast Pre-Heat BOOSTER
- Soft Closing + Telescopic rails
- 4-pane glass cool-touch door
- Energy Class A+



Features

Piro Pizza oven cooks pizza at 350 °C in three minutes (Pizza Pizzeria Function). The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. With the Meat Probe, you can monitor the cooking progress by measuring the food core temperature. The oven's cavity is cleaned automatically, thanks to the pyrolytic self-cleaning function. This product comes with the following accessories: two sets of telescopic rails, a Meat Probe, an enamelled tray, a flat rack, an enamelled AirFry tray, and a pizza kit (round grill rack, shovel, and firestone).

Accessories on request page 273
Technical data page 297



DEEP BLACK GLASS
FCLPO 6215 P TEM BK
EAN 8019801023219




Multifunction Oven 60

FCLO 6215 TEM BK



- Deep Black finish
- 16 functions
- AirFry (oven-frying) function
- Creative Extended controls
- Meat probe
- Fast Pre-Heat BOOSTER
- Soft Closing
- Telescopic rails
- CLEAN assisted cleaning cycle
- 3-pane glass cool-touch door
- Energy Class A++



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. With the Meat Probe, you can obtain perfect results because it allows you to monitor the cooking progress by measuring the food core temperature. This product comes with the following accessories: a set of telescopic rails, a Meat Probe, an enamelled tray, a flat rack, a rotisseries kit and an enamelled AirFry tray.

Accessories on request page 273
Technical data page 297



DEEP BLACK GLASS
FCLO 6215 TEM BK
EAN 8019801023202




Combi Steam Oven 45

FCLCSO 4510 TEM BK



- Deep Black finish
- 11 functions
- AirFry (oven-frying) function
- Creative Extended controls
- Meat probe
- Steam cooking
- Combined cooking
- Steam recovery cycle
- CLEAN assisted cleaning cycle
- 3-pane glass cool-touch door
- Energy Class A++



Features

Steam ovens cook food gently, healthily, and efficiently while preserving its organoleptic properties. The control panel has different functions, including preset steam cooking functions and the possibility to modify the recipes. With the Meat Probe, you can obtain perfect results because it allows you to monitor the cooking progress by measuring the food core temperature.

This product comes with the following accessories: a meat probe, a perforated tray with lid, a stainless steel support for perforated tray, a stainless steel tray, a flat grill rack and a water tank.

Accessories on request page 273
Technical data page 298



DEEP BLACK GLASS
FCLCSO 4510 TEM BK
EAN 8019801023233




Combi Microwave Oven 45

FCLCMO 4510 TEM BK



- Deep Black finish
- 10 Combined functions
- AirFry (oven-frying) function
- Creative Extended controls
- Automatic Cooking
- Microwave with 6 power levels
- Cooking with assisted ventilation
- Combined cooking (microwave & grill)
- Defrosting
- 3-pane glass cool-touch door)



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. Fulgor Milano combi oven is the solution to heat and cook food quickly, combining the advantages of a microwave oven with a traditional ventilated one. A complete and performing household appliance in a small space. With the microwave & ventilation function, you can cook golden brown dishes on the outside and well-cooked on the inside in no time. This product comes with the following accessories: a glass turntable plate, a stainless steel tray, a flat grill rack and a round grill rack.

Accessories on request page 273
Technical data page 298



DEEP BLACK GLASS
FCLCMO 4510 TEM BK
EAN 8019801023226




Microwave and grill oven 45

FCLGMO 4508 TEM BK



- Deep Black finish
- 5 functions
- Creative Extended controls
- Automatic Cooking
- Microwave with 6 power levels
- Microwave & grill
- Defrosting
- 3-pane glass cool-touch door



Features

FULGOR MILANO microwave oven is perfect for cooking and heating food and beverages. Thanks to the microwave & grill function, your dishes will be perfectly brown and crusty. The control panel has different functions, including preset cooking functions and the possibility to modify the recipes.

This product comes with the following accessories: a glass turntable plate, a stainless steel tray, a flat grill rack and a round grill rack.

Accessories on request page 273
Technical data page 298



DEEP BLACK GLASS
FCLGMO 4508 TEM BK
EAN 8019801023240




Wine Cellar 45

FCLWC 4500 TC FO BK



- Deep Black finish
- Digital touch display
- Drop-down door
- Adjustable temp. between 5-20 °C
- Capacity: 22 Ø 76 mm bottles
- Telescopic rails
- Soft Closing



Features

FULGOR MILANO's wine cellars are ideal for storing wine. You can set the storage temperature based on the type of wine, with a thermal condition that ranges between 5 °C and 20 °C. Temperature is adjusted using the user-friendly Touch Control system. Moreover, the cellar is equipped with antivibration and anticondensation systems and a UV-insulating glass pane. Internal LED lighting. The cellar's door is fitted with a SOFT CLOSING system that slows the closing movement. This appliance comes with the following accessories: 3 beech wood sliding champagne shelves (4 bottles).

Technical data page 318



DEEP BLACK GLASS
FCLWC 4500 TC FO BK
EAN 8019801032006

FULGOR
MILANO

COFFEE IS
THE BALSAM OF
THE HEART AND SPIRIT

(Giuseppe Verdi)






Coffee machine 45

FCLCM 4500 TF BK



- Black finish
- 30 functions
- TFT touch control display
- Automatic programs
- Coffee bean container (200 g)
- Integrated and adjustable grinding
- Milk container
- Water container (1.8 l)
- Removable hot water dispenser
- Liquid collection container
- Five types of cup



Features

This product's design features a user-friendly touch control and digital display. Possibility to choose the type of coffee (e.g. long, short, light or strong) and make teas and herbal teas thanks to the automatic cappuccino maker and the hot water dispenser. The water hardness can also be adjusted. This system can be put on standby to save electricity. Moreover, it is fitted with a safety system, i.e. a warning light to indicate the absence of water or coffee and when it is time to run the cleaning cycle and replace the anti-scale filter. A telescopic opening gives access to the service compartment.

Technical data page 319



BLACK GLASS
FCLCM 4500 TF BK
EAN 8019801024971




Blast chillers 45

FCLBC 4500 TF BK



- Deep Black finish
- 11 functions
- TFT touch control display
- Blast chilling temperature + 3°C
- Deep freezing -18°C
- Quick cooling
- Storage at 0°C
- Raw fish sanitation
- Temperature drop to 30 °C
- Defrosting
- Slow cooking + Leavening



Features


The blast chiller has a 40 l capacity. This appliance comes with the following accessories: a meat probe, a heat-resistant glass tray, and a rack. The best results are obtained with the vacuum drawer enhancing the blast chiller functions. This appliance can be combined with the 45 and 60 cm ranges, and Fulgor Milano's wide range of drawers.

Technical data page 299



DEEP BLACK GLASS
FCLBC 4500 TF BK
EAN 8019801019915






Warming drawer 15

FCLWD 150 BK


- Deep Black Glass finish
- 15 cm high front panel
- Adjustable thermostat



Storage drawer 15

FCLD 150 BK

- Deep Black Glass finish
- 15 cm high front panel
- Anti-slip rubber mat



Vacuum sealing drawer 15

FCLVSD 150 TC BK

- Deep Black Glass finish
- 15 cm high front panel
- Vacuum chamber container



Gas hob 90

FCLH 905 G T WK BK

- Black Glass Ceramic finish
- Halo Vision knobs
- Brass burners



Gas hob 75

FCLH 755 G T WK BK


- Black Glass Ceramic finish
- Halo Vision knobs
- Brass burners



Hybrid hob 90

FCHH 905 ID TS G DWK BK


- Black Glass Ceramic finish
- Touch Slider controls
- 4 cooking zones (2 vertical bridge zones)



Aria+ Induction Hob 80

FHH 800 ID TC BK

- Black Glass Ceramic finish
- Multifunction Touch Control
- 4 cooking zones (2 vertical bridge zones)



Aria+ Induction Hob 60

FHH 600 ID TC BK

- Black Glass Ceramic finish
- Multifunction Touch Control
- 4 cooking zones (2 vertical bridge zones)



Lift Hood 90

FDDH 900 TRC BK

- Black Glass finish
- Touch controls and remote control
- 4 suction levels



Wall-mounted hood 90

FCLHD 900 TC BK

- Black Glass finish
- Touch controls
- 4 suction levels



Island hood 90

FTIHD 960 TC BK X

- Black Glass finish
- Touch controls
- 4 suction levels



FULGOR
MILANO

THE SIGHT AND SMELL OF FRESHLY BAKED BREAD
HAS A ROMANTIC APPEAL THAT TRANSCENDS
ANY OTHER CULINARY ACHIEVEMENT

(Elisabeth Luard)



URBANTECH OVENS

FULGOR
MILANO

URBANTECH MATTE BLACK LINE

The URBANTECH range combines a modern minimalist design with ever-green classic lines. The philosophy behind URBANTECH can be summarised in one sentence: Less is more.

As Adolf Loos once said: "Don't fear being judged as non-modern. Changes in the traditional way of building are only permitted if they are an improvement. Otherwise, stay with what is traditional." This philosophy has inspired the design of this product range, where the classic knob control is completed with a functional digital display. The various timing functions are easy to set and clearly intelligible.

The Matte Black Metal finish of this range includes Fulgor Milano's iconic Badge and unique and ergonomic URBANTECH handle. Even multifunction ovens are fitted with a Soft-Closing system, which, combined with the various cooking modes, will allow you to unleash your culinary creativity.

FULGOR
MILANO

URBANTECH MATTE BLACK



FULGOR
MILANO



URBANTECH DESIGN

With its matte black painted steel finish, the URBANTECH range reveals a unique, pleasant, essential and memorable design. URBANTECH develops a range of built-in, steam and microwave ovens, where you can choose among a variety of sizes and uses.

URBANTECH TECHNIQUE

URBANTECH ovens combine the precision of electronics with the ergonomic design of the knob controls. Direct, immediate, and easily intelligible function setting. The UltraBlack pyrolytic enamel of the cavity and accessories makes the oven easy to clean. URBANTECH pyro ovens are fitted with two interior lights to improve visibility.

OVENS

MULTIFUNCTION

MATTE BLACK

75|90

FULGOR
MILANO

URBANTECH multifunction ovens are also available in 75 and 90 cm. Their maxi cavity (89 and 105 l) allows you to cook several dishes simultaneously.


Thanks to the state-of-the-art auxiliary ventilation system, hot air circulates evenly, thus ensuring excellent results, regardless of how the dish is positioned inside the oven.



XXL 90 Multifunction Oven
FUO 9609 MT MBK



- Matte Black Metal finish
- Metal knobs
- 9 functions
- Digit Timer (on-off) | Knobs
- Ventilation cooking
- Soft Closing
- Telescopic rails
- 3-pane glass cool-touch door
- Energy Class A



Features

This product stands out for its classic user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible. The URBANTECH oven reveals a unique, pleasant, essential design that doesn't go unnoticed. It features a 105 l ultra black enamelled cooking chamber. Moreover, it's fitted with an efficient safety system, including tangential cooling ventilation. This product comes with the following accessories: set of fully removable telescopic rails, enamelled tray, flat rack, and rotisseries kit.

Accessories on request page 273
Technical data page 300




MATTE BLACK METAL
FUO 9609 MT MBK
EAN 8019801031252



Multifunction Oven 75
FUO 7509 MT MBK



- Matte Black Metal finish
- Metal knobs
- 9 functions
- Digit Timer (on-off) | Knobs
- Ventilation cooking
- Soft Closing
- Telescopic rails
- 3-pane glass cool-touch door
- Energy Class A



Features

This product stands out for its classic user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible. This oven features an 89 l ultra black enamelled cavity. Moreover, it's fitted with an efficient safety system, including tangential cooling ventilation. This product comes with the following accessories: set of fully removable telescopic rails, a tray, a flat rack, and a rotisseries kit.

Accessories on request page 273
Technical data page 302




MATTE BLACK METAL
FUO 7509 MT MBK
EAN 8019801031245



Steam oven 75x45
FUSO 7505 MT MBK



- Matte Black Metal finish
- Metal knobs
- 2 functions
- Digit Timer (on-off) | Knobs
- Steam cooking
- Grill
- Automatic descaling system
- Safe door
- Energy Class A++



Features

Steam ovens cook food gently, healthily, and efficiently while preserving its organoleptic properties. The oven features a 34 l stainless steel cooking chamber. Moreover, it's fitted with an efficient safety system, including a door contact switch and tangential cooling ventilation. The appliance comes with the following accessories: a perforated tray with lid, a stainless steel support for perforated tray, a stainless steel tray, a flat grill rack and a water tank.

Accessories on request page 273
Technical data page 302




MATTE BLACK METAL
FUSO 7505 MT MBK
EAN 8019801032037



Microwave oven 75x45
FUGMO 7505 MT MBK



- Matte Black Metal finish
- Metal knobs
- 3 functions
- Digit Timer (on-off) | Knobs
- Microwave with 6 power levels
- Microwave & grill
- Defrosting
- 3-pane glass cool-touch door



Features

This product stands out for its classic user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible. The oven features a 34 l stainless steel cooking chamber. Moreover, it's fitted with an efficient safety system, including a door with a safety lock and tangential cooling ventilation. The appliance comes with a glass turntable plate, a flat grill rack and a round grill rack.

Accessories on request page 273
Technical data page 303



MATTE BLACK METAL
FUGMO 7505 MT MBK
EAN 8019801032044




Piro Multifunction Oven 60

FUO 6011 P MT MBK



- Matte Black Metal finish
- Metal knobs
- 9 functions
- Pyrolytic self-cleaning oven
- Digit Control | Knobs
- Ventilation cooking
- Soft Closing
- Telescopic rails
- 4-pane glass cool-touch door
- Energy Class A+



Features

This product stands out for its user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible. The oven features a 65 l ultra black enamelled cooking chamber. Moreover, it's fitted with an efficient safety system, including a door with an automatic lock during the self-cleaning cycle, a control panel with safety switch and tangential cooling ventilation. This product comes with the following accessories: set of fully removable telescopic rails, a tray, and two flat grill racks.

Accessories on request page 273
Technical data page 303



MATTE BLACK METAL
FUO 6011 P MT MBK
EAN 8019801027910




Multifunction Oven 60

FUO 6009 MT MBK



- Matte Black Metal finish
- Metal knobs
- 9 functions
- Digit Timer (on-off) | Knobs
- Ventilation cooking
- Soft Closing
- Telescopic rails
- 3-pane glass cool-touch door
- Energy Class A



Features

This product stands out for its classic user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible. The oven features a 65 l ultra black enamelled cooking chamber. Moreover, it's fitted with an efficient safety system, including tangential cooling ventilation. This product comes with the following accessories: set of fully removable telescopic rails, a tray, and a flat rack.

Accessories on request page 273
Technical data page 304



MATTE BLACK METAL
FUO 6009 MT MBK
EAN 8019801027903




Grill steam oven 45

FUSO 4505 MT MBK



- Matte Black Metal finish
- Metal knobs
- 2 functions
- Digit Timer (on-off) | Knobs
- Steam cooking
- Grill
- Automatic descaling system
- 3-pane glass cool-touch door
- Energy Class A++



Features

Steam ovens cook food gently, healthily, and efficiently while preserving its organoleptic properties. The oven features a 34 l stainless steel cooking chamber. Moreover, it's fitted with an efficient safety system, including a door contact switch and tangential cooling ventilation. The appliance comes with the following accessories: a perforated tray with lid, a stainless steel support for perforated tray, a stainless steel tray, a flat grill rack and a water tank.

Accessories on request page 273
Technical data page 305



MATTE BLACK METAL
FUSO 4505 MT MBK
EAN 8019801027880




Microwave and grill oven 45

FUGMO 4505 MT MBK



- Matte Black Metal finish
- Metal knobs
- 3 functions
- Digit Timer (on-off) | Knobs
- Microwave with 6 power levels
- Microwave & grill
- Defrosting
- 3-pane glass cool-touch door



Features

This product stands out for its classic user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible. The oven features a 34 l stainless steel cooking chamber. Moreover, it's fitted with an efficient safety system, including a door with a safety lock and tangential cooling ventilation. The appliance comes with the following accessories: a glass turntable plate, a flat grill rack and a round grill rack.

Accessories on request page 273
Technical data page 305




MATTE BLACK METAL
FUGMO 4505 MT MBK
EAN 8019801027897



Coffee machine 45
FUCM 4500 TF MBK



- Matte Black Metal finish
- 30 functions
- TFT touch control display
- Automatic programs
- Coffee bean container (200 g)
- Integrated and adjustable grinding
- Milk container
- Water container (1.8 l)
- Removable hot water dispenser
- Liquid collection container
- Five types of cup



Features

This product's design features a user-friendly touch control and digital display. Possibility to choose the type of coffee (e.g. long, short, light or strong) and make teas and herbal teas thanks to the automatic cappuccino maker and the hot water dispenser. The water hardness can also be adjusted. This system can be put on standby to save electricity. Moreover, it is fitted with a safety system, i.e. a warning light to indicate the absence of water or coffee and when it is time to run the cleaning cycle and replace the anti-scale filter. A telescopic opening gives access to the service compartment.

Technical data page 319




MATTE BLACK METAL
FUCM 4500 TF MBK
EAN 8019801030408



Wine Cellar 45
FUWC 4500 TC FO MBK



- Matte Black Metal finish
- Digital touch display
- Drop-down door
- Adjustable temperature between 5 and 20 °C
- Capacity: 22 Ø 76 mm bottles
- Telescopic rails
- Soft Closing



Features

FULGOR MILANO's wine cellars are ideal for storing wine. You can set the storage temperature based on the type of wine, with a thermal condition that ranges between 5 °C and 20 °C. Temperature is adjusted using the user-friendly Touch Control system. Moreover, the cellar is equipped with antivibration and anticondensation systems and a UV-insulating glass pane. Internal LED lighting. The cellar's door is fitted with a SOFT CLOSING system that slows the closing movement. This appliance comes with the following accessories: 3 beech wood sliding champagne shelves (4 bottles).


Technical data page 318



MATTE BLACK METAL
FUWC 4500 TC FO MBK
EAN 8019801032051

FULGOR
MILANO






Warming drawer 15

FUWD 150 MBK

- Matte Black Metal finish
- 15 cm high front panel
- Adjustable thermostat



Storage drawer 15

FUD 150 MBK

- Matte Black Metal finish
- 15 cm high front panel
- Anti-slip rubber mat



Gas hob 90

FUH 905 G DWK MBK

- Matte Black Metal finish
- Electronic ignition
- Matte black brass burners



Gas hob 90

FUH 9041 G DWK MBK

- Matte Black Metal finish
- Electronic ignition
- Matte black brass burners



Gas hob 75

FUH 755 G DWK MBK

- Matte Black Metal finish
- Electronic ignition
- Matte black brass burners



Gas hob 60

FUH 604 G DWK MBK


- Matte Black Metal finish
- Electronic ignition
- Matte black brass burners



Induction hob 90

FSH 905 ID WT MBK


- Matte Black Glass Ceramic finish
- WAVE Touch Slider controls
- 5 cooking zones



Induction hob 80

FSH 804 ID WT MBK


- Matte Black Glass Ceramic finish
- WAVE Touch Slider controls
- 4 cooking zones



Aria+ Induction Hob 80

FHH 800 ID TC BK

- Black Glass Ceramic finish
- Multifunction Touch Control
- 4 cooking zones (2 vertical bridge zones)



Aria+ Induction Hob 60

FHH 600 ID TC BK

- Black Glass Ceramic finish
- Multifunction Touch Control
- 4 cooking zones (2 vertical bridge zones)



NEW

FULGOR
MILANO

URBANTECH STAINLESS STEEL AND BLACK GLASS



URBANTECH DESIGN

Besides the elegant matte black metal version, URBANTECH is available with stainless steel and black glass finishes. This product stands out for its classic user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible.


The URBANTECH range reveals a unique, pleasant, essential design that doesn't go unnoticed. A wide range of products (electrical and/or gas), e.g. multifunction ovens, steam ovens, coffee machines, wine cellars, etc., where you can choose among a variety of sizes and uses is available.



XXL 90 Multifunction Oven
FUTO 9609 MT IX



- Stainless steel finish
- Metal knobs
- 9 functions
- Digit Timer (on-off) | Knobs
- Ventilation cooking
- Soft Closing
- Telescopic rails
- 3-pane glass cool-touch door
- Energy Class A



Features

This product stands out for its classic user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible. The URBANTECH oven reveals a unique, pleasant, essential design that doesn't go unnoticed. It features a 105 l ultra black enamelled cooking chamber. Moreover, it's fitted with an efficient safety system, including tangential cooling ventilation. This product comes with the following accessories: set of fully removable telescopic rails, enamelled tray, flat rack, and rotisseries kit.

Accessories on request	page 273
Technical data	page 300




STAINLESS STEEL
FUTO 9609 MT IX
EAN 8019801032068



Ventilated Gas Oven 90
FUTO 9605 FG EM 2F IX



- Stainless steel finish
- Metal knobs
- 4 functions
- Digit Timer | Knobs
- Gas burner
- Electric grill
- Assisted cooking
- Ventilation cooking
- Soft Closing
- 3-pane glass cool-touch door
- Energy Class A



Features

This product stands out for its classic user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible. The oven features a 96 l ultra black enamelled cooking chamber. Moreover, it's fitted with an efficient safety system, including a gas detection and stop system. This product comes with the following accessories: set of fully removable telescopic rails, enamelled tray, flat rack, and rotisseries kit.

Accessories on request	pag 273
Technical data	pag 301




STAINLESS STEEL
FUTO 9605 FG EM 2F IX
EAN 8019801032075



Multifunction Oven 75
FUTO 7509 MT IX



- Stainless steel finish
- Metal knobs
- 9 functions
- Digit Timer (on-off) | Knobs
- Ventilation cooking
- Soft Closing
- Telescopic rails
- 3-pane glass cool-touch door
- Energy Class A



Features

This product stands out for its classic user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible. The URBANTECH oven reveals a unique, pleasant, essential design that doesn't go unnoticed. This model features an 89 l ultra black enamelled cooking chamber. Moreover, it's fitted with an efficient safety system, including tangential cooling ventilation. This product comes with the following accessories: set of fully removable telescopic rails, enamelled tray, flat rack, and rotisseries kit.

Accessories on request page 273
Technical data page 302



STAINLESS STEEL
FUTO 7509 MT IX
EAN 8019801032099


BLACK GLASS
FUTO 7509 MT GBK
EAN 8019801032181



Steam oven 75x45
FUSO 7505 MT IX



- Stainless steel finish
- Metal knobs
- 2 functions
- Digit Timer (on-off) | Knobs
- Steam cooking
- Grill
- Automatic descaling system
- Safe door
- Energy Class A++



Features

Steam ovens cook food gently, healthily, and efficiently while preserving its organoleptic properties. The oven features a 34 l stainless steel cooking chamber. Moreover, it's fitted with an efficient safety system, including a door contact switch and tangential cooling ventilation. The appliance comes with the following accessories: a perforated tray with lid, a stainless steel support for perforated tray, a stainless steel tray, a flat grill rack and a water tank.

Accessories on request page 273
Technical data page 302



STAINLESS STEEL
FUSO 7505 MT IX
EAN 8019801032105


BLACK GLASS
FUSO 7505 MT GBK
EAN 8019801032198



Microwave oven 75x45
FUGMO 7505 MT IX



- Stainless steel finish
- Metal knobs
- 3 functions
- Digit Timer (on-off) | Knobs
- Microwave with 4 power levels
- Microwave & grill
- Grill
- Defrosting
- 3-pane glass cool-touch door



Features

This product stands out for its classic user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible. The oven features a 34 l stainless steel cooking chamber. Moreover, it's fitted with an efficient safety system, including a door with a safety lock, a door contact switch, and tangential cooling ventilation. The appliance comes with the following accessories: a glass turntable plate, a flat grill rack and a round grill rack.

Accessories on request page 273
Technical data page 303



STAINLESS STEEL
FUGMO 7505 MT IX
EAN 8019801032112


BLACK GLASS
FUGMO 7505 MT GBK
EAN 8019801032204



Multifunction Oven Pyro 60
FUTO 6011 P MT IX



- Stainless steel finish
- Metal knobs
- 9 functions
- Pyrolytic self-cleaning oven
- Digit Control | Knobs
- Ventilation cooking
- Soft Closing
- Telescopic rails
- 4-pane glass cool-touch door
- Energy Class A+



Features

This product stands out for its user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible. The oven features a 65 l ultra black enamelled cooking chamber. Moreover, it's fitted with an efficient safety system, including a door with an automatic lock during the self-cleaning cycle, a control panel with safety switch and tangential cooling ventilation. This product comes with the following accessories: set of fully removable telescopic rails, a tray, and two flat grill racks.

Accessories on request	page	273
Technical data	page	303



STAINLESS STEEL
FUTO 6011 P MT IX
EAN 8019801032907




BLACK GLASS
FUTO 6011 P MT GBK
EAN 8019801032914



Multifunction Oven 60
FUTO 6009 MT IX



- Stainless steel finish
- Metal knobs
- 9 functions
- Digit Timer (on-off) | Knobs
- Ventilation cooking
- Soft Closing
- Telescopic rails
- 3-pane glass cool-touch door
- Energy Class A



Features

This product stands out for its classic user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible. The URBANTECH oven reveals a unique, pleasant, essential design that doesn't go unnoticed. The oven features a 65 l ultra black enamelled cooking chamber. Moreover, it's fitted with an efficient safety system, including tangential cooling ventilation. This product comes with the following accessories: set of fully removable telescopic rails, enamelled tray, and flat rack.

Accessories on request	page	273
Technical data	page	304



STAINLESS STEEL
FUTO 6009 MT IX
EAN 8019801032129




BLACK GLASS
FUTO 6009 MT GBK
EAN 8019801032211



Ventilated Gas Oven 60
FUTO 6005 FG EM IX



- Stainless steel finish
- Metal knobs
- 3 functions
- Digit Timer | Knobs
- Gas burner
- Ventilation cooking
- Timer
- 3-pane glass cool-touch door
- Energy Class A+



Features

This product stands out for its classic user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible. The URBANTECH oven reveals a unique, pleasant, essential design that doesn't go unnoticed. The oven features a 65 l ultra black enamelled cooking chamber. This product comes with the following accessories: enamelled tray, flat rack, and rotisseries kit.

Accessories on request	page	273
Technical data	page	304




STAINLESS STEEL
FUTO 6005 FG EM IX
EAN 8019801032136



Grill steam oven 45
FUTGSO 4505 MT IX



- Stainless steel finish
- Metal knobs
- 2 functions
- Digit Timer (on-off) | Knobs
- Steam cooking
- Grill
- Automatic descaling system
- Safe door
- Energy Class A++



Features

Steam ovens cook food gently, healthily, and efficiently while preserving its organoleptic properties. The oven features a 34 l stainless steel cooking chamber. Moreover, it's fitted with an efficient safety system, including a door contact switch and tangential cooling ventilation. The appliance comes with the following accessories: a perforated tray with lid, a stainless steel support for perforated tray, a stainless steel tray, a flat grill rack and a water tank.

Accessories on request page 273
Technical data page 305



STAINLESS STEEL
FUTGSO 4505 MT IX
EAN 8019801032143




BLACK GLASS
FUTGSO 4505 MT GBK
EAN 8019801032228



Microwave and grill oven 45
FUTGMO 4505 MT IX



- Stainless steel finish
- Metal knobs
- 3 functions
- Digit Timer (on-off) | Knobs
- Microwave with 4 power levels
- Microwave & grill
- Grill
- Defrosting
- 3-pane glass cool-touch door



Features

This product stands out for its classic user-friendly knob control completed with a functional digital display. The various timing functions are easy to set and clearly intelligible. The oven features a 34 l stainless steel cooking chamber. Moreover, it's fitted with an efficient safety system, including a door with a safety lock and tangential cooling ventilation. The appliance comes with the following accessories: a glass turntable plate, a flat grill rack and a round grill rack.

Accessories on request page 273
Technical data page 305



STAINLESS STEEL
FUTGMO 4505 MT IX
EAN 8019801032150




BLACK GLASS
FUTGMO 4505 MT GBK
EAN 8019801032235



Coffee machine 45
FUCM 4500 TF IX



- Stainless steel finish
- 30 functions
- TFT touch control display
- Automatic programs
- Coffee bean container (200 g)
- Integrated and adjustable grinding
- Milk container
- Water container (1.8 l)
- Removable hot water dispenser
- Liquid collection container
- Five types of cup



Features

This product's design features a user-friendly touch control and digital display. Possibility to choose the type of coffee (e.g. long, short, light or strong) and make teas and herbal teas thanks to the automatic cappuccino maker and the hot water dispenser. The water hardness can also be adjusted. This system can be put on standby to save electricity. Moreover, it is fitted with a safety system, i.e. a warning light to indicate the absence of water or coffee and when it is time to run the cleaning cycle and replace the anti-scale filter. A telescopic opening gives access to the service compartment.

Technical data page 319




STAINLESS STEEL
FUCM 4500 TF IX
EAN 8019801032167



Wine Cellar 45
FUWC 4500 TC FO IX



- Stainless steel finish
- Digital touch display
- Drop-down door
- Adjustable temp. between 5 - 20 °C
- Capacity: 22 Ø 76 mm bottles
- Telescopic rails
- Soft Closing



Features

FULGOR MILANO's wine cellars are ideal for storing wine. You can set the storage temperature based on the type of wine, with a thermal condition that ranges between 5 °C and 20 °C. Temperature is adjusted using the user-friendly Touch Control system. Moreover, the cellar is equipped with antivibration and anticondensation systems and a UV-insulating glass pane. Internal LED lighting. The cellar's door is fitted with a SOFT CLOSING system that slows the closing movement. This appliance comes with the following accessories: 3 beech wood sliding champagne shelves (4 bottles).

Technical data page 318



STAINLESS STEEL
FUWC 4500 TC FO IX
EAN 8019801032174



Storage drawer 15
FD 150 X

- Stainless steel structure
- 15 cm high front panel
- Anti-slip rubber mat



Warming drawer 15
FWD 150 X

- Stainless steel structure
- 15 cm high front panel
- Adjustable thermostat



Warming drawer 27
FWD 3024 X

- Stainless steel finish
- 27 cm high front panel
- Adjustable thermostat



Gas hob 90
FPH 905 G WK X

- Stainless steel structure
- Electric ignition under the knob
- Burners with brass flame spreader




Gas hob 90
FPH 9041 G WK X

- Stainless steel structure
- Electric ignition under the knob
- Burners with brass flame spreader



Gas hob 75
FPH 755 G WK X

- Stainless steel structure
- Electric ignition under the knob
- Burners with brass flame spreader



Aria+ Induction Hob 80
FHH 800 ID TC BK

- Black Glass Ceramic finish
- Multifunction Touch Control
- 4 cooking zones (2 vertical bridge zones)




Induction hob 90
FSH 905 ID WT BK

- Black Glass Ceramic finish
- WAVE Touch Slider controls
- 5 cooking zones



Induction hob 80
FSH 804 ID WT BK

- Black Glass Ceramic finish
- WAVE Touch Slider controls
- 4 cooking zones



Lift Hood 90
FDDH 900 TRC X

- Stainless steel finish
- 4 suction levels
- LED bar lighting



Wall-mounted hood 90
FTHD 900 TC X

- Stainless steel finish
- Touch controls
- 4 suction levels



Integrated hood 85
FBGHD 850 TC X

- Stainless steel finish
- Touch controls
- 4 suction levels



FULGOR
MILANO

THE PIZZA FILLS THE SPACE WITH
COLOURS AND SCENTS. THEN WHEN IT
ARRIVES ON THE TABLE, THE WORLD
FALLS IN LOVE

(Fabrizio Caramagna)



PIZZA PIZZERIA **350°C**

FULGOR
MILANO



PLANO

Plano ovens hint at classic shapes while standing out for their unique and innovative design. These products feature a metal handle and an electronic touch control system with a dual keyboard, which allows you to launch the required function with a simple touch. Three finishes available: stainless steel, glossy black glass, and glossy white glass.

PLANO IN GRANDE

MULTIFUNCTION OVENS

FULGOR
MILANO



CREACTIVE EXTENDED

The CREAACTIVE EXTENDED operating system allows you to adapt preset recipes to your needs, varying the weight and cooking time. This system improves the overall performance, reduces energy consumption, and increases the number of cooking functions. Even safety is improved, thanks to the automatic control system that warns and prevents damage.

RECIPES

The control board uses predefined cooking programs with pre-selected settings to make your life easier when cooking your dishes. However, creativity comes with the possibility to modify the cooking times and methods to create new recipes.

PIZZA PIZZERIA 350°C

What a feeling when you bake your dough in a wood-burning oven! Piro Pizza oven is built with top-quality materials and fitted with state-of-the-art technology. It reaches a temperature of 350 °C to cook pizza in just three minutes

AIRFRY

The AirFry function can be selected from the control interface of every Plano oven. This function distributes air evenly to have crispy food with very little oil. The AirFry tray comes with the oven or can be purchased separately.

MEAT PROBE

The Meat Probe monitors the food temperature, digitally controlling the cooking process. This accessory helps enhance the food's flavour. While cooking, you can view the selected function, the temperature of the cavity and the food's core from the display.

TELESCOPIC RAILS

All PLANO 60/75/90 ovens are fitted with telescopic rails. You can place the grill rack and enamelled tray on these rails so you can easily remove them to check the progress of your dishes.

PLANO IN GRANDE

MULTIFUNCTION OVENS

FULGOR
MILANO



FULGOR MILANO has increased the size of three built-in ovens – PiroPizza multifunction oven, steam oven, and microwave oven – creating the PLANO IN GRANDE range. Each product has specific features to meet different cooking requirements. They always ensure the best performance, whether installed together or separately.

EXTRA LARGE CAVITY

These three products have a 30-inch width (76.2 cm) to allow you to use different cooking levels efficiently and simultaneously.

HALOGEN LIGHTING

The three offset lights improve visibility inside the cavity, making it easy to check the cooking progress.

COOL-TOUCH DOOR


Thanks to the four heat-reflecting glass panes, the external door remains warm to the touch, even during the self-cleaning cycle.



XXL 30” Piro Multifunction
FCPO 315 P TEM 2F X



- Stainless steel finish
- 18 functions
- Pizza Pizzeria 350 °C function
- AirFry (oven-frying) function
- Pyrolytic self-cleaning oven
- Creative Extended controls
- Meat probe
- Fast Pre-Heat BOOSTER
- Interior dual convection
- 4-pane glass cool-touch door
- Energy Class A



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. With the Meat Probe, you can obtain perfect results because it allows you to monitor the cooking progress by measuring the food core temperature. This product comes with the following accessories: two sets of fully removable telescopic rails, a Meat Probe, a maxi enamelled tray, a flat rack, an enamelled AirFry tray, and a pizza kit (round grill rack, shovel, and firestone).

Accessories on request page 273
Technical data page 306




STAINLESS STEEL
FCPO 315 P TEM 2F X
EAN 8019801027279



30” Combined Steam oven
FCSO 310 TEM X



- Stainless steel finish
- 12 combined functions
- AirFry (oven-frying) function
- Creative Extended controls
- Meat probe
- Steam recovery cycle
- Combined cooking
- CLEAN assisted cleaning cycle
- 3-pane glass cool-touch door



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. With the Meat Probe, you can obtain perfect results because it allows you to monitor the cooking progress by measuring the food core temperature. This product comes with the following accessories: a glass turntable plate, a stainless steel tray, a flat grill rack and a round grill rack.

Accessories on request page 273
Technical data page 307




STAINLESS STEEL
FCSO 310 TEM X
EAN 8019801031122



30” Combi Microwave Oven
FCMO 310 TEM X



- Stainless steel finish
- 10 Combined functions
- AirFry (oven-frying) function
- Creative Extended controls
- Automatic Cooking
- Microwave with 6 power levels
- Cooking with assisted ventilation
- Combined cooking (microwave & grill)
- Defrosting
- 3-pane glass cool-touch door



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. The defrosting time and power level are set automatically. You just have to select the program and the food weight. Frozen food must be placed on a ceramic plate at the centre of the turntable. The appliance comes with the following accessories: a round and a flat rack, a stainless steel tray (h = 20) and a glass plate.

Accessories on request page 273
Technical data page 307



STAINLESS STEEL
FCMO 310 TEM X
EAN 8019801031139




XXL 90 Multifunction Oven

FCO 9615 TEM 2F X



- Stainless steel finish
- 16 functions
- AirFry (oven-frying) function
- Creactive Extended controls
- Meat probe
- Fast Pre-Heat BOOSTER
- Soft Closing
- Telescopic rails
- CLEAN assisted cleaning cycle
- 3-pane glass cool-touch door
- Energy Class A+



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. With the Meat Probe, you can obtain perfect results because it allows you to monitor the cooking progress by measuring the food core temperature. This product comes with the following accessories: two sets of telescopic rails, a Meat Probe, an enamelled tray, a flat rack, a rotisseries kit and an enamelled AirFry tray.

Accessories on request page 273
Technical data page 308



STAINLESS STEEL
FCO 9615 TEM 2F X
EAN 8019801030347



BLACK GLASS
FCO 9615 TEM 2F BK
EAN 8019801030354




XL 90x48 Multifunction Oven

FCO 9013 TM X



- Stainless steel finish
- 16 functions
- AirFry (oven-frying) function
- Creactive controls
- Meat probe
- Fast Pre-Heat BOOSTER
- Soft Closing
- Telescopic rails
- CLEAN assisted cleaning cycle
- 3-pane glass cool-touch door
- Energy Class A+



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. With the Meat Probe, you can obtain perfect results because it allows you to monitor the cooking progress by measuring the food core temperature. This product comes with the following accessories: two sets of telescopic rails, a Meat Probe, an enamelled tray, a flat rack, a rotisseries kit and an enamelled AirFry tray.

Accessories on request page 273
Technical data page 309



STAINLESS STEEL
FCO 9013 TM X
EAN 8019801017362



BLACK GLASS
FCO 9013 TM BK/2
EAN 8019801030378




XL 75 Multifunction Oven

FCO 7515 TEM X



- Stainless steel finish
- 16 functions
- AirFry (oven-frying) function
- Creactive Extended controls
- Meat probe
- Fast Pre-Heat BOOSTER
- Soft Closing
- Telescopic rails
- CLEAN assisted cleaning cycle
- 3-pane glass cool-touch door
- Energy Class A+



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. With the Meat Probe, you can obtain perfect results because it allows you to monitor the cooking progress by measuring the food core temperature. This product comes with the following accessories: two sets of telescopic rails, a Meat Probe, an enamelled tray, a flat rack, a rotisseries kit and an enamelled AirFry tray.

Accessories on request	page 273
Technical data	page 310



STAINLESS STEEL
FCO 7515 TEM X
EAN 8019801023271



BLACK GLASS
FCO 7515 TEM BK
EAN 8019801023431




Steam oven 75x45

FCSO 7510 TEM X



- Stainless steel finish
- 11 functions
- AirFry (oven-frying) function
- Creactive Extended controls
- Meat probe
- Steam cooking
- Combined cooking
- Steam recovery cycle
- CLEAN assisted cleaning cycle
- 3-pane glass cool-touch door
- Energy Class A++



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. With the Meat Probe, you can obtain perfect results because it allows you to monitor the cooking progress by measuring the food core temperature. This product comes with the following accessories: a meat probe, a perforated tray with lid, a stainless steel support for perforated tray, a stainless steel tray, a flat grill rack and a water tank.

Accessories on request	page 273
Technical data	page 311



STAINLESS STEEL
FCSO 7510 TEM X
EAN 8019801032242



BLACK GLASS
FCSO 7510 TEM BK
EAN 8019801032273




Microwave oven 75x45

FCMO 7510 TEM X



- Stainless steel finish
- 10 functions
- AirFry (oven-frying) function
- Creactive Extended controls
- Automatic Cooking
- Combined cooking
- Microwave with 6 power levels
- Microwave & ventilation
- Microwave & grill
- Defrosting
- 3-pane glass cool-touch door



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. Fulgor Milano combi oven is the solution to heat and cook food quickly, combining the advantages of a microwave oven with a traditional ventilated one. A complete and performing household appliance in a small space. With the microwave & ventilation function, you can cook golden broan dishes on the outside and well-cooked on the inside. This product comes with the following accessories: a glass turntable plate, a stainless steel tray, a flat grill rack and a round grill rack.

Accessories on request	page 273
Technical data	page 311



STAINLESS STEEL
FCMO 7510 TEM X
EAN 8019801032259




BLACK GLASS
FCMO 7510 TEM BK
EAN 8019801032280



ATMOS Plano Steam Oven 60
FCSO 6023 TEM X



- Stainless steel finish
- Classic Pizza Mode
- AirFry (oven-frying) function
- TFT touch control display
- 1300 ml water tank
- 11 classic cooking functions
- 6 steam cooking functions
- 7 special cooking functions
- Meat probe
- Soft Closing
- Energy Class A++



Features

Atmos steam oven has 24 cooking functions. Its control panel opens automatically to help you fill the water tank without opening the oven. Numerous are recipes available, even for prolonged cooking (up to 3 hours of continuous steam). Water level sensor and reset notice. Cavity and circuit cleaning and descaling functions.

This product comes with the following accessories: fully removable telescopic rails, a Meat Probe, a stainless steel steam kit (perforated tray and surface with support), an AirFry tray, an enamelled tray, and a flat grill rack.

Accessories on request page 273
Technical data page 312



STAINLESS STEEL
FCSO 6023 TEM X
EAN 8019801032266




BLACK GLASS
FCSO 6023 TEM BK
EAN 8019801032297



Multifunction Piro Pizza 60
FCPO 6215 P TEM X



- Stainless steel finish
- 18 functions
- Pizza Pizzeria 350 °C function
- AirFry (oven-frying) function
- Pyrolytic self-cleaning oven
- Creative Extended controls
- Meat probe
- Fast Pre-Heat BOOSTER
- Soft Closing + Telescopic rails
- 4-pane glass cool-touch door
- Energy Class A+



Features

Piro Pizza oven cooks pizza at 350 °C in three minutes (Pizza Pizzeria Function). The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. With the Meat Probe, you can monitor the cooking progress by measuring the food core temperature. The oven's cavity is cleaned automatically, thanks to the pyrolytic self-cleaning function. This product comes with the following accessories: two sets of telescopic rails, a Meat Probe, an enamelled tray, a flat rack, an enamelled AirFry tray, and a pizza kit (round grill rack, shovel, and firestone).

Accessories on request page 273
Technical data page 313



STAINLESS STEEL
FCPO 6215 P TEM X
EAN 8019801027699



BLACK GLASS
FCPO 6215 P TEM BK
EAN 8019801027705




WHITE GLASS
FCPO 6215 P TEM WH
EAN 8019801027712



Multifunction Oven 60
FCO 6215 TEM X



- Stainless steel finish
- 16 functions
- AirFry (oven-frying) function
- Creative Extended controls
- Meat probe
- Fast Pre-Heat BOOSTER
- CLEAN assisted cleaning cycle
- Telescopic rails
- 3-pane glass cool-touch door
- Energy Class A++



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. With the Meat Probe, you can obtain perfect results because it allows you to monitor the cooking progress by measuring the food core temperature.

This product comes with the following accessories: two sets of telescopic rails, a Meat Probe, an enamelled tray, a flat rack, a rotisseries kit and an enamelled AirFry tray.

Accessories on request page 273
Technical data page 315



STAINLESS STEEL
FCO 6215 TEM X
EAN 80198010227675



BLACK GLASS
FCO 6215 TEM BK
EAN 8019801027651




WHITE GLASS
FCO 6215 TEM WH
EAN 8019801027668



Multifunction Oven 60
FCOS 6215 TEM X



- Stainless steel finish
- 16 functions
- AirFry (oven-frying) function
- Creative Extended controls
- Meat probe
- Fast Pre-Heat BOOSTER
- Reversible side opening door
- CLEAN assisted cleaning cycle
- 3-pane glass cool-touch door
- Energy Class A++



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. With the Meat Probe, you can obtain perfect results because it allows you to monitor the cooking progress by measuring the food core temperature.

This product comes with the following accessories: two sets of telescopic rails, a Meat Probe, an enamelled tray, a flat rack, a rotisseries kit and an enamelled AirFry tray.

Accessories on request page 273
Technical data page 314



STAINLESS STEEL
FCOS 6215 TEM X
EAN 8019801027682

PLANO 45

FULGOR
MILANO



PLANO 45 STEAM OVEN

Steam cooking uses the power of humidity to transfer heat efficiently. Humidity prevents evaporation while maintaining the ingredients' flavours and texture. Moreover, steam cooking is sustainable because it uses low temperatures, saving time and energy.



Steam ovens cook food gently and healthily while preserving all the vitamins.

Besides having all traditional settings, Fulgor Milano's steam oven can add steam to the preparation.

Food cooks embraced in steam. The combination of heat and steam prevents humidity from evaporating, preserving the flavours and improving the texture of meat, fish, and vegetables.



The crust will always be brown and crispy, thanks to the mild and consistent heat, while the interior will cook just right every time. When water is heated to create steam, the heat penetrates the food faster and more deeply, reducing cooking times. This way, we use less energy while ensuring lower environmental impact.




Combi Steam Oven 45

FCSO 4510 TEM X



- Stainless steel finish
- 11 functions
- AirFry (oven-frying) function
- Creactive Extended controls
- Meat probe
- Steam cooking
- Combined cooking
- Steam recovery cycle
- CLEAN assisted cleaning cycle
- 3-pane glass cool-touch door
- Energy Class A++



Features

Steam ovens cook food gently, healthily, and efficiently while preserving its organoleptic properties. The control panel has different functions, including preset steam cooking functions and the possibility to modify the recipes. With the Meat Probe, you can obtain perfect results because it allows you to monitor the cooking progress by measuring the food core temperature. This product comes with the following accessories: a meat probe, a perforated tray with lid, a stainless steel support for perforated tray, a stainless steel tray, a flat grill rack and a water tank.

Accessories on request
Technical data

page 273
page 316



STAINLESS STEEL
FCSO 4510 TEM X
EAN 8019801030569



BLACK GLASS
FCSO 4510 TEM BK
EAN 8019801030590



WHITE GLASS
FCSO 4510 TEM WH
EAN 8019801030637



FULGOR
MILANO

PLANO 45 MICROWAVE OVENS



FULGOR MILANO's microwave ovens stand out for the exclusive PLANO design. They make every cooking experience unique, ensuring reduced cooking times, a wide range of tasty preparations, and the possibility to choose three cooking modes. Available in three finishes: stainless steel, black or white glass.

FULGOR
MILANO

COOKING MODES AND FUNCTIONS

FULGOR MILANO microwave adds a range of other functions in addition to the traditional ones. So besides reduced cooking times, these ovens ensure grill and ventilated cooking in the combo version. The advantages of a microwave and traditional oven in a reduced space.

With the recipe function, you can cook meat, fish, and desserts following the guided settings designed by qualified chefs for FULGOR MILANO's microwave ovens. By selecting a menu item, the cooking mode, temperature, and time will be set automatically, based on the chosen recipe.



Thanks to the electronic CREACTION EXTENDED system with a dual keyboard, you can easily select the function you want with a single touch.

The light inside the stainless steel cooking chamber allows you to check the cooking progress step-by-step without opening the door.

Moreover, the rectangular support rack, the round rack, the stainless steel tray, and the glass turntable plate are just a few of the FULGOR MILANO microwave oven's accessories.




Combi Microwave Oven 45

FCMO 4510 TEM X



- Stainless steel finish
- 10 Combined Functions
- AirFry (oven-frying) function
- Creative Extended controls
- Automatic Cooking
- Microwave with 6 power levels
- Microwave & ventilation
- Microwave & grill
- Defrosting
- 3-pane glass cool-touch door



Features

The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. Fulgor Milano combi oven is the solution to heat, cook, and defrost food quickly, combining the advantages of a microwave oven with a traditional ventilated one. A complete and performing household appliance in a small space. With the combo microwave, your dishes will be golden brown on the outside and well-cooked on the inside. This product comes with the following accessories: a glass turntable plate, a stainless steel tray, a flat grill rack and a round grill rack.

Accessories on request page 273
Technical data page 316




Microwave and grill oven 45

FGMO 4508 TEM X



- Stainless steel finish
- 5 functions
- Creative Extended controls
- Microwave with 6 power levels
- Microwave & grill
- Defrosting
- 3-pane glass cool-touch door



Features

FULGOR MILANO microwave oven is perfect for cooking and heating food and beverages. Thanks to the microwave & grill function, your dishes will be perfectly brown and crusty. The control panel has different functions, including preset cooking functions and the possibility to modify the recipes. This product comes with the following accessories: a glass turntable plate, a stainless steel tray, a flat grill rack and a round grill rack.

Accessories on request page 273
Technical data page 317



STAINLESS STEEL
FCMO 4510 TEM X
EAN 8019801030576



BLACK GLASS
FCMO 4510 TEM BK
EAN 8019801030613



WHITE GLASS
FCMO 4510 TEM WH
EAN 8019801030644



STAINLESS STEEL
FGMO 4508 TEM X
EAN 8019801023257



BLACK GLASS
FGMO 4508 TEM BK
EAN 8019801030606



WHITE GLASS
FGMO 4508 TEM WH
EAN 8019801030651



PLANO 45 COFFEE MACHINE



YOUR PERSONAL BARISTA

Entirely manufactured in Italy, our professional coffee machines store and grind coffee beans and grounds, making the best coffee. It also runs a scheduled cleaning cycle. Enjoy the best Italian coffee, whether espresso, long coffee or cappuccino. This extraordinary coffee machine perfectly complements your Fulgor Milano kitchen appliances. With its different finishes, it perfectly combines with other PLANO products.

EXTENDED PERFORMANCE

In addition to the standard coffee varieties (extra strong, strong, medium, light, and very light), this remarkable product includes a "cappuccinatore" (cappuccino maker). A great solution if you like a frothy cappuccino for breakfast. The integrated grinding technology allows you to enjoy your favourite coffee. All you have to do is to place one or two cups under the nozzles and wait a few seconds for the coffee to be ready. Moreover, thanks to the hot water and steam nozzle, you can make delicious teas, herbal teas and infusions. The appliance comes with the rinse function to ensure maximum hygiene.

PLANO 45

COFFEE MACHINE




Built-In Coffee machine 45

FCM 4500 TF X



- Stainless steel finish
- 30 functions
- TFT touch control display
- Automatic programs
- Coffee bean container (200 g)
- Integrated and adjustable grinding
- Milk container
- Water container (1.8 l)
- Removable hot water dispenser
- Liquid collection container
- Five types of cup



Features

This product's design features a user-friendly touch control and digital display. Possibility to choose the type of coffee (e.g. long, short, light or strong) and make teas and herbal teas thanks to the automatic cappuccino maker and the hot water dispenser. The water hardness can also be adjusted. This system can be put on standby to save electricity. Moreover, it is fitted with a safety system, i.e. a warning light to indicate the absence of water or coffee and when it is time to run the cleaning cycle and replace the anti-scale filter. A telescopic opening gives access to the service compartment.

Technical data

page 319



STAINLESS STEEL
FCM 4500 TF X
EAN 8019801026197



BLACK GLASS
FCM 4500 TF BK
EAN 8019801025077



WHITE GLASS
FCM 4500 TF WH
EAN 8019801030675

PLANO 45 BLAST CHILLER



Fulgor Milano's blast chiller is fitted with 11 functions and has a wide range of temperatures (from + 75 °C to -30 °C).

This excellent home appliance stores food better and for longer. It quickly takes the food's temperature to 3 °C, blocking bacteria proliferation without altering its nutritional and organoleptic properties. This way, food can be stored in the refrigerator for a week and still be as fresh as the day you bought it.

A blast chiller is practical for preparing a dessert or quickly cooling down a preparation without wasting food. In addition, blast-chilled leftovers can be stored in the refrigerator for longer. For example, this function allows you to cook and shop once a week and have a homemade dish ready in the fridge without it rotting. You can also stock up on seasonal ingredients (when

they are less expensive) and carefully store them for later use. Besides cooling down your preparations, the blast chiller frosts food, preventing ice crystals. Therefore, it's highly convenient to freeze portions to keep them ready to consume at any time. FULGOR MILANO's blast chillers can cook meat, eggs, fish, and vegetables at low temperatures. This way, you can slow-cook exquisite recipes, leaven doughs at controlled temperature and humidity, and defrost food naturally.

PLANO 45

BLAST




Blast chillers 45

FBC 4500 TF X



- Stainless steel finish
- 11 functions
- TFT touch control display
- Blast chilling temperature +3°C
- Deep freezing -18°C
- Blast chilling temperature -30 °C (fresh fish)
- Quick cooling
- Defrosting
- Slow Cooking
- Leavening



Features

The blast chiller has a 40 l capacity. This appliance comes with the following accessories: a meat probe, a heat-resistant glass tray, and a rack. The best results are obtained with the vacuum sealing drawer enhancing the blast chiller functions. This appliance can be combined with the 45 and 60 cm ranges and Fulgor Milano's wide range of drawers.

Technical data

page 317



STAINLESS STEEL
FBC 4500 TF X
EAN 8019801016822



BLACK GLASS
FBC 4500 TF BK
EAN 8019801019755



WHITE GLASS
FBC 4500 TF WH
EAN 8019801019762

FULGOR
MILANO

IN VINO VERITAS
IN WINE, THERE IS TRUTH

(Pliny the Elder)



WINE CELLAR 45

NEW

FULGOR
MILANO

PLANO 45 WINE CELLAR



STORE YOUR WINE IN A BETTER WAY

Our wine cellars are perfect for storing your wine. You can set the storage temperature based on the type of wine, with a thermal condition that ranges between 5 °C and 20 °C. The cellar has 3 levels made of untreated wood and can hold 22 bottles. The highest level is dedicated to bottles with a larger diameter, whereas the other two shelves can contain bottles with a smaller diameter. An anti-vibration system ensures that the sediment inside the bottle settles properly at the bottom. On the other hand, the anti-condensation system allows you to store the wine for longer since humidity ranges between 60% and 80%.

EXTENDED PERFORMANCE

The electronic touch control system allows you to customise the storage conditions inside the cellar. Moreover, the insulated door glass shields UV rays, thanks to the appropriate filter.

Wine cellars are fitted with telescopic rails where the shelves slide to ensure immediate and easy access to the bottles. Moreover, the interior is evenly illuminated with LED lights to prevent overheating and enhance the beauty of your wine collection.

PLANO 45

WINE CELLAR




Wine Cellar 45

FWC 4500 TC FO X



- Stainless steel finish
- Digital touch display
- Drop-down door
- Adjustable temperature between 5 and 20 °C
- Capacity: 22 Ø 76 mm bottles
- Telescopic rails
- Soft Closing



Features

FULGOR MILANO's wine cellars are ideal for storing wine. You can set the storage temperature based on the type of wine, with a thermal condition that ranges between 5 °C and 20 °C. Temperature is adjusted using the user-friendly Touch Control system.

Moreover, the cellar is equipped with antivibration and anticondensation systems and a UV-insulating glass pane. Internal LED lighting. The cellar's door is fitted with a SOFT CLOSING system that slows the closing movement. This appliance comes with the following accessories: 3 beech wood sliding champagne shelves (4 bottles).

Technical data

page 318



STAINLESS STEEL
FWC 4500 TC FO X
EAN 8019801032303



BLACK GLASS
FWC 4500 TC FO BK
EAN 8019801032310



WHITE GLASS
FWC 4500 TC FO WH
EAN 8019801032327



Storage drawer 15

FD 150 X

- Stainless steel structure
- 15 cm high front panel
- Anti-slip rubber mat



Warming drawer 15

FWD 150 X

- Stainless steel structure
- 15 cm high front panel
- Adjustable thermostat



Warming drawer 27

FWD 3024 X

- Stainless steel finish
- 27 cm high front panel
- Adjustable thermostat



Gas hob 90

FPH 905 G WK X

- Stainless steel structure
- Electric ignition under the knob
- Burners with brass flame spreader



Gas hob 90

FPH 9041 G WK X


- Stainless steel structure
- Electric ignition under the knob
- Burners with brass flame spreader



Gas hob 75

FPH 755 G WK X

- Stainless steel structure
- Electric ignition under the knob
- Burners with brass flame spreader



Aria+ Induction Hob 80

FHH 800 ID TC BK

- Black Glass Ceramic finish
- Multifunction Touch Control
- 4 cooking zones (2 vertical bridge zones)



Induction hob 90

FSH 905 ID WT BK

- Black Glass Ceramic finish
- WAVE Touch Slider controls
- 5 cooking zones



Induction hob 80

FSH 804 ID WT BK

- Black Glass Ceramic finish
- WAVE Touch Slider controls
- 4 cooking zones



Lift Hood 90

FDDH 900 TRC X

- Stainless steel finish
- 4 suction levels
- LED bar lighting



Wall-mounted hood 90

FTHD 900 TC X

- Stainless steel finish
- Touch controls
- 4 suction levels



Integrated hood 85

FBGHD 850 TC X


- Stainless steel finish
- Touch controls
- 4 suction levels





Storage drawer 15
FD 150 WH

- White Glass finish
- 15 cm high front panel
- Anti-slip rubber mat



Warming drawer 15
FWD 150 WH

- White Glass finish
- 15 cm high front panel
- Adjustable thermostat



Gas hob 90
FPH 905 G WK WHG

- White Glass finish
- Electric ignition under the knob
- Burners with brass flame spreader




Gas hob 75
FPH 755 G WK WHG

- White Glass finish
- Electric ignition under the knob
- Burners with brass flame spreader




Gas hob 60
FPH 604 G WK WHG

- White Glass finish
- Electric ignition under the knob
- Burners with brass flame spreader



Induction hob 90
FSH 905 ID TS WH 1

- White Glass Ceramic finish
- Touch Slider controls
- 5 cooking zones (vertical bridge zone)



Induction hob 80
FSH 804 ID TS WH 1

- White Glass Ceramic finish
- Touch Slider controls
- 4 cooking zones (vertical bridge zone)



Induction hob 80
FCH 804 ID TS WH

- White Glass Ceramic finish
- Touch Slider controls
- 4 cooking zones (2 vertical bridge zones)



Lift Hood 90
FDDH 900 TRC WH

- White Glass finish
- Touch controls and remote control
- 4 suction levels



Wall-mounted hood 90
FTHD 900 TC WH X

- White Glass finish
- Touch controls
- 4 suction levels



Island hood 90
FTIHD 960 TC WH X

- White Glass finish
- Touch controls
- 4 suction levels



FULGOR
MILANO

DRAWER
VACUUM SEALING

A GENTLE PRESERVATION FOR
AN EXCELLENT FLAVOR



DRAWERS



VACUUM SEALING DRAWER



COOKING AND STORING

Thanks to specific bags, the vacuum sealing drawer allows you to use the sous-vide technique to cook your recipes. This low-temperature technique cooks food homogeneously without dispersing its natural moisture. This way, food preserves its flavours and nutritional values whether you freeze, steam, or cook it at low temperatures, obtaining excellent results. This appliance is fitted with the special Chef function for marinating, ripening, and cold infusion processes. Traditional appliances take 24-72 hours to complete the marinating process. Fulgor Milano's vacuum sealing drawers take only 8-12 minutes. Moreover, it's ideal for massaging fish and meat and preparing sauces, gravies and concentrates.



TECHNICAL FEATURES

Our vacuum sealing drawer has several programs to meet every need. These programs include: vacuum cycle for cooking, vacuum cycle in containers, short vacuum cycle in containers, long vacuum cycle in containers outside the chamber, and energy saving. You can select these functions from a user-friendly touchscreen. Inside the appliance, you'll find the vacuum chamber and the sealing bar, which suctions the air, whereas the locking system ensures the bag's integrity. The glass cover makes it easier to see inside.

VACUUM CYCLE IN CONTAINERS

If you opt for the short cycle, you can obtain 80% vacuum sealing using polycarbonate containers. On the other hand, if you run the long cycle using a rigid vacuum sealing container (glass, for example), you'll obtain 100% vacuum sealing.




Vacuum sealing drawer 15

FVSD 150 TC X



- Stainless steel finish
- Touch control panel
- Push-to-open system
- Sealing bar (bags)
- Glass lid
- Stainless steel vacuum chamber
- Energy-saving function
- Chef function
- Vacuum cycle for storage + Vacuum cycle for cooking
- Pump oil dehumidification cycle
- Draw capacity volume 6.4 l



Features

Thanks to specific bags, the vacuum sealing drawer allows you to use the sous-vide technique to cook your recipes. This low-temperature technique cooks food homogeneously without dispersing its natural moisture. This appliance is fitted with the Chef function for marinating, ripening, and cold infusion processes. Moreover, it's ideal for massaging fish and meat and preparing sauces, gravies and concentrates. The drawer runs vacuum cycles in containers and short or long vacuum cycles outside the draw container. This product can be combined with other appliances from the 45 cm and 60 cm range.

Technical data

page 320



STAINLESS STEEL FVSD 150 TC X EAN 8019801019922
BLACK GLASS FVSD 150 TC BK EAN 8019801019939
DEEP BLACK GLASS FCLVSD 150 TC BK EAN 8019801019953
WHITE GLASS FVSD 150 TC WH EAN 8019801019946




Vacuum sealing drawer 29

FVSD 2900 TC



- Overlay panels
- Touch control panel
- Sealing bar
- Glass lid
- Vacuum chamber container
- Energy-saving function
- Pump oil dehumidification cycle
- Draw capacity volume 7.65 l



Features

Thanks to specific bags, the vacuum sealing drawer allows you to use the sous-vide technique to cook your recipes. This low-temperature technique cooks food homogeneously without dispersing its natural moisture. This appliance is fitted with the Chef function for marinating, ripening, and cold infusion processes. Moreover, it's ideal for massaging fish and meat and preparing sauces, gravies and concentrates. The drawer increases the food's storage time. It runs a vacuum cycle for storing and cooking food in bags, short and long vacuum cycles in containers, and vacuum cycles for jars outside the draw container. This product can be combined with other products from the 45 cm and 60 cm range. The vacuum sealing drawer's structure is made with panels. A stainless steel panel kit with a handle (code FT 29 X) is available on request.

Technical data

page 320



STAINLESS STEEL FVSD 2900 TC EAN 8019801019496
STAINLESS STEEL PANEL + HANDLE FT 29 X EAN 8019801019502

FULGOR
MILANO

FOOD WARMER DRAWER



FULGOR
MILANO



FOOD WARMER

The warming drawer is fitted with tangential ventilation that distributes heat evenly inside the cavity. Setting the temperature through the knob is easy and intuitive. A silicon mat at the bottom prevents dishes from moving in the drawer when you open and close it.

FINISHES

The food warmer drawer is available in Deep Black Glass, White glass, Black Glass, Matt Black and Stainless steel. The 60 l stainless steel drawer is the solution if you're looking for larger spaces.




Warming drawer 15

FWD 150 X



- Stainless steel finish
- 15 cm high front panel
- Push-to-open system
- Fully removable
- Ventilated
- Warm food function
- Defrosting
- Leavening
- Slow cooking up to 70 °C
- Dishes and coffee cups pre-heating



Features

The drawer features internal ventilation, an adjustable thermostat (from 30 °C to 70 °C) and an operation indicator light. This appliance comes with a anti-slip rubber mat. Moreover, it can be combined with other products from the 45 cm and 60 cm range




STAINLESS STEEL
FWD 150 X
EAN 8019801031801



BLACK GLASS
FWD 150 BK
EAN 8019801031436



WHITE GLASS
FWD 150 WH
EAN 8019801031443



DEEP BLACK GLASS
FCLWD 150 BK
EAN 8019801023196



MATTE BLACK METAL
FUWD 150 MBK
EAN 8019801029297




Warming drawer 27

FWD 3024 X



- Manual controls
- 27 cm high front panel
- Internal capacity: 60 litres
- Push-to-open system
- Plates and cups heating
- Warm food function
- Defrosting
- Leavening
- Slow cooking up to 85 °C
- Telescopic rails



Features


The drawer features internal ventilation, an adjustable thermostat (from 30 °C to 85 °C) and two lights. This appliance comes with a anti-slip rubber mat. This product can be combined with other products from the 45 cm and 60 cm range.



STAINLESS STEEL
FWD 3024 X
EAN 8019801031214

FULGOR
MILANO

STORAGE DRAWER



The storage drawer is fitted with a push/pull system and telescopic rails that make it easier to open, close and remove. A silicon mat at the bottom prevents kitchenware from moving in the drawer when you open and close it. Moreover, this mat can be removed and washed.

DRAWERS


STORAGE



Storage drawer 15
FD 150 X



- Stainless steel finish
- 15 cm high front panel
- Push-to-open system
- Telescopic rails
- Anti-slip rubber mat



Features

This product comes with the following accessories: telescopic rails and an anti-slip rubber mat. Moreover, it can be combined with Fulgor Milano's products from the 60 cm range

Technical data

page 321



STAINLESS STEEL
FD 150 X
EAN 8019801031818



BLACK GLASS
FD 150 BK
EAN 8019801031450



DEEP BLACK GLASS
FCLD 150 BK
EAN 8019801023189



MATTE BLACK METAL
FUD 150 MBK
EAN 8019801030668







WHITE GLASS
FD 150 WH
EAN 8019801031467

INDUCTION HOBS

This Fulgor Milano hob range features a glass-ceramic surface. The state-of-the-art induction technology produces heat quickly, allowing you to adjust the power efficiently while saving energy.

Thanks to the Dual Max Power system in the main inductor, you can adjust its power, making space for larger pans. Some models are fitted with the Flexi or Bridge technology, allowing you to combine different cooking zones as if one. Maximum flexibility for the art of cooking.



FULGOR
MILANO

THE FREEDOM OF COOKING
WITHOUT ODOURS

INDUCTION HOBS **ARIA+**

NEW

FULGOR
MILANO

INDUCTION HOBS

ARIA+

The continuous glass induction hob with built-in ARIA+ hood features an elegant and clean design. This suction surface includes 4 cooking zones with the Bridge function. Each zone features the Booster function and 9 power levels. With the Bridge function, you can use 4 single zones as 2 large vertical ones, ideal with large pans, griddles, or Teppanyaki grill plates. The Multifunction Touch Control includes several advanced functions, such as the Chef function, temperature maintenance function, and power limit function. Moreover, it manages both cooking and extraction functions.

ARIA+ is designed to be used in extraction or filtering mode, depending on the user's choice.

The versatile extraction hood is equipped with a solid glass-ceramic flap and 10 adjustment levels. Moreover, its waterproof extraction motor ensures an extraction power of 700 m³/h and a low noise level (62 dB). The state-of-the-art filtering section can be easily accessed from the top. It includes dishwasher-safe anti-grease filters and regenerable activated carbon filters. All these technologies allow ARIA+ to reach an A++ energy class.


ARIA+: Fulgor Milano's Design and Technology.



NEW

FULGOR
MILANO


INDUCTION HOBS ARIA+



When Fulgor Milano's hob merges with the extraction hood, the result is Aria+. The kitchen acquires new dimensions. Daily movements are redesigned harmoniously, combining functionality, technology, and aesthetics. Kitchen odours are now a distant memory. The Aria+ extraction core ensures maximum efficiency and top performance, leaving you freedom of action. Moreover, it's ideal even for more complex preparations. The black glass-ceramic extraction surface stands out for its unique design. It is available in two sizes (80 and 60 cm) and features a multifunction touch control and high-efficiency filters ensuring professional performance.

ARIA+ INDUCTION HOBS WITH BUILT-IN EXTRACTOR


HOBS



ARIA+ induction 60
FHH 600 ID TC BK




- Multifunction Touch Control
- Black Glass Ceramic finish
- 4 cooking zones (2 vertical bridge zones)
- 9 power levels + Booster
- Temp. maintenance function
- Chef function
- Timer
- Power limit (optional)
- Built-In extraction hood
- Extraction booster
- Energy Class A++



Features

Induction hob with incorporated extraction hood equipped with a patented waterproof motor. One home appliance combining a high-performance hob with an efficient on-surface extraction. The Chef function allows you to differentiate the temperature of the cooking zones. Other functions include: adjustable delayed auto power off, grease filter maintenance warning, a light indicator for the regeneration of activated carbon ceramic filters, and automatic extraction hood power-off when the flap is closed. Moreover, this product comes with the following accessories: an anti-grease filter kit including a surface cleaning scraper. The tube kit and carbon filter kit are available on request:

Accessories on request page 279
Technical data page 322




BLACK GLASS CERAMIC
FHH 600 ID TC BK
EAN 8019801032020



DUCT KIT
FDUCTKIT ARIA+
EAN 801980103273




CARBON FILTER KIT
FCHF ARIA+
EAN 801980103274



ARIA+ induction 80
FHH 800 ID TC BK



- Multifunction Touch Control
- Black Glass Ceramic finish
- 4 cooking zones (2 vertical bridge zones)
- 9 power levels + Booster
- Chef function
- Temp. maintenance function
- Timer
- Power limit (optional)
- Built-In extraction hood
- Extraction booster
- Energy Class A++



Features

Induction hob with incorporated extraction hood equipped with a patented waterproof motor. One home appliance combining a high-performance hob with an efficient on-surface extraction. The Chef function allows you to differentiate the temperature of the cooking zones. Other functions include: adjustable delayed auto power off, grease filter maintenance warning, a light indicator for the regeneration of activated carbon ceramic filters, and automatic extraction hood power-off when the flap is closed. Moreover, this product comes with the following accessories: an anti-grease filter kit including a surface cleaning scraper. The tube kit and carbon filter kit are available on request:

Accessories on request page 279
Technical data page 322



BLACK GLASS CERAMIC
FHH 800 ID TC BK
EAN 8019801032013




DUCT KIT
FDUCTKIT ARIA+
EAN 801980103273




CARBON FILTER KIT
FCHF ARIA+
EAN 801980103274



Induction hob with extraction hood 90 
FCLHD 9041 HID TS BK2



- Touch Slider controls
- Black Glass Ceramic finish
- 4 in-line cooking zones (2 horizontal bridge zones)
- 9 power levels + Booster
- Automatic pre-heating function
- Pre-Set: 40°, 70°, 90°
- Energy Class A+



Features


The induction hob with 4 in-line cooking zones (of which 2 horizontal bridge zones) includes a pan detection sensor, a control lock system, residual heat indicator (H) and automatic power-off with temperature sensor. Moreover, it includes a rear hood with an automatic Flap. Its suction capacity is equal to 645 m³/h and its sound power level ranges between 53 to 63 dBA. This product comes with FCHF 59 HP filter kit for the hood filtering version.

Accessories on request page 279
Technical data page 323




CERABLACK
FCLHD 9041 HID TS BK2
EAN 8019801022366



Induction hob 90 
FCLH 9008 ID WT BK



- WAVE Touch Slider controls
- Black Glass Ceramic finish
- CHEF function
- 8 cooking zones
- Flexi zone (Automatic Bridge)
- 9 power levels + Booster
- Automatic pre-heating function
- Pre-Set: 40°, 70°, 90°
- "Pause and Resume" function
- Timer



Features


This hob has 8 induction zones to create more space for the pans. The Chef function allows you to differentiate the temperature of the cooking zones. Other functions available: booster, timer, pan detection sensor, touch control lock, residual heat indicator (H) and automatic power-off with temperature sensor. It also comes with a surface cleaning scraper.

Technical data page 323




BLACK GLASS CERAMIC
FCLH 9008 ID WT BK
EAN 8019801027217



Induction hob 90 
FSH 905 ID WT BK



- WAVE Touch Slider controls
- Black Glass Ceramic finish
- 5 cooking zones
- Dual Max Power Ø 260 (3000-5500 W)
- Flexi zone (Automatic Bridge)
- 9 power levels + Booster
- Automatic pre-heating function
- Pre-Set: 40°, 70°, 90°
- Timer




Features


This hob features two concentric areas of various sizes and power, called DUAL MAX POWER. Therefore, it automatically adapts to pans of various sizes, making the cooking process extremely easy and comfortable. Safety is ensured by an articulated system that includes: a pan detection sensor, touch control lock, residual heat indicator (H) and automatic power-off with temperature sensor. It also comes with a surface cleaning scraper.

Technical data page 324




BLACK GLASS CERAMIC
FSH 905 ID WT BK
EAN 8019801030743



Induction hob 90 
FSH 905 ID TS WH 1




- Touch Slider controls
- White Glass Ceramic finish
- 5 cooking zones (vertical bridge zone)
- Ø 260 zone (2600-3700 W)
- 9 power levels + Booster
- Warm food function
- Pre-Set: 40°, 70°, 90°
- Timer




Features

The hob features 5 cooking zones, of which one has a diameter of Ø 260 (2600-3700 W) on the left-hand side and a bridge zone to make it easier for you to arrange the pans on the hob. Other functions available: booster, timer, pan detection sensor, touch control lock, residual heat indicator (H) and automatic power-off with temperature sensor. It also comes with a surface cleaning scraper.

Technical data page 325




WHITE GLASS CERAMIC
FSH 905 ID TS WH 1
EAN 8019801032563



Induction hob 80
FSH 804 ID WT BK



- WAVE Touch Slider controls
- Black Glass Ceramic finish
- 4 cooking zones
- Flexi zone (Automatic Bridge)
- 9 power levels + Booster
- Automatic pre-heating function
- Pre-Set: 40°, 70°, 90°
- Timer



Features

This hob features two concentric areas of various sizes and power, called DUAL MAX POWER. Therefore, it automatically adapts to pans of various sizes, making the cooking process extremely easy and comfortable. Safety is ensured by an articulated system that includes: a pan detection sensor, touch control lock, residual heat indicator (H) and automatic power-off with temperature sensor. It also comes with a surface cleaning scraper.

Technical data page 324




BLACK GLASS CERAMIC
FSH 804 ID WT BK
EAN 8019801030804

Induction hob 80
FSH 804 ID TS WH 1




- Touch Slider controls
- White Glass Ceramic finish
- 4 cooking zones (vertical bridge zone)
- 9 power levels + Booster
- Warm food function
- Pre-Set: 40°, 70°, 90°
- Timer



Features

The hob also features an articulated safety system that includes: a pan detection sensor, safety switch, residual heat indicator (H) and automatic power-off with temperature sensor. It also comes with a surface cleaning scraper.

Technical data page 325




WHITE GLASS CERAMIC
FSH 804 ID TS WH 1
EAN 8019801032570



Induction hob 40
FSH 402 ID TS BK



- Touch Slider controls
- Black Glass Ceramic finish
- 2 cooking zones (vertical bridge zone)
- 9 power levels + Booster
- Automatic pre-heating function
- Pre-Set: 40°, 70°, 90°
- Timer



Features

The hob features 2 cooking zones with Bridge function. Other functions available: booster, timer, pan detection sensor, touch control lock, residual heat indicator (H) and automatic power-off with temperature sensor. It also comes with a surface cleaning scraper.

Technical data page 326



BLACK GLASS CERAMIC
FSH 402 ID TS BK
EAN 8019801030842



WHITE GLASS CERAMIC
FSH 402 ID TS WH
EAN 8019801030767




In-line induction hob 90

FCHL 904 ID TS BK



- Touch Slider controls
- Black Glass Ceramic finish
- 4 in-line cooking zones (2 horizontal bridge zones)
- 9 power levels + Booster
- Automatic pre-heating function
- Pre-Set: 40°
- Power limit (optional)
- Timer



Features

Induction hood featuring four in-line zones for easy use. With a 40° preset, you can set 40 °C to the chosen zone. The temperature will remain constant for the selected time (chocolate melting). The hob also features an articulated safety system that includes: a pan detection sensor, touch control lock, residual heat indicator (H) and automatic power-off with temperature sensor. It also comes with a surface cleaning scraper.


Technical data page 327



BLACK GLASS CERAMIC
FCHL 904 ID TS BK
EAN 8019801032334



WHITE GLASS CERAMIC
FCHL 904 ID TS WH
EAN 8019801032372




Induction hob 80

FCH 804 ID TS BK



- Touch Slider controls
- Black Glass Ceramic finish
- 4 cooking zones (2 vertical bridge zones)
- 9 power levels + Booster
- Pause function
- Automatic pre-heating function
- Pre-Set: 40 °
- Power limit (optional)
- Timer



Features

Hob with 4 cooking zones, including two vertical Bridge zones. Other functions available: pan detection sensor, touch control lock, residual heat indicator (H) and automatic power-off with temperature sensor. It also comes with a surface cleaning scraper.


Technical data page 328



BLACK GLASS CERAMIC
FCH 804 ID TS BK
EAN 8019801032341



WHITE GLASS CERAMIC
FCH 804 ID TS WH
EAN 8019801032389




Induction hob 60

FCH 604 ID TS BK




- Touch Slider controls
- Black Glass Ceramic finish
- 4 cooking zones (2 vertical bridge zones)
- 9 power levels + Booster
- Automatic pre-heating function
- Pre-Set: 40°, 70°, 90°
- Power limit (optional)
- Timer



Features

Hob with 4 cooking zones, including two vertical Bridge zones. Other functions available: pan detection sensor, touch control lock, residual heat indicator (H) and automatic power-off with temperature sensor. It also comes with a surface cleaning scraper.


Technical data page 328



BLACK GLASS CERAMIC
FCH 604 ID TS BK
EAN 8019801032358



WHITE GLASS CERAMIC
FCH 604 ID TS WH
EAN 8019801032396




Induction hob 30

FCH 302 ID TS BK




- Touch Slider controls
- Black Glass Ceramic finish
- 2 cooking zones (vertical bridge zone)
- Automatic pre-heating function
- Pre-Set: 40 °
- Pause function
- Timer



Features

Hob with 2 cooking zones, including a vertical Bridge zone. Other functions available: pan detection sensor, touch control lock, residual heat indicator (H) and automatic power-off with temperature sensor. It also comes with a surface cleaning scraper.

Technical data page 328



BLACK GLASS CERAMIC
FCH 302 ID TS BK
EAN 8019801032365



WHITE GLASS CERAMIC
FCH 302 ID TS WH
EAN 8019801032402




Hybrid hob 90

FCHH 905 ID TS G DWK BK



- Touch Slider controls
- Black Glass Ceramic finish
- Wok DUAL adjustment
- Cast iron grate
- 4 Cooking zones (2 vertical bridge zones)
- Pause function
- Automatic pre-heating function
- Power limit (optional)
- Pre-Set: 40°
- Timer



Features

The hybrid hob combines the advantages of an induction hob with those of a brass gas wok burner (4.0 kW). This induction hob features four cooking zones with 9 power levels. The hob is fitted with slider touch controls and a timer (automatic power-off). Moreover, it digitally displays the selected power for each cooking zone and allows you to select the heat maintenance mode. The safety system includes an automatic pan detection system, a safety switch, a residual heat light indicator (H), and Stop-Gas function for the wok burner. The hob comes with the following accessories a surface cleaning scraper, a cast iron wok adapter, and a small pan reduction.

Technical data


page 327



BLACK GLASS CERAMIC
FCHH 905 ID TS G DWK BK
EAN 8019801031603



WHITE GLASS CERAMIC
FCHH 905 ID TS G DWK WH
EAN 8019801031610



FULGOR
MILANO

HYBRID HOB

Unleash your creativity in the kitchen thanks to the multiple possibilities ensured by FULGOR MILANO's hybrid hob. The hybrid hob combines the advantages of an induction hob with those of a brass gas wok burner (4.0 kW) for delicious stir-fry recipes. The induction area features four cooking zones with nine power levels. The hob is fitted with slider touch controls and a timer (automatic power-off). Moreover, it digitally displays the selected power for each cooking zone and allows you to select the heat maintenance mode. The induction system detects pans automatically. In addition, it features a residual heat light indicator (H) and a safety switch to prevent burns resulting from accidental use. The wok burner has a power on/off gas detection system in case of accidental gas leaks during use. The hob comes with the following accessories: a surface cleaning scraper, a cast iron wok adapter, and a small pan reduction.





NEW


FULGOR
MILANO

INDUCTION HOBS

MATTE BLACK

This Fulgor Milano hob range features a glass-ceramic surface with an exclusive Matte Black finish. It elegantly combines with products from the Urbantech range, which also stand out for their refined and essential aesthetics. The state-of-the-art induction technology produces heat super quickly, allowing you to adjust the power efficiently while saving energy. Thanks to the Dual Max Power system in the main inductor, you can adjust its power, making space for larger pans. Some models are fitted with the Flexi technology, allowing you to combine different cooking zones as if one. Maximum flexibility for the art of cooking.






Induction hob 90
FSH 905 ID WT MBK



- WAVE Touch Slider controls
- Matte Black Glass Ceramic finish
- 5 cooking zones
- Flexi zone (Automatic Bridge)
- Heating BOOSTER
- Automatic pre-heating function
- Pre-Set: 40°, 70°, 90°
- Timer



Features

This hob features two concentric areas of various sizes and power, called DUAL MAX POWER. Therefore, it automatically adapts to pans of various sizes, making the cooking process extremely easy and comfortable. Other functions available: pan detection sensor, touch control lock, residual heat indicator (H) and automatic power-off with temperature sensor. It also comes with a surface cleaning scraper.

Technical data page 329




MATTE BLACK GLASS CERAMIC
FSH 905 ID WT MBK
EAN 8019801030835



Induction hob 80
FSH 804 ID WT MBK



- WAVE Touch Slider controls
- Matte Black Glass Ceramic finish
- 4 cooking zones
- Flexi zone (Automatic Bridge)
- Heating BOOSTER
- Automatic pre-heating function
- Pre-Set: 40°, 70°, 90°
- Timer





Features

This hob features two concentric areas of various sizes and power, called DUAL MAX POWER. Therefore, it automatically adapts to pans of various sizes, making the cooking process extremely easy and comfortable. Other functions available: pan detection sensor, touch control lock, residual heat indicator (H) and automatic power-off with temperature sensor. It also comes with a surface cleaning scraper.

Technical data page 329



MATTE BLACK GLASS CERAMIC
FSH 804 ID WT MBK
EAN 8019801030811



FULGOR
MILANO

GAS HOBS



THE UNIQUE FIRE WARMTH


FULGOR
MILANO

GAS HOBS

HALO VISION




The elegant glass-ceramic surface combines with the gas power. Professional cast iron grates are lighted by efficient burners with brass rings. These glass-ceramic hobs are fitted with a timer (auto power-off) and the exclusive Halo Vision function. The adjustable knobs' backlight indicates the gas burner is on (white light) or residual heat (red light).



FULGOR
MILANO

GAS HOBS

HALO VISION



HALOVISION

Halo Vision is an innovative technology that uses a white light (Halo Control) to indicate when the hob is still lit and a red light (Halo Vision) to indicate the presence of residual heat (Halo Safe). This way, you can leave the kitchen with peace of mind.

CAST IRON GRATES

The elegant and robust professional cast iron grates allow you to move the pans easily, thanks to their aligned surfaces.

TIMER

To make your cooking more efficient, you can set the cooking timer and turn off the burners with extreme precision.

GAS HOBS

HOBS




Gas hob 90

FCLH 905 G T WK BK



- Electronic ignition
- Black Glass Ceramic finish
- Halo Vision knobs
- Brass burners
- Professional cast iron grates



Features

The hob is provided with Halo Vision, an innovative technology that warns you whether the burner is left ignited (white light under the knob) or if there's residual heat (red light). To make your cooking more efficient, you can regulate cooking time and set when to turn off the burners with extreme precision, thanks to the timer. The hob has 5 gas burners, including a brass Wok (4.0 kW), keypad safety, auto power-off timer, end-of-cooking beep, and Stop-Gas detection system. It includes a surface cleaning scraper and a Wok reducer.

Technical data

page 330



BLACK GLASS CERAMIC
FCLH 905 G T WK BK
EAN 8019801024896




Gas hob 75

FCLH 755 G T WK BK



- Electronic ignition
- Black Glass Ceramic finish
- Halo Vision knobs
- Brass burners
- Professional cast iron grates



Features

The hob is provided with Halo Vision, an innovative technology that warns you whether the burner is left ignited (white light under the knob) or if there's residual heat (red light). To make your cooking more efficient, you can regulate cooking time and set when to turn off the burners with extreme precision, thanks to the timer. The hob has 5 gas burners, including a brass Wok (4.0 kW), keypad safety, auto power-off timer, end-of-cooking beep, and Stop-Gas detection system. It includes a surface cleaning scraper and a Wok reducer.

Technical data

page 330



BLACK GLASS CERAMIC
FCLH 755 G T WK BK
EAN 8019801024889

FULGOR
MILANO

MATTE BLACK GAS HOBS

A set of technical features from the professional world define these products, making them exclusive and appreciated. The hobs have brass burners with a special matte finish (shot peening). This feature provides extreme wear resistance to high flames and colour toning. The metal surface is made with a special matte black enamelled treatment to make it easier to clean and more resistant to heat, preserving it over time.

The knobs' modern design includes an anti-overflow ring, whereas the provided cast iron grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. The hobs of this range are available in various sizes and layouts to meet any cooking experience.






Gas hob 90

FUH 9041 G DWK MBK



- Electric ignition under the knob
- Matte Black Metal finish
- Matte black brass burners
- Professional cast iron grates
- Metal knobs Matte Black finish



Features

This matte black enamelled product with a unique and exclusive design features metal knobs with a ring nut and 5 brass burners with a matte finish. Wok(4.0 kW) with DUAL regulation. The provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. It comes with a cast iron wok adapter.

Technical data

page 332



MATTE BLACK METAL
FUH 9041 G DWK MBK
EAN 8019801030392




Gas hob 90

FUH 905 G DWK MBK



- Electric ignition under the knob
- Matte Black Metal finish
- Matte black brass burners
- Professional cast iron grates
- Metal knobs Matte Black finish



Features


This matte black enamelled product with a unique and exclusive design features metal knobs with a ring nut and 5 brass burners with a matte finish. Wok(4.0 kW) with DUAL regulation. The provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. It comes with a cast iron wok adapter.

Technical data

page 332



MATTE BLACK METAL
FUH 905 G DWK MBK
EAN 8019801027545




Gas hob 75

FUH 7541 G DWK MBK



- Electric ignition under the knob
- Matte Black Metal finish
- Matte black brass burners
- Professional cast iron grates
- Metal knobs Matte Black finish



Features

This matte black enamelled product with a unique and exclusive design features metal knobs with a ring nut and 5 brass burners with a matte finish. Wok(4.0 kW) with DUAL regulation. The provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. It comes with a cast iron wok adapter.

Technical data

page 331




MATTE BLACK METAL
FUH 7541 G DWK MBK
EAN 8019801030385



Gas hob 75
FUH 755 G DWK MBK



- Electric ignition under the knob
- Matte Black Metal finish
- Matte black brass burners
- Professional cast iron grates
- Metal knobs Matte Black finish



Features

This matte black enamelled product with a unique and exclusive design features metal knobs with a ring nut and 5 brass burners with a matte finish. Wok(4.0 kW) with DUAL regulation. The provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. It comes with a cast iron wok adapter.

Technical data page 331




MATTE BLACK METAL
FUH 755 G DWK MBK
EAN 8019801027538



Gas hob 60
FUH 604 G DWK MBK



- Electric ignition under the knob
- Matte Black Metal finish
- Matte black brass burners
- Professional cast iron grates
- Metal knobs Matte Black finish



Features

This matte black enamelled product with a unique and exclusive design features metal knobs with a ring nut and 5 brass burners with a matte finish. Wok(4.0 kW) with DUAL regulation. The provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. It comes with a cast iron wok adapter.

Technical data page 331



MATTE BLACK METAL
FUH 604 G DWK MBK
EAN 8019801029587

NEW

FULGOR
MILANO

STAINLESS STEEL GAS HOBS

Various technical features from the professional world define these products, making them unique and exclusive. The knobs' modern design includes an anti-overflow ring, whereas the provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. The hobs of this range are available in various sizes and layouts to meet any cooking experience.






Gas hob 90

FPH 906 G WK X



- Electric ignition under the knob
- Fine satin-finish stainless steel finish
- Low Edge profile
- Burners with brass flame spreader
- Brass wok burner
- Professional cast iron grates
- Metal knobs with a stainless steel finish



Features

This product, with a unique and exclusive design, features a stainless steel finish, metal knobs with a ring nut, and 6 brass burners with a flame spreader. Wok (4.0 kW). The provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. It comes with a cast iron wok adapter.

Technical data page 333



STAINLESS STEEL
FPH 906 G WK X
EAN 8019801032419




Gas hob 90

FPH 9041 G WK X



- Electric ignition under the knob
- Fine satin-finish stainless steel finish
- Low Edge profile
- Burners with brass flame spreader
- Brass wok burner
- Professional cast iron grates
- Metal knobs with a stainless steel finish



Features

This hob features metal knobs with a ring nut and 5 brass burners with a flame spreader. Wok (4.0 kW) in the centre. The provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. It comes with a cast iron wok adapter.

Technical data page 333



STAINLESS STEEL
FPH 9041 G WK X
EAN 8019801032426




Gas hob 90

FPH 905 G WK X



- Electric ignition under the knob
- Fine satin-finish stainless steel finish
- Low Edge profile
- Burners with brass flame spreader
- Brass wok burner
- Professional cast iron grates
- Metal knobs with a stainless steel finish



Features

This product with a unique and exclusive design features a stainless steel finish, metal knobs with a ring nut, and 5 brass burners with a flame spreader. Wok (4.0 kW) on the left-hand side. The provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. It comes with a cast iron wok adapter.

Technical data page 333



STAINLESS STEEL
FPH 905 G WK X
EAN 8019801032433




Gas Hob 75

FPH 7541 G WK X



- Electric ignition under the knob
- Fine satin-finish stainless steel finish
- Low Edge profile
- Burners with brass flame spreader
- Brass wok burner
- Professional cast iron grates
- Metal knobs with a stainless steel finish



Features

The 75 cm hob features metal knobs with a ring nut and 5 brass burners with a flame spreader. Wok (4.0 kW) in the centre. The provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. It comes with a cast iron wok adapter.

Technical data page 334



STAINLESS STEEL
FPH 7541 G WK X
EAN 8019801032440




Gas hob 75

FPH 755 G WK X



- Electric ignition under the knob
- Fine satin-finish stainless steel finish
- Low Edge profile
- Burners with brass flame spreader
- Brass wok burner
- Professional cast iron grates
- Metal knobs with a stainless steel finish



Features

This product with a unique and exclusive design features a stainless steel finish, metal knobs with a ring nut, and 5 brass burners with a flame spreader. Wok (4.0 kW) on the left-hand side. The provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. It comes with a cast iron wok adapter.

Technical data page 334



STAINLESS STEEL
FPH 755 G WK X
EAN 8019801032457




Gas hob 60

FPH 604 G WK X



- Electric ignition under the knob
- Fine satin-finish stainless steel finish
- Low Edge profile
- Burners with brass flame spreader
- Brass wok burner
- Professional cast iron grates
- Metal knobs with a stainless steel finish



Features

The 60 cm hob has a unique and exclusive design and features a stainless steel finish, metal knobs with a ring nut, and 4 brass burners with a flame spreader. Wok (4.0 kW) on the bottom left-hand side. The provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. It comes with a cast iron wok adapter.

Technical data page 334



STAINLESS STEEL
FPH 604 G WK X
EAN 8019801031795

FULGOR
MILANO




NEW

FULGOR
MILANO

GAS HOBS ON GLASS

These stylish and high-performance hobs stand out also for being easy to clean, thanks to the smooth glass surface (8 mm thick), the continuous grate, and the powerful burners. The cast iron continuous grates are a safe supporting surface for easy handling of the pans.



BLACK GAS HOBS ON GLASS




KNOBS

The best solution for sturdy, long-lasting knobs that facilitate individual hob adjustment due to their frontal position.



FLAME FAILURE DEVICE

The Flame Failure Device detects accidental flame extinguishment and blocks the gas supply to prevent leaks and improve safety.




WHITE GAS HOBS ON GLASS



WOK BURNER

A cast-iron adaptor (power modulation up to 4.0 kW) is provided, allowing original wok pans to be positioned easily.



ELECTRIC IGNITION UNDER THE KNOB

All you have to do is turn the knob in the indicated direction to switch on the connected burner without holding it down for too long.






Gas hob 90
FPH 905 G WK BKG



- Electric ignition under the knob
- Black Glass finish
- Burners with brass flame spreader
- Brass wok burner
- Professional cast iron grates
- Metal knobs with matte black finish



Features

The 90 cm hob has a unique and exclusive design and features a black or white glass finish, metal knobs with a ring nut, and 5 brass burners with a flame spreader. Wok (4.0 kW) on the left-hand side. The provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. It comes with a cast iron wok adapter.

Technical data page 335



BLACK GLASS
FPH 905 G WK BKG
EAN 8019801032464




WHITE GLASS
FPH 905 G WK WHG
EAN 8019801032495



Gas hob 75
FPH 755 G WK BKG



- Electric ignition under the knob
- Black Glass finish
- Burners with brass flame spreader
- Brass wok burner
- Professional cast iron grates
- Metal knobs with matte black finish



Features

The 75 cm hob has a unique and exclusive design and features a black or white glass finish, metal knobs with a ring nut, and 5 brass burners with a flame spreader. Wok (4.0 kW) on the left-hand side. The provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. It comes with a cast iron wok adapter.

Technical data page 335



BLACK GLASS
FPH 755 G WK BKG
EAN 8019801032471




WHITE GLASS
FPH 755 G WK WHG
EAN 8019801032501



Gas hob 60
FPH 604 G WK BKG



- Electric ignition under the knob
- Black Glass finish
- Burners with brass flame spreader
- Brass wok burner
- Professional cast iron grates
- Metal knobs with matte black finish



Features

The 60 cm hob has a unique and exclusive design and features a black or white glass finish, metal knobs with a ring nut, and 4 brass burners with a flame spreader. Wok (4.0 kW) on the bottom left-hand side. The provided cast iron continuous grates ensure maximum safety and comfort when moving the pans from one burner to another. Moreover, safety is ensured by a thermocouple system that stops accidental gas leaks. It comes with a cast iron wok adapter.

Technical data page 335



BLACK GLASS
FPH 604 G WK BKG
EAN 8019801032488



WHITE GLASS
FPH 604 G WK WHG
EAN 8019801032518

STAINLESS STEEL TOP-FLUSH-MOUNT



PROFESSIONAL STEEL KNOBS

Metal knobs ensure easy handling and intuitive and accurate control when cooking.

CAST IRON GRATES

The cast iron continuous grates are built to resist extreme heat and quick changes in temperature without losing sturdiness. They are also easy to clean, allowing you to handle the pans efficiently.

GAS SAFETY

Gas hobs with a safety valve: the gas flow stops when the flame extinguishes, even accidentally.

FLUSH-MOUNT OR SEMI-FLUSH-MOUNT

P design hobs have a 1 mm edge. They can be flush-mounted or semi-flush-mounted, thanks to their smooth and regular surface.




Gas hob 112

CPH 1124 GWK X



- Electric ignition under the knob
- Stainless steel finish
- Metal knobs with stainless steel finish
- Aluminium burners
- Aluminium wok burner
- Sturdy cast iron grates



Features

The hob features a 1 mm thick edge. This way, it can be flush-mounted or semi-flush-mounted on the kitchen's countertop. It has 4 in-line burners, including a Wok (4.0 kW) and a Stop-Gas detection system. It comes with a cast iron Wok adapter.

Technical data page 336



SATIN-FINISH STAINLESS STEEL
CPH 1124 GWK X
EAN 8019801011032




Gas hob 90

CPH 905 GWK X



- Electric ignition under the knob
- Stainless steel finish
- Metal knobs with stainless steel finish
- Aluminium burners
- Aluminium wok burner
- Sturdy cast iron grates



Features

The hob features a 1 mm thick edge. This way, it can be flush-mounted or semi-flush-mounted on the kitchen's countertop. It has 5 burners, including a central Wok (4.0 kW) and a Stop-Gas detection system. It comes with a cast iron Wok adapter.

Technical data page 336



SATIN-FINISH STAINLESS STEEL
CPH 905 GWK X
EAN 8019801011049




Gas hob 75

CPH 765 GWK X



- Electric ignition under the knob
- Stainless steel finish
- Metal knobs with stainless steel finish
- Aluminium burners
- Aluminium wok burner
- Sturdy cast iron grates



Features

The 75 cm hob features a 1 mm thick edge. This way, it can be flush-mounted or semi-flush-mounted on the kitchen's countertop. It has 5 burners, including a central Wok (4.0 kW) and a Stop-Gas detection system. It comes with a cast iron Wok adapter.

Technical data page 336



SATIN-FINISH STAINLESS STEEL
CPH 765 GWK X
EAN 8019801011056




Gas hob 60

CPH 604 G X



- Electric ignition under the knob
- Stainless steel finish
- Metal knobs with stainless steel finish
- Aluminium burners
- Sturdy cast iron grates



Features

The 60 cm hob features a 1 mm thick edge. This way, it can be flush-mounted or semi-flush-mounted on the kitchen's countertop. It has 4 burners and a Stop-Gas detection system. It comes with a cast iron Wok adapter.

Technical data page 336



SATIN-FINISH STAINLESS STEEL
CPH 604 G X
EAN 8019801011063

GAS HOBS | S DESIGN

BRUSHED STAINLESS STEEL

These cooktops are available in two materials and thicknesses: brushed stainless steel (5 mm) and glossy tempered glass (8 mm). Both versions are elegant, sturdy and long-lasting, revealing a strong personality thanks to the rounded finish on the 4 sides.



FULGOR
MILANO



CONTROL KNOBS

Sturdy brushed metal knobs are easy to handle and ensure accurate control.

BRASS BURNERS

The high-efficiency brass burners ensure even heat distribution for perfect cooking results. Brass resists high temperatures, making the burners long-lasting.

WOK WITH DUAL REGULATION

High-power, modular WOK burner. The DUAL control makes it easy to select and combine the various rings. It is provided with a cast iron adapter to position the wok pans.

CAST IRON GRATES FOR EACH ZONE

The cast iron grates are designed to provide stability to the pans. These sturdy and long-lasting single grates are easy to handle and clean.




Gas hob 112

FSH 1124 G 2DWK XX



- Electric ignition under the knob
- Stainless steel finish
- Diamond finish perimeter
- Metal knobs with stainless steel finish
- Burners with brass flame spreader
- Brass wok burner
- Single cast iron grates




Features

This hob features a 5 mm thick stainless steel surface. It has 4 in-line burners, including 2 brass Woks (4.0 kW) with DUAL regulation (at the hob's ends). This hob comes with Stop-Gas safety system. The cast iron grates are designed to provide stability to every cooking zone. It comes with a cast iron Wok adapter and a Cast Iron Small adapter.



BRUSHED STAINLESS STEEL
FSH 1124 G 2DWK XX
EAN 8019801017676




Gas hob 90

FSH 905 G DWK XX




- Electric ignition under the knob
- Stainless steel finish
- Diamond finish perimeter
- Metal knobs with stainless steel finish
- Burners with brass flame spreader
- Brass wok burner
- Single cast iron grates




Features

The hob features 5 burners, including a brass Wok (4.0 kW) with DUAL regulation (at the hob's right-hand side). This hob features a 5 mm thick stainless steel surface. This hob comes with Stop-Gas safety system. The cast iron grates are designed to provide stability to every cooking zone. It comes with a cast iron Wok adapter and a Cast Iron Small adapter.



BRUSHED STAINLESS STEEL
FSH 905 G DWK XX
EAN 8019801017683




Gas hob 75

FSH 775 G DWK XX



- Electric ignition under the knob
- Stainless steel finish
- Diamond finish perimeter
- Metal knobs with stainless steel finish
- Burners with brass flame spreader
- Brass wok burner
- Single cast iron grates



Features

This hob features a 5 mm thick stainless steel surface. The hob features 5 burners, including a brass Wok (4.0 kW) with DUAL regulation (at the hob's centre). This hob comes with Stop-Gas safety system. The cast iron grates are designed to provide stability to every cooking zone. It comes with a cast iron Wok adapter and a Cast Iron Small adapter.



BRUSHED STAINLESS STEEL
FSH 775 G DWK XX
EAN 8019801017690



GAS HOBS
POLISHED GLASS




Gas hob 112

FCH 1124 G 2DWK BK



- Electric ignition under the knob
- Black Glass finish
- Bevelled finish perimeter
- Metal knobs with stainless steel finish
- Burners with brass flame spreader
- Brass wok burner
- Single cast iron grates



Features

This hob has a bevelled glass surface and 4 in-line burners, including 2 brass Woks (4.0 kW) with DUAL regulation (at the hob's ends). This hob comes with Stop-Gas safety system. The cast iron grates are designed to provide stability to every cooking zone. It comes with a cast iron Wok adapter and a Cast Iron Small adapter.

Technical data

page 338



BLACK GLASS
FCH 1124 G 2DWK BK
EAN 8019801017775




Gas hob 90

FCH 905 G DWK BK



- Electric ignition under the knob
- Black Glass finish
- Bevelled finish perimeter
- Metal knobs with stainless steel finish
- Burners with brass flame spreader
- Brass wok burner
- Single cast iron grates



Features

This hob has a bevelled glass surface and features 5 burners, including a brass Wok (4.0 kW) with DUAL regulation (at the hob's right-hand side). This hob comes with Stop-Gas safety system. The cast iron grates are designed to provide stability to every cooking zone. It comes with a cast iron Wok adapter and a Cast Iron Small adapter.

Technical data

page 338



BLACK GLASS
FCH 905 G DWK BK
EAN 8019801017799




Gas hob 75

FCH 775 G WK BK



- Electric ignition under the knob
- Black Glass finish
- Bevelled finish perimeter
- Metal knobs with stainless steel finish
- Burners with brass flame spreader
- Brass wok burner
- Single cast iron grates



Features

This hob has a bevelled glass surface and features 5 burners, including a brass Wok (4.0 kW) with DUAL regulation (at the hob's centre). This hob comes with Stop-Gas safety system. The cast iron grates are designed to provide stability to every cooking zone. It comes with a cast iron Wok adapter and a Cast Iron Small adapter.

Technical data

page 338



BLACK GLASS

FCH 775 G WK BK

EAN 8019801017829




Gas hob 60

FCH 604 G BK



- Electric ignition under the knob
- Black Glass finish
- Bevelled finish perimeter
- Metal knobs with stainless steel finish
- Burners with brass flame spreader
- Single cast iron grates



Features

This hob has a bevelled glass surface and features 4 burners. This hob comes with Stop-Gas safety system. The cast iron grates are designed to provide stability to every cooking zone. It comes with a cast iron Wok adapter and a Cast Iron Small adapter.

Technical data

page 338




BLACK GLASS

FCH 604 G BK

EAN 8019801017850


GAS HOBS | Q DESIGN
STAINLESS STEEL

The Q-DESIGN range has a unique burner layout that allows you to use all cooking zones with pans of various sizes simultaneously. The asymmetric position of the WOK burner makes room for larger pans, while the other burners can be used efficiently without interference.



CAST IRON GRATES

The cast iron grates from the Q-DESIGN range are designed to provide a practical solution. These sturdy and long-lasting single grates are easy to handle and remove for cleaning purposes.



METAL KNOBS

The best solution for sturdy, long-lasting knobs that facilitate individual hob adjustment due to their frontal position.

FLAME FAILURE DEVICE

The Flame Failure Device detects accidental flame extinguishment and blocks the gas supply to prevent leaks and improve safety.

WOK BURNER

A cast-iron adaptor (power modulation up to 4.0 kW) is provided, allowing original wok pans to be positioned easily.

ELECTRIC IGNITION UNDER THE KNOB


All you have to do is turn the knob to the indicated direction and hold it down for max 3 seconds to ignite the desired gas burner.



Gas hob 112
QH 1124 GWK X



- Electric ignition under the knob
- Stainless steel finish
- In-line burners
- Knobs with a black stainless steel finish
- Sturdy cast iron grates



Features

This hob features a Wok burner (4.0 kW) on the LH side, away from the other burners, to leave room for the other pans. It also has 4 in-line burners with Stop-Gas system.

This hob comes with the following accessories: a cast iron Wok adapter and a cast iron grate reducer.

Technical data page 339




SATIN-FINISH STAINLESS STEEL
QH 1124 GWK X
EAN 8019801008889



Gas hob 90
QH 906 GWK X



- Electric ignition under the knob
- Stainless steel finish
- Knobs with a black stainless steel finish
- Sturdy cast iron grates




Features

This hob features a Wok burner (4.0 kW) on the LH side, away from the other burners, to leave room for the other pans. It also has 6 in-line burners with Stop-Gas system.

This hob comes with the following accessories: a cast iron Wok adapter and a cast iron grate reducer.

Technical data page 339




SATIN-FINISH STAINLESS STEEL
QH 906 GWK X
EAN 8019801008896



Gas hob 75
QH 765 GWK X



- Electric ignition under the knob
- Stainless steel finish
- Knobs with a black stainless steel finish
- Sturdy cast iron grates




Features

This hob features a Wok burner (4.0 kW) on the LH side, away from the other burners, to leave room for the other pans. It also has 5 burners with Stop-Gas system.

This hob comes with the following accessories: a cast iron Wok adapter and a cast iron grate reducer.

Technical data page 339




SATIN-FINISH STAINLESS STEEL
QH 765 GWK X
EAN 8019801008902



Gas hob 60
QH 604 GWK X



- Electric ignition under the knob
- Stainless steel finish
- Knobs with a black stainless steel finish
- Sturdy cast iron grates



Features

It also has 4 burners with Stop-Gas system. This hob features a Wok burner (4.0 kW) on the LH side, away from the other burners, to leave room for the other pans.

This hob comes with the following accessories: a cast iron Wok adapter and a cast iron grate reducer.

Technical data page 339



SATIN-FINISH STAINLESS STEEL
QH 604 GWK X
EAN 8019801008919

FULGOR
MILANO

COMBISET

THE FUNCTIONAL AND MODULAR RANGE

INDUCTION TEPPANYAKI PLATE

The induction Teppanyaki plate ensures beauty and top performance. Heat is distributed evenly between the two areas of the plate, cooking food naturally without seasonings. The surface can be easily cleaned. The plate remains unchanged over time, resisting discolouration even if it undergoes high temperatures and intensive use.

INDUCTION HOBS

Glass-ceramic induction hobs feature one or two cooking zones and a stainless steel perimeter. The stainless steel knobs make it easy to choose the cooking settings.

GAS WOK (1 COOKING ZONE)

The WOK version with DUAL power regulation is perfect for cooking over low and high heat (maximum power = 4 kW). The hob comes with cast iron stands for WOK pans.

ERGONOMIC CONTROLS

Gas hobs with one or two cooking zones are controlled with steel knobs, whereas some induction models feature touch controls.

CAST IRON GRATES

Gas hobs are equipped with cast iron grates to ensure maximum pan stability. They can be easily removed and washed.

FLUSH-MOUNT OR SEMI-FLUSH-MOUNT

Steel gas hobs have a 1 mm edge to be flush-mounted or semi-flush-mounted on the countertop.

INTEGRATED DOWNDRAFT HOOD


FULGOR MILANO provides extraction systems to be installed next to the cooktop. These efficient and silent systems eliminate odours and smoke.



Gas hob 40
CPH 401 G DWK X



- Metal knobs with stainless steel finish
- Stainless steel finish
- Brass wok burner (4.0 kW)
- Flexible regulation (DUAL)
- Sturdy cast iron grates



Features

The hob features a 1 mm thick edge. This way, it can be flush-mounted or semi-flush-mounted on the kitchen's countertop. The burner's DUAL regulation is perfect for cooking over low and high heat (maximum power = 4 kW). The hob is fitted with a Stop-Gas safety system and resistant cast iron grates that can be easily removed. It comes with a cast iron Wok adapter.

Technical data page 340




STAINLESS STEEL
CPH 401 G DWK X
EAN 8019801011070



Gas hob 40
CPH 402 G X



- Metal knobs with stainless steel finish
- Stainless steel finish
- 2 aluminium burners
- Sturdy cast iron grates



Features

The product features a 1 mm thick edge. This way, it can be flush-mounted or semi-flush-mounted on the kitchen's countertop. The two cooking zones allow you to use pans of various sizes. The hob is fitted with a Stop-Gas safety system and resistant cast iron grates that can be easily removed.

Technical data page 340




STAINLESS STEEL
CPH 402 G X
EAN 8019801011087



Induction hob 40
CPH 401 ID X



- Metal knob with stainless steel finish
- Stainless steel finish
- 1 large cooking zone
- Automatic heating
- Digital power level indicator
- Booster



Features

The product features a 1 mm thick edge. This way, it can be flush-mounted or semi-flush-mounted on the kitchen's countertop. The stainless steel knobs make it easy to choose the cooking settings. The hob features a safety system that includes an end-of-cooking beep and residual heat indicator (H). It also comes with a surface cleaning scraper.

Technical data page 340




STAINLESS STEEL
CPH 401 ID X
EAN 8019801014453



Induction hob 40
CPH 402 ID X



- Metal knobs with stainless steel finish
- Stainless steel finish
- 2 independent cooking zones
- Automatic heating
- Digital power level indicator
- Booster



Features

This hob features a 1 mm thick edge. This way, it can be flush-mounted or semi-flush-mounted on the kitchen's countertop. The stainless steel knobs make it easy to choose the cooking settings. The hob features 2 independent cooking zones and a safety system that includes an end-of-cooking beep and residual heat indicator (H). It also comes with a surface cleaning scraper.

Technical data page 340




STAINLESS STEEL
CPH 402 ID X
EAN 8019801014460



Induction hob 40
CPH 402 ID TC X/2



- Touch control and digital display
- Stainless steel finish
- 2 independent cooking zones
- Digital power level indicator
- Timer for each zone
- Booster



Features

The hob features a 1 mm thick edge. This way, it can be flush-mounted or semi-flush-mounted on the kitchen's countertop. The touch control and digital display make it easy to choose the cooking settings. The hob features 2 independent cooking zones and a safety system that includes an end-of-cooking beep, touch control lock, and residual heat indicator (H). It also comes with a surface cleaning scraper.

Technical data page 341




STAINLESS STEEL
CPH 402 ID TC X/2
EAN 8019801008858



Induction hob with Teppanyaki plate 40
CPH 402 ID TY TC X/2



- Touch control
- Stainless steel finish
- 2 independent cooking zones
- Digital power level indicator
- Timer for each zone
- Stainless steel plate (10 mm)
- Groove for collecting cooking residues



Features

This hob features a 1 mm thick edge. This way, it can be flush-mounted or semi-flush-mounted on the kitchen's countertop. With the induction Teppanyaki plate, heat is distributed evenly between the two areas of the plate, cooking food naturally without seasonings. The hob includes an end-of-cooking beep, a touch control lock and a residual heat indicator (H).

Technical data page 341




STAINLESS STEEL
CPH 402 ID TY TC X/2
EAN 8019801009688



Electric barbecue 40
CPH 401 BQ X



- Knob controls
- Stainless steel finish
- Bbq cooking with lava rock in the container
- 11 power levels
- Removable s. steel container
- Grilling with water in the container



Features

This small BBQ features a 1 mm thick edge. This way, it can be flush-mounted or semi-flush-mounted on the kitchen's countertop. This product takes little space and uses lava rock or the grill with water in the container to reduce food odours. The hob is fitted with an operation indicator light. It also comes with a black tempered glass cover.

Technical data page 341




STAINLESS STEEL
CPH 401 BQ X
EAN 8019801032525



Electric fryer 40
CPH 401 FR X



- Knob controls
- Stainless steel finish
- Temperature regulation between 40 °C and 200 °C
- Removable s. steel container and basket
- Container capacity 2.7 l
- Oil-based frying



Features

The fryer features a 1 mm thick edge. This way, it can be flush-mounted or semi-flush-mounted on the kitchen's countertop. This appliance can fry with oil or boil with water. Temperature can be set from 40°C to 200°C. The fryer is fitted with an operation indicator light and a temperature setpoint indicator. It also comes with a black tempered glass cover.

Technical data page 341



STAINLESS STEEL
CPH 401 FR X
EAN 8019801032532

FULGOR
MILANO

EXTRACTOR AND FILTER HOODS FOR THE KITCHEN ENVIRONMENT

FINALLY FREE FROM
FUMES AND ODORS

EXTRACTION



FULGOR
MILANO

EXTRACTION

FULGOR extraction hoods are available in different types. The Fulgor cooker hoods are efficient appliances capable of integrating into the kitchen environment, with style.

The entire product line has been designed to ensure a discreet presence and appropriate ventilation. Functional anti-grease filters are easy to remove and dishwasher-safe, assuring comfort and high performance.

FEATURES

TOUCH CONTROL

The electronic controls allow to manage the extraction levels, the opening/closure of exhausting area elements, the timer and the filter replacement indicators.

SOFT-TOUCH CONTROLS

These controls are easy to use and ensure high precision in coordinating all the functions.

TIMER

The timer allows you to delay the hood operation, even after you finish cooking, eliminating residual fumes and odours from the kitchen.

LIGHTING


The various lighting systems have been designed to light up the cooking zone and serve as a "courtesy light" in open spaces.



Lift Hood 120
FDDH 1120 TRC X



- Touch controls and remote control
- Electric opening/closing device
- Stainless steel finish
- Power off timer
- LED bar lighting
- Aluminium anti-grease filters
- Filter saturation indicator
- Oil drip tray
- Non-return valve
- Energy Class A



Features

Rear lift hood. **Motors to be ordered separately.** With an FDD 2M motor, the extraction output is 790 m³/h (4 power levels). The sound power varies depending on the motor installed.

Accessories on request:

- | | |
|---|---------|
| - On-Board motor | FDD 2 M |
| - Inner remote motor | FEM 1 |
| - Outer remote motor | FEM 2 |
| - Activated carbon filter - filtering version use | FCHF 12 |

Accessories on request page 279
Technical data page 342




STAINLESS STEEL FDDH 1120 TRC X EAN 8019801022267
BLACK GLASS FDDH 1120 TRC BK EAN 8019801022281
WHITE GLASS FDDH 1120 TRC WH EAN 8019801022274



Lift Hood 90
FDDH 900 TRC X



- Touch controls and remote control
- Electric opening/closing device
- Stainless steel finish
- Power off timer
- LED bar lighting
- Aluminium anti-grease filters
- Filter saturation indicator
- Oil drip tray
- Non-return valve
- Energy Class A



Features

Rear lift hood. **Motors to be ordered separately.** With an FDD 2M motor, the extraction output is 760 m³/h (4 power levels). The sound power varies depending on the motor installed.

Accessories on request:

- | | |
|---|--------|
| - On-Board motor | FDD 2M |
| - Inner remote motor | FEM 1 |
| - Outer remote motor | FEM 2 |
| - Activated carbon filter - filtering version use | FCHF 9 |

Accessories on request page 279
Technical data page 342



STAINLESS STEEL FDDH 900 TRC X EAN 8019801022298
BLACK GLASS FDDH 900 TRC BK EAN 8019801022311
WHITE GLASS FDDH 900 TRC WH EAN 8019801022304



Wall-mounted hood 90
FCLHD 900 TC BK



- Touch controls
- Black Glass
- Extraction output: 760 m³/h
- 4 suction levels
- Power off timer
- Sound power from 49 to 71 dBA
- LED bar lighting
- Aluminium anti-grease filters
- Filter saturation indicator
- Non-return valve
- Energy Class A+

Features

This hood is the kitchen's central element. It offers innovative use solutions. The touch control operates the extraction surface opening system. This system removes all fumes, odours, and excessive heat and humidity during the cooking process.

The auto-power off function and the filter replacement indicators complete the list of functions.

Inclined glass panel with electronic opening, visible design with an adjustable telescopic chimney, automatic opening/closing.


Accessories on request:


- | | |
|--|---------|
| - HP activated carbon filter - filtering version use | FCHF 18 |
|--|---------|

Accessories on request page 279
Technical data page 343



BLACK GLASS FCLHD 900 TC BK EAN 8019801021208






Central Top Hood 52
FPHD 52 TS BK



- Touch controls
- Black Glass Ceramic finish
- Hood with an electric opening/closing device
- Extraction output 700 m³/h
- Extraction power: 5 levels
- Power off timer
- Sound power from 55 to 70 dBA
- Aluminium anti-grease filter
- Filter saturation indicator with oil drip tray
- Non-return valve
- Energy Class A+



Features

Cooktop hood fitted with touch and flap controls and electronic opening/closing system. It can be installed between two induction hobs. This hood ensures high performance even in a small installation area. The anti-grease filters are dishwasher-safe.

Accessories on request:

- HP activated carbon filter - filtering version use

FCHF 45

Accessories on request page 279
Technical data page 344




BLACK GLASS CERAMIC
FPHD 52 TS BK
EAN 8019801022380



Central Top Hood 51
FPHD 51 TS X



- Touch controls
- Stainless steel finish
- Hood with an electric opening/closing device
- Extraction output 700 m³/h
- Extraction power: 5 levels
- Power off timer
- Sound power from 55 to 70 dBA
- Aluminium anti-grease filter
- Filter saturation indicator with oil-collection tray
- Non-return valve
- Energy Class A+



Features

Cooktop hood fitted with touch and flap controls and electronic opening/closing system. It can be installed between two induction hobs. This hood ensures high performance even in a small installation area. The anti-grease filters are dishwasher-safe.

Accessories on request:

- HP activated carbon filter - filtering version use

FCHF 45

Accessories on request page 279
Technical data page 344




STAINLESS STEEL
FPHD 51 TS X
EAN 8019801022373



Ceiling-mounted hood 120
FCHD 1200 RC X



- The functions are enabled via remote control
- Stainless steel finish
- Extraction output: 610 m³/h
- 4 suction levels
- Power off timer
- Sound power from 53 to 64 dBA
- LED lighting
- Aluminium anti-grease filters
- Filter saturation indicator
- Non-return valve
- Energy Class B



Features

Ceiling-mounted hood with perimetral extraction (air is extracted along the light panel perimeter). Controls enabled via remote control. Removable light panel for cleaning anti-grease and carbon filters. The anti-grease filters are dishwasher-safe. Also available in white satin-finish glass.

Accessories on request:

- HP activated carbon filter - filtering version use

FCHF 2

Accessories on request page 279
Technical data page 345



STAINLESS STEEL
FCHD 1200 RC X
EAN 8019801023011




WHITE GLASS
FCHD 1200 RC WH
EAN 8019801023035



Ceiling-mounted hood 90
FCHD 900 RC X



- The functions are enabled via remote control
- Stainless steel finish
- Extraction output: 600 m³/h
- 4 suction levels
- Power off timer
- Sound power from 53 to 64 dBA
- LED lighting
- Aluminium anti-grease filters
- Filter saturation indicator
- Non-return valve
- Energy Class B



Features

Ceiling-mounted hood with perimetral extraction (air is extracted along the light panel perimeter). Controls enabled via remote control. Removable light panel for cleaning anti-grease and carbon filters. The anti-grease filters are dishwasher-safe. Also available in white satin-finish glass.

Accessories on request:

- HP activated carbon filter - filtering version use

FCHF 2

Accessories on request page 279
Technical data page 345



STAINLESS STEEL
FCHD 900 RC X
EAN 8019801023004



WHITE GLASS
FCHD 900 RC WH
EAN 8019801023028




Island hood 120

FTIHD 1260 TC X



- Stainless steel touch controls
- Stainless steel finish
- Extraction output: 730 m³/h
- 4 suction levels
- Power off timer
- Sound power from 47 to 72 dBA
- Double LED bar lighting
- Baffle anti-grease filters
- Filter saturation indicator
- Non-return valve
- Energy Class A



Features

T-shaped hood for island installation (120X60) with adjustable telescopic chimney. The baffle anti-grease filters ensure maximum efficiency. The LED bars ensure optimal hob illumination and can be used as a courtesy light. The anti-grease filters are dishwasher-safe.

Accessories on request:

- HP activated carbon filter - filtering version use FCHF 49

Accessories on request page 279
Technical data page 346



STAINLESS STEEL
FTIHD 1260 TC X
EAN 8019801023127




Island hood 90

FTIHD 960 TC X



- Stainless steel touch controls
- Stainless steel finish
- Extraction output: 730 m³/h
- 4 suction levels
- Power off timer
- Sound power from 47 to 72 dBA
- Double LED bar lighting
- Baffle anti-grease filters
- Filter saturation indicator
- Non-return valve
- Energy Class A



Features

T-shaped hood for island installation (90X60) with adjustable telescopic chimney. The baffle anti-grease filters ensure maximum efficiency. The LED bars ensure optimal hob illumination and can be used as a courtesy light. Also available with a black or white front glass panel. The anti-grease filters are dishwasher-safe.

Accessories on request:

- HP activated carbon filter - filtering version use FCHF 49

Accessories on request page 279
Technical data page 346



STAINLESS STEEL
FTIHD 960 TC X
EAN 8019801023097



BLACK GLASS
FTIHD 960 TC BK X
EAN 8019801023103



WHITE GLASS
FTIHD 960 TC WH X
EAN 8019801023110




Wall-mounted hood 120

FTHD 1200 TC X



- Stainless steel touch controls
- Stainless steel finish
- Extraction output: 730 m³/h
- Extraction power: 5 levels
- Power off timer
- Sound power from 47 to 72 dBA
- LED bar lighting
- Baffle anti-grease filters
- Filter saturation indicator
- Non-return valve
- Energy Class A



Features

The T-shaped wall-mounted hood's top can be used as a support base for kitchen utensils. It features high-efficiency baffle anti-grease filters. The LED bar ensures optimal illumination of the hob and can be used as a courtesy light. The anti-grease filters are dishwasher-safe.

Accessories on request:

- HP activated carbon filter - filtering version use FCHF 49

Accessories on request page 279
Technical data page 347



STAINLESS STEEL
FTHD 1200 TC X
EAN 8019801023080




Wall-mounted hood 90

FTHD 900 TC X



- Stainless steel touch controls
- Stainless steel finish
- Extraction output: 730 m³/h
- 4 suction levels
- Power off timer
- Sound power from 47 to 72 dBA
- LED bar lighting
- Baffle anti-grease filters
- Filter saturation indicator
- Non-return valve
- Energy Class A



Features

The T-shaped wall-mounted hood's top can be used as a support base for kitchen utensils. It features high-efficiency baffle anti-grease filters. The LED bar ensures optimal illumination of the hob and can be used as a courtesy light. The anti-grease filters are dishwasher-safe. Also available with a black or white glass front panel.

Accessories on request:

- HP activated carbon filter - filtering version use FCHF 49

Accessories on request page 279
Technical data page 347



STAINLESS STEEL
FTHD 900 TC X
EAN 8019801023059



BLACK GLASS
FTHD 900 TC BK X
EAN 8019801023066




WHITE GLASS
FTHD 900 TC WH X
EAN 8019801023073



Integrated hood 90
FBHD 900 PT X



- Soft touch controls
- Stainless steel finish
- Extraction output: 700 m³/h
- 4 suction levels
- Power off timer
- Sound power from 47 to 70 dBA
- LED lighting
- Aluminium anti-grease filters
- Filter saturation indicator
- Non-return valve
- Energy Class A



Features


Built-In hood. With stainless steel perimetral extraction (air is extracted along the centre panel's perimeter). This hood features 4 LED lights, whereas the part above is discreetly inside the wall unit, although remaining easily accessible for maintenance purposes. The anti-grease filters are dishwasher-safe.

Accessories on request:
- HP activated carbon filter - filtering version use FCHF 13

Accessories on request page 279
Technical data page 348




STAINLESS STEEL
FBHD 900 PT X
EAN 8019801023134



Integrated hood 70
FBHD 700 PT X



- Soft touch controls
- Stainless steel finish
- Extraction output: 700 m³/h
- 4 suction levels
- Power off timer
- Sound power from 47 to 70 dBA
- LED lighting
- Filter saturation indicator
- Aluminium anti-grease filters
- Non-return valve
- Energy Class A



Features

Built-In hood. With stainless steel perimetral extraction (air is extracted along the centre panel's perimeter). This hood features 4 LED lights, whereas the part above is discreetly inside the wall unit, although remaining easily accessible for maintenance purposes. The anti-grease filters are dishwasher-safe.

Accessories on request:
- HP activated carbon filter - filtering version use FCHF 13

Accessories on request page 279
Technical data page 348




STAINLESS STEEL
FBHD 700 PT X
EAN 8019801023141



Integrated hood 80
FBGHD 800 PT X



- Soft touch controls
- White satin-finish glass finish
- Extraction output: 700 m³/h
- 4 suction levels
- Power off timer
- LED bar lighting
- Aluminium anti-grease filters
- Filter saturation indicator
- Non-return valve
- Sound power from 47 to 70 dBA
- Energy Class A



Features

Built-In hood. With satin-finish glass perimetral extraction. (air is extracted along the centre panel's perimeter). The LED bar illuminates the hob optimally, the upper and functional elements are integrated inside the wall unit but easy to access for maintenance purposes. The anti-grease filters are dishwasher-safe.

Accessories on request:
- HP activated carbon filter - filtering version use FCHF 13

Accessories on request page 279
Technical data page 348




STAINLESS STEEL
FBGHD 800 PT X
EAN 8019801023158



Integrated hood 85
FBGHD 850 TC X



- Touch controls
- Stainless steel finish
- Extraction output: 780 m³/h
- 4 suction levels
- Power off timer
- LED bar lighting
- Aluminium anti-grease filters
- Filter saturation indicator
- Non-return valve
- Sound power from 45 to 71 dBA
- Energy Class A+



Features

Hood to be installed into a cabinet with retractable clear glass visor including touch controls.. The LED bar illuminates the hob optimally, the upper and functional elements are integrated inside the wall unit but easy to access for maintenance purposes. The anti-grease filters are dishwasher-safe.

Accessories on request:
- HP activated carbon filter - filtering version use FCHF 8

Accessories on request page 279
Technical data page 348



STAINLESS STEEL
FBGHD 850 TC X
EAN 8019801023042

FULGOR
MILANO

REFRIGERATORS AND FREEZERS

EVERYYHING WAS FROZEN
EVEN THE NOISE

(JULES VERNE)



FULGOR
MILANO

REFRIGERATION



FULGOR
MILANO



REFRIGERATORS AND FREEZERS

Fulgor Milano presents a wide range of exclusive refrigerators and freezers fitted with the latest functions to keep food fresh or frozen under perfect conditions. All FULGOR MILANO refrigerators and freezers add functionality to a healthy and modern lifestyle. Accurate electronic controls and optimized cooling circuits allow us to provide energy-efficient products.




30” Combined Refrigerator

FBCD 761 TNF EDBL



- Built-in installation
- Panel-ready refrigerator
- Total No Frost cooling
- Digital display
- Total gross capacity: 460 litres
- Fast Freezing Function
- Holiday function
- Automatic defrosting
- Interior LED lighting
- Self-supporting hinges + Reversible doors
- Energy Class: E (ex A++)



Features

TOTAL NO FROST refrigerator with LED lighting, fitted with a special Fresh drawer and fine stainless steel finishes. This also has three glass shelves and three balconies on the counterdoor with an egg rack. The freezer has three removable drawers and solid telescopic guides. Independent temperature regulation between the refrigerator and freezer. This refrigerator features an open-door buzzer, a temperature indicator light, and a quick freezer indicator light.

Accessories sold separately:

- | | |
|--|-----------------|
| - Door kit stainless steel | F4PANEL30BMSS |
| - Door kit black | F4PANEL30BMUMBK |
| - Professional Handle Kit | F4HKPRO30BM |
| - Urbantech stainless steel handle kit | F4HKU30BMSS |
| - Urbantech black handle kit | F4HKU30BMMBK |

Accessories on request
Technical data


page 277
page 349



COMBI REFRIGERATOR
FBCD 761 TNF EDBL
EAN 8019801031481



STAINLESS STEEL PANELS
F4PANEL30BMSS
EAN 8019801031825



BLACK PANELS
F4PANEL30BMUMBK
EAN 8019801032778



PRO HANDLES
F4HKPRO30BM
EAN 8019801031832



URB HANDLES
F4HKU30BMSS
EAN 8019801032792



URB HANDLES
F4HKU30BMMBK
EAN 8019801032785




30” Combined Refrigerator

FBCD 762 TNF EDBL



- Built-In installation + Panel-ready refrigerator
- Total No Frost cooling
- Digital display
- Total gross capacity: 460 litres
- Ice Maker + Water dispenser
- Fast Freezing Function
- Holiday function
- Automatic defrosting
- Interior LED lighting
- Self-supporting hinges + Reversible doors
- Energy Class: E (ex A++)



Features

TOTAL NO FROST refrigerator with LED lighting, fitted with a special Fresh drawer and fine stainless steel finishes. The refrigeration system with two cooling systems cools the food quickly while saving energy. Cold water is always ensured by the internal dispenser. The ice maker inside the freezer allows you to enjoy the amount of ice you want whenever you want. This also has three glass shelves and three balconies on the counterdoor with an egg rack. The freezer has three removable drawers.

Accessories sold separately:

- | | |
|--|-----------------|
| - Door kit stainless steel | F4PANEL30BMSS |
| - Door kit black | F4PANEL30BMUMBK |
| - Professional Handle Kit | F4HKPRO30BM |
| - Urbantech stainless steel handle kit | F4HKU30BMSS |
| - Urbantech black handle kit | F4HKU30BMMBK |

Accessories on request
Technical data

page 277
page 349



COMBI REFRIGERATOR
FBCD 762 TNF EDBL
EAN 8019801031498



STAINLESS STEEL PANELS
F4PANEL30BMSS
EAN 8019801031825



BLACK PANELS
F4PANEL30BMUMBK
EAN 8019801032778



PRO HANDLES
F4HKPRO30BM
EAN 8019801031832



URB HANDLES
F4HKU30BMSS
EAN 8019801032792



URB HANDLES
F4HKU30BMMBK
EAN 8019801032785

STORAGE

CONTROLLING FRESHNESS



BUILT-IN REFRIGERATORS AND FREEZERS

Fulgor Milano's refrigerators are designed in Italy using top-quality materials and components to last over time. The stainless steel profiles of the glass shelves and door balconies enhance the beauty of the product's finishes. The internal electronic controls and LED lighting are efficient while minimising energy consumption.

FULGOR MILANO's freezer freezes food easily and safely. The integrated NoFrost system introduces cold and dry air inside the freezer thanks to a continuous fan. Even air ventilation eliminates humidity, making defrosting unnecessary and maintaining food fresh for longer.

REFRIGERATION




Combined Refrigerator 70

FBCD 701 TNF EDBL



- Built-in installation
- Total No Frost cooling
- Digital display
- Total gross capacity: 350 litres
- Fast Freezing Function
- Holiday function
- Automatic defrosting
- Interior LED lighting
- Self-supporting hinges
- Reversible doors
- Energy Class: E (ex A++)



Features

TOTAL NO FROST combined refrigerator featuring a large backlit rear panel for a unique design. Besides the Produce drawer, the appliance features a Fresh drawer for meat and fish (+/-3 °C). This refrigerator also has four glass shelves and three balconies on the counterdoor with an egg rack. The TOTAL NO FROST freezer features three large removable drawers. Independent temperature regulation between the refrigerator and freezer. Moreover, it comes with an open-door buzzer, a temperature indicator and a quick freezer indicator.

Technical data

page 350




COMBINED REFRIGERATOR
FBCD 701 TNF EDBL
EAN 8019801030545



Column Refrigerator 60
FBR 300 F ED



- Built-in installation
- Ventilated cooling
- Digital display
- Total gross capacity: 320 litres
- Temperature regulation
- Automatic defrosting
- Interior LED lighting
- Sliding door assembly
- Reversible door
- Energy Class: E (ex A+)



Features

Spacious single-door refrigerator, whose layout ensures optimal food and beverage arrangement. It is fitted with six glass shelves, two produce drawers, a metal bottle holder (4 positions), five balconies on the counterdoor and an egg rack. The refrigerator features an automatic defrosting system, a temperature indicator, and a memory function in the event of shutdown or power failure.

Technical data page 351




SINGLE-DOOR REFRIGERATOR
FBR 300 F ED
EAN 8019801029464



Freezer 60
FBF 290 NF ED



- Built-in installation
- Total No Frost cooling
- Digital display
- Total gross capacity: 210 litres
- Fast Freezing Function
- Automatic defrosting
- Internal light
- Sliding door assembly
- Reversible door
- Energy Class: E (ex A+)



Features

TOTAL NO FROST column freezer fitted with two flaps and 5 transparent drawers (to check the content). Moreover, it comes with an open-door buzzer, a temperature indicator and a quick freezer indicator. The latter function is used to freeze large amounts of food all at once.

Technical data page 351




FREEZER
FBF 290 NF ED
EAN 8019801029488



Combined Refrigerator 60
FBC 345 TNF ED



- Built-in installation
- Total No Frost cooling
- Digital display
- Total gross capacity: 252 litres
- Fast Freezing Function
- Holiday function
- Automatic defrosting
- Interior LED lighting
- Sliding door assembly
- Reversible doors
- Energy Class: E (ex A++)



Features

TOTAL NO FROST combined refrigerator featuring a stainless steel rear conveyor. Besides the Produce drawer, the appliance features a Fresh drawer for meat and fish (+ -3 °C). This refrigerator also has four glass shelves, a metal bottle holder (4 positions), three balconies on the counterdoor, and an egg rack. The TOTAL NO FROST freezer features three large removable drawers. Independent temperature regulation between the refrigerator and freezer. Moreover, it comes with an open-door buzzer, a temperature indicator and a quick freezer indicator.

Technical data page 350




COMBINED REFRIGERATOR
FBC 345 TNF ED
EAN 8019801029440



Combined Refrigerator 60
FBCD 355 TNF EDBL



- Built-in installation
- Total No Frost cooling
- Digital display
- Total gross capacity: 252 litres
- Fast Freezing Function
- Holiday function
- Automatic defrosting
- Interior LED lighting
- Self-supporting hinges
- Reversible doors
- Energy Class: E (ex A++)



Features

TOTAL NO FROST combined refrigerator featuring a large backlit rear panel for a unique design. Besides the Produce drawer, the appliance features a Fresh drawer for meat and fish (+ -3 °C). This refrigerator also has four glass shelves and three balconies on the counterdoor with an egg rack. The TOTAL NO FROST freezer features three large removable drawers. Independent temperature regulation between the refrigerator and freezer. Moreover, it comes with an open-door buzzer, a temperature indicator and a quick freezer indicator.

Technical data page 350




COMBINED REFRIGERATOR
FBCD 355 TNF EDBL
EAN 8019801030538



Wine Cellar 88
FWC 8800 TC BKX



- Stainless steel finish
- Digital touch display
- Reversible door
- Capacity: 40 bottles Ø 76 mm
- Ventilated cooling
- Control light indicator
- Interior LED lighting
- Two temperature zones



Features

The wine cellar column has an upper and lower area and features an independent temperature regulation from +5°C to +20°C. Moreover, the cellar is equipped with antivibration and anticondensation systems and a UV-insulating glass pane. This appliance comes with 5 beech wood sliding shelves (one shelf for 4 champagne bottles) and a fixed lower shelf.

Technical data page 353



STAINLESS STEEL
FWC 8800 TC BKX
EAN 8019801030712




BLACK GLASS
FWC 8800 TC GBK
EAN 8019801030705



Wine Cellar 82
FWC 8200 U TC BKX



- Stainless steel finish
- Digital touch display
- Reversible door
- Capacity: 39 bottles Ø 76 mm
- Ventilated cooling
- Control light indicator
- Interior LED lighting
- Two temperature zones



Features

The wine cellar column has an upper and lower area and features an independent temperature regulation from +5°C to +20°C. Moreover, the cellar is equipped with antivibration and anticondensation systems and a UV-insulating glass pane. This appliance comes with 4 beech wood sliding shelves (one shelf for 5 champagne bottles) and a fixed lower shelf.

Technical data page 352



STAINLESS STEEL
FWC 8200 U TC BKX
EAN 8019801030699



BLACK GLASS
FWC 8200 U TC GBK
EAN 8019801030682

FULGOR
MILANO

IN EVERY WATER DROP LIES ALL
THE OCEAN'S SECRETS

(Khalil Gibran)



DISHWASHERS

DISHWASHING

FULGOR
MILANO



DISHWASHERS

FULGOR
MILANO

FULGOR MILANO's integrated dishwashers are designed in Italy. They are the ideal choice for modern design kitchens. Besides being elegant, they are extremely easy to use.



INTELLIGIBLE CONTROLS

Soft Touch keys and the digital display allow you to select and control FULGOR MILANO dishwasher's programs easily and accurately.

AUTO-OPEN

The dishwasher door opens automatically once the washing program is complete. Even plastic plates and crystal glasses are perfectly dry. An air duct protects the upper part of the kitchen from humidity.

ENERSAVE (ECO)

This function reduces energy consumption: the partial and progressive door opening improves drying performance and controls the temperature during the rinsing stage.

EFFICIENCY

FULGOR MILANO's dishwashers are designed to obtain optimal washing and drying results using a minimum amount of water, detergents, and energy.

QUICK WASH CYCLE

Combined with other washing cycles, this option can reduce them by 10% to 55%, depending on the selected cycle.

3RD RACK

The retractable top drawer (3rd load level) is ideal for placing cutlery and small kitchen utensils. This allows for greater load flexibility.

PUSH TO OPEN

FULGOR MILANO's dishwashers can be opened by touching the unit's door, which will partially open to allow you to insert and remove plates, pans, and cutlery effortlessly.

SLIDING HINGE DOOR


The dishwashers are installed seamlessly thanks to a sliding hinge system, which allows concealed insertion of appliances with a base of 25 mm or greater.



Fully Integrated XXL 60
FDW 8291.1



- Concealed
- Variable fulcrum hinges
- 10 washing programs
- 13 place settings
- Half load option
- Delayed start key
- 2 telescopic racks + cutlery tray
- 3-level upper rack regulation
- Washing temperatures: 38°C ÷ 70°C
- Energy class F (ex A+) - Efficiency class A



Features

The dishwasher has a self-balanced door to maintain the chosen opening position and the 3/1 option (use of detergents with salt and rinse aid). The control panel allows users to select the washing program and warns them when salt and rinse aid are running out. Sound emission of 44 dB (A) re 1 pW and annual electricity consumption of 292 Kwh. The Enersave (ECO) option, combined with the chosen program, reduces energy consumption. Delayed start from 0 to 24 hours. The lower rack holds dishes up to 30 cm in diameter. The safety devices include AcquaStop, level sensors and seals against water leaks.

Technical data page 355




FULLY INTEGRATED
FDW 8291.1
EAN 8019801021994



Fully Integrated 60
FDW 8292.1



- Concealed
- Sliding hinges
- 10 washing programs
- 13 place settings
- Half load option
- Delayed start
- 2 telescopic racks + cutlery tray
- 3-level upper rack regulation
- Washing temperatures: 45 °C ÷ 70 °C
- End-of-cycle door release
- Energy Class E (ex A++) - Efficiency Class A



Features

The dishwasher has a self-balanced door to maintain the chosen opening position and the 3/1 option (use of detergents with salt and rinse aid). The Soft Touch control panel allows users to select the washing program and warns them when salt and rinse aid are running out. Sound emission of 46 dB (A) re 1 pW and annual electricity consumption of 258 Kwh. The Enersave (ECO) option, combined with the chosen program, reduces energy consumption. Delayed start from 0 to 24 hours. The lower rack holds dishes up to 30 cm in diameter. The safety devices include AcquaStop, level sensors and seals against water leaks.

Technical data page 354




FULLY INTEGRATED
FDW 8292.1
EAN 8019801022007



Fully Integrated 60
FDW 82103



- Concealed
- Variable fulcrum hinges
- 10 washing programs
- 13 place settings
- Half load option
- Delayed start
- 3 racks with handles + cutlery tray
- 3-level upper rack regulation
- Washing temperatures: 45 °C ÷ 70 °C
- End-of-cycle door release
- Energy class F (ex A+) - Efficiency class A



Features

The dishwasher has a self-balanced door to maintain the chosen opening position and the 3/1 option (use of detergents with salt and rinse aid). It features variable fulcrum hinges and base adjustment up to 10 cm. The Soft Touch control panel allows users to select the washing program and warns them when salt and rinse aid are running out. Sound emission of 45 dB (A) re 1 pW and annual electricity consumption of 292 Kwh. The Enersave (ECO) option reduces energy consumption. Delayed start from 0 to 24 hours. The safety devices include AcquaStop, level sensors and seals against water leaks.

Technical data page 355




FULLY INTEGRATED
FDW 82103
EAN 8019801022014



Fully Integrated XXL 60
FDW 9093.1



- Concealed
- Fulcrum hinges
- 10 washing programs
- 13 place settings
- Half load option
- Delayed start
- 3 racks with handles + cutlery tray
- 3-level upper rack regulation
- Internal light
- Washing temp. 38 °C ÷ 75 °C
- Energy Class B



Features

The dishwasher has a self-balanced door to maintain the chosen opening position and the 3/1 option (use of detergents with salt and rinse aid). Thanks to the automated door, the Enersave (ECO) option combined with the set program dries the dishes in an optimal way, even at low rinsing temperatures, thus saving energy. The Soft Touch control panel allows users to select the washing program and warns them when salt and rinse aid are running out. Additional characteristics: sound emission of 44 dB (A) re 1 pW, delayed start from 0 to 24 hours and lower rack holding dishes up to Ø 30 cm.

Technical data page 354



FULLY INTEGRATED XXL
FDW 9093.1
EAN 8019801027620

SINKS

BEAUTY AND FUNCTIONALITY

FULGOR MILANO's kitchen sinks stand out for their advanced yet minimalist design. Its range includes: double-bowl sinks, single-bowl sinks, flush sinks, semi-flush sinks, and undermount sinks, all available in various sizes. The AISI 304 stainless steel bowls (10/10 thick) feature a unique satin finish. Three matching satin-finish stainless steel mixers complete the range.

FULGOR
MILANO



FLUSH-MOUNTED

The 45 and 51 ranges can be flush mounted to create a smooth, continuous countertop.



SEMI-FLUSH-MOUNTED

The 45 and 51 ranges can be semi-flush mounted thanks to their 1 mm thickness.



UNDER MOUNTED

The U range undermount sinks perfectly merge with the kitchen's countertop.



CHOPPING BOARD

Made with long-lasting material, this chopping board is suitable for chopping and slicing any food.



MIXERS

This AISI 316 stainless steel progressive mixers perfectly combine with Fulgor Milano's sinks. They can also be installed outside the bowl.



MICRO-PERFORATED TRAYS

Stainless steel trays available in two sizes, suitable for separating food from the cooking water.






Mixer

FOMT 521 X



- AISI 316 L stainless steel
- With black hose
- 2-jet hand-held shower



Features

This mixer stands out for its unique design. It's fitted with a removable 2-jet hand-held shower head, useful for washing kitchenware. The matte brushed stainless steel (AISI 316 L) finish perfectly blends in a modern kitchen. It also has a 180° swivel spout, a black hose, and a control lever.



STAINLESS STEEL
FOMT 521 X
EAN 801981027859




Mixer

FOMT 300 X



- AISI 316 L stainless steel
- With swivel spout



Features

Brushed stainless steel mixer (AISI 316 L) with swivel spout. Fulgor Milano's products are made with stainless steel, a perfect material in the kitchen. Minimalist mixer with a single lever.



STAINLESS STEEL
FOMT 300 X
EAN 8019801027866




Mixer

FOMT 600 X



- AISI 316 L stainless steel
- Hand-held shower head



Features

Brushed AISI 316 L. stainless steel mier. Fulgor Milano's products are made with stainless steel, a perfect material in the kitchen. Minimalist mixer with a single lever.



STAINLESS STEEL
FOMT 600 X
EAN 8019801032662




Flush-mount and semi-flush-mount sinks 85

P1B 8545 Q F SF



- AISI 304 L stainless steel with satin finish
- 900 mm base
- Large single bowl
- Radius 10 for installation
- Bowl depth: 200 mm



Features

The elegant satin AISI 304 stainless steel finish perfectly blends in a modern kitchen, as it combines aesthetics with functionality. This 1 mm thick bowl can be flush-mount or semi-flush-mount. It comes with the following accessories: a square one-way drain plug and a one-way siphon.




SATIN-FINISH STAINLESS STEEL
P1B 8545 Q F SF
EAN 8019801011216



Flush-mount and semi-flush-mount sinks **75**
P1B 7545 Q F SF



- AISI 304 L stainless steel with satin finish
- 800 mm base
- Large single bowl
- Radius 10 for installation
- Bowl depth: 200 mm



Features

This 1 mm thick bowl can be flush-mount or semi-flush-mount. The elegant satin AISI 304 stainless steel finish perfectly blends in a modern kitchen, as it combines aesthetics with functionality. It comes with the following accessories: a square one-way drain plug and a one-way siphon.




SATIN-FINISH STAINLESS STEEL
P1B 7545 Q F SF
EAN 8019801011162



Flush-mount and Top semi-flush-mount sinks **55**
P1B 5545 Q F SF



- AISI 304 L stainless steel with satin finish
- 600 mm base
- Single bowl
- Radius 10 for installation
- Bowl depth: 200 mm



Features

This 1 mm thick bowl can be flush-mount or semi-flush-mount. The elegant satin AISI 304 stainless steel finish perfectly blends in a modern kitchen, as it combines aesthetics with functionality. It comes with the following accessories: a square one-way drain plug and a one-way siphon.




SATIN-FINISH STAINLESS STEEL
P1B 5545 Q F SF
EAN 8019801011179



Flush-mount and semi-flush-mount sinks **86**
P1B 8651 QA F SF



- AISI 304 L stainless steel with satin finish
- 900 mm base
- Large single bowl
- Radius 10 for installation
- Bowl depth: 200 mm
- Mixer set up



Features

The elegant satin AISI 304 stainless steel finish perfectly blends in a modern kitchen, as it combines aesthetics with functionality. This 1 mm thick bowl can be flush-mount or semi-flush-mount. It comes with the following accessories: a square one-way drain plug and a one-way siphon.




SATIN-FINISH STAINLESS STEEL
P1B 8651 QA F SF
EAN 8019801011247



Flush-mount and semi-flush-mount sinks **56**
P1B 5651 QA F SF



- AISI 304 L stainless steel with satin finish
- 600 mm base
- Single bowl
- Radius 10 for installation
- Bowl depth: 200 mm
- Mixer set up



Features


This 1 mm thick bowl can be flush-mount or semi-flush-mount. The elegant satin AISI 304 stainless steel finish perfectly blends in a modern kitchen, as it combines aesthetics with functionality. It comes with the following accessories: a square one-way drain plug and a one-way siphon.



SATIN-FINISH STAINLESS STEEL
P1B 5651 QA F SF
EAN 8019801011254



Flush-mount and Top semi-flush-mount sinks **85**
P2B 8545 Q F SF



Flush-mount and Top semi-flush-mount sinks **55**
P2B 5545 Q F SF R




Flush-mount and Top semi-flush-mount sinks **86**
P2B 8651 QA F SF



Flush-mount and Top semi-flush-mount sinks **76**
P2B 7651 QA F SF



- AISI 304 L stainless steel with satin finish
- 900 mm base
- Double bowl
- Radius 10 for installation
- Bowl depth: 200 mm




Features

The double-bowl sink perfectly blends with a modern kitchen style thanks to the AISI 304 stainless steel finish. This 1 mm thick sink can be flush-mount or semi-flush-mount. It comes with the following accessories: squared two-way overflow drain plug and a two-way siphon.



- Aisi 304 L stainless steel with satin finish
- 600 mm base
- Double bowl
- Radius 10 for installation
- Bowl depth: 200 mm




Features

Asymmetric double-bowl sink made with an elegant satin AISI 304 stainless steel finish that perfectly blends with a modern kitchen style, combining aesthetics with functionality. This 1 mm thick sink can be flush-mount or semi-flush-mount. It comes with the following accessories: squared two-way overflow drain plug and a two-way siphon.



- Aisi 304 L stainless steel with satin finish
- 900 mm base
- Double bowl
- Radius 10 for installation
- Bowl depth: 200 mm
- Mixer set up




Features

Double-bowl sink made with a satin AISI 304 stainless steel finish that perfectly blends in a modern kitchen, as it combines aesthetics with functionality. This 1 mm thick sink can be flush-mount or semi-flush-mount. It comes with the following accessories: squared two-way overflow drain plug and a two-way siphon.



- Aisi 304 L stainless steel with satin finish
- 800 mm base
- Double bowl
- Radius 10 for installation
- Bowl depth: 200 mm
- Mixer set up



Features

Double-bowl sink that perfectly blends in a modern kitchen thanks to the AISI 304 stainless steel finish. Thanks to the 1 mm thick steel, it can be flush-mount or semi-flush-mount. It comes with the following accessories: squared two-way overflow drain plug and a two-way siphon.



SATIN-FINISH STAINLESS STEEL
P2B 8545 Q F SF
EAN 8019801011148



SATIN-FINISH STAINLESS STEEL
P2B 5545 Q F SF R
EAN 8019801011155



SATIN-FINISH STAINLESS STEEL
P2B 8651 QA F SF
EAN 8019801011223




SATIN-FINISH STAINLESS STEEL
P2B 7651 QA F SF
EAN 8019801011230



Undermount sink 83
P1B 8343 Q U



- Aisi 304 L stainless steel with satin finish
- 900 mm base
- Large single bowl
- Radius 10 for installation
- Bowl depth: 200 mm



Features

The elegant satin AISI 304 stainless steel finish perfectly blends in a modern kitchen, as it combines aesthetics with functionality. This large bowl is mounted underneath the worktop to provide continuity between the bowl and the worktop. It comes with the following accessories: a square one-way drain plug and a one-way siphon.




SATIN-FINISH STAINLESS STEEL
P1B 8343 Q U
EAN 8019801011285



Undermount sink 73
P1B 7343 Q U



- Aisi 304 L stainless steel with satin finish
- 800 mm base
- Large single bowl
- Radius 10 for installation
- Bowl depth: 200 mm



Features

This large bowl is mounted underneath the worktop to provide continuity between the bowl and the worktop. The elegant satin AISI 304 stainless steel finish perfectly blends in a modern kitchen, as it combines aesthetics with functionality. It comes with the following accessories: a square one-way drain plug and a one-way siphon.




SATIN-FINISH STAINLESS STEEL
P1B 7343 Q U
EAN 8019801011292



Undermount sink 53
P1B 5343 Q U



- Aisi 304 L stainless steel with satin finish
- 600 mm base
- Large single bowl
- Radius 10 for installation
- Bowl depth: 200 mm



Features

Single bowl sink with a satin AISI 304 stainless steel finish that perfectly blends in a modern kitchen, as it combines aesthetics with functionality. This large bowl is mounted underneath the worktop to provide continuity between the bowl and the worktop. It comes with the following accessories: a square one-way drain plug and a one-way siphon.




SATIN-FINISH STAINLESS STEEL
P1B 5343 Q U
EAN 8019801011308



Undermount sink 83
P2B 8343 Q U



- Aisi 304 L stainless steel with satin finish
- 900 mm base
- Double bowl
- Radius 10 for installation
- Bowl depth: 200 mm



Features

Two-bowl sink with a satin AISI 304 stainless steel finish that perfectly blends in a modern kitchen. It is mounted underneath the worktop to provide continuity between the bowl and the worktop. It comes with the following accessories: automatic squared 2-way overflow drain plug and a two-way siphon.



SATIN-FINISH STAINLESS STEEL
P2B 8343 Q U
EAN 8019801011261

PROFESSIONAL ACCESSORIES ON REQUEST


PROFESSIONAL ACCESSORIES

ACCESSORIES ON REQUEST




Robust 36 "cast iron griddle

CODE **FM GRID 36**
EAN **8019801017133**



Robust 30 "cast iron griddle

CODE **FM GRID 30**
EAN **8019801017126**




Stainless steel Teppanyaki plate (trilaminated)

CODE **TY PLATE X**
EAN **8019801030415**



Cast-iron wok adapter

CODE **FMWOK**
EAN **8019801016914**



Cast iron adapter for low-temperature cooking

CODE **FMSIM**
EAN **8019801016921**



36" telescopic rack

CODE **FMTRP36**
EAN **8019801018499**



30" telescopic rack

CODE **FMTRP30**
EAN **8019801018482**



18" telescopic rack

COD **FMTRP18**
EAN **8019801019885**


HOOD ACCESSORIES

ACCESSORIES ON REQUEST



Steel hood chimney kit FPRHD 482 TC

CODE **FPRHD 482 KIT X**
EAN **8019801022052**



Matte black hood chimney kit FPRHD 482 TC

CODE **FPRHD 482 KIT MBK**
EAN **8019801022090**




Steel hood chimney kit FPRHD 362 TC

CODE **FPRHD 362 KIT X**
EAN **8019801022045**



Matte black hood chimney kit FPRHD 362 TC

CODE **FPRHD 362 KIT MBK**
EAN **8019801022083**




Two stainless steel grates with heat diffusers

CODE **FOBQ GRT X**
EAN **8019801021956**




Stainless steel Teppanyaki griddle

CODE **FOBQ TY X**
EAN **8019801021970**




Cast-iron ribbon griddles

CODE **FOBQ GRT CAST**
EAN **8019801021963**



Cast-iron Teppanyaki griddle

CODE **FOBQ TY CAST**
EAN **8019801021987**



Two perforated cast iron grates with heat diffusers

CODE **FOBQ GRT H CAST**
EAN **8019801031566**

ACCESSORIES ON REQUEST OTHER RANGES

OVEN ACCESSORIES

ACCESSORIES ON REQUEST



Pyrex glass tray for 60 cm ovens and blast chillers.

CODE **GT 60**
EAN **8019801014781**



Stainless steel tray for 45 cm ovens and 60 cm steam ovens.

CODE **XT 45**
EAN **8019801014880**



Tray (h30) for 60 cm steam oven

CODE **FET 60 VAP**
EAN **8019801032549**




Stainless steel microperforated tray for 45 cm ovens. Suitable for steam cooking

CODE **STEAM POT WITH COVER**
EAN **8019801014927**




Kit of Gastronorm stainless steel containers plus support rack

CODE **GASTRO BOX 6 SET**
EAN **8019801014903**




Flat rack for 60 cm ovens

CODE **FG 60**
EAN **8019801014767**




Flat rack for 75 cm and 90 x 48 ovens

CODE **FG 90/75**
EAN **8019801015774**



Flat rack for 90 x 60 ovens

CODE **FG 96**
EAN **8019801018093**




Flat rack for 45 cm ovens

CODE **FG 45**
EAN **8019801014873**




Enamelled tray (h30) for 60 cm ovens

CODE **FET 60 BK**
EAN **8019801025039**



Enamelled tray (h15) for 75 cm ovens and 90 x 48 ovens

CODE **FET 90/75 BK**
EAN **8019801025046**




Deep enamelled tray (h40) for 75 cm and 90 x 48 ovens

CODE **FETL 90/75 BK**
EAN **8019801025053**




Enamelled tray (h40) for 90 x 60 ovens

CODE **FET 96 BK**
EAN **8019801025060**



Enamelled AirFry tray (h30)

CODE **FET AIR BK**
EAN **8019801032556**



Wooden container for coffee accessories for inside drawer

CODE **CM DC 150**
EAN **8019801013494**



Wooden container for wine accessories for inside drawer

CODE **FWC ADC 150**
EAN **8019801013487**



Set of fully removable telescopic rails for 60/75/90 cm ovens

CODE **TELG 60 M**
EAN **8019801014750**




Metal pizza peel

CODE **SHOW PIZZA**
EAN **8019801014712**




Pizza stone

CODE **REFT PIZZA**
EAN **8019801014699**




Steel round rack for pizza

CODE **ROGR PIZZA**
EAN **8019801014705**



Cast iron wok adapter

CODE **CAST IRON WOK ADAPTOR**
EAN **8019801014965**




Cast iron small adapter

CODE **CAST IRON SMALL ADAPTOR**
EAN **8019801014972**



Scraper for cleaning glass-ceramic

CODE **CERAMIC SCRAPER**
EAN **8019801015016**



30" stainless steel trim kit

CODE **FK 30" X**
EAN **8019801014729**




Professional Frame Kit

COD **F6PTK30BC**
EAN **8019801026265**




Stainless steel panel and handle for vacuum sealing drawer, model FVSD 2900

CODE **FT 29 X**
EAN **8019801019502**




Stainless Steel Panels Kit for Refrigerator FBCD 761 TNF EDBL - FBCD 762 TNF EDBL

CODE **F4PANEL30BMSS**
EAN **8019801031825**



Pro stainless steel handles kit for refrigerators FBCD 761 TNF EDBL - FBCD 762 TNF EDBL

CODE **F4HKPRO30BM**
EAN **8019801031832**




Fixing kit for refrigerator union FBCD 761 TNF EDBL - FBCD 762 TNF EDBL

COD **FM4JOINKIT**
EAN **8019801032686**




Black Panels Kit for Refrigerator FBCD 761 TNF EDBL - FBCD 762 TNF EDBL

CODE **F4PANEL30BMUMBK**
EAN **8019801032778**



Urbantech stainless steel grab bars kit for refrigerators FBCD 761 TNF EDBL - FBCD 762 TNF EDBL

CODE **F4HKU30BMSS**
EAN **8019801032792**



Urbantech black grab bars kit for refrigerators FBCD 761 TNF EDBL - FBCD 762 TNF EDBL

CODE **F4HKU30BMMBK**
EAN **8019801032785**

TRAY ACCESSORIES

ACCESSORIES ON REQUEST




S. Steel colander (L389 x W152 x H100)

CODE **C 4319 X**
EAN 8019801011414



S. Steel perforated tray (L389 x W152 x H26)

CODE **T 4319 X**
EAN 8019801011421




S. Steel perforated tray (L389 x W152 x H26)

CODE **T 4336 X**
EAN 8019801011438




White polyethylene chopping board

CODE **T 4233 PL**
EAN 8019801011445



Automatic 2-way square drain plug

CODE **QD 2 X**
EAN 8019801011469




Automatic 1-way square drain plug

CODE **QD 1 X**
EAN 8019801011452

ACCESSORIES FOR EXTRACTION HOODS AND HOBS

ACCESSORIES ON REQUEST



Duct kit and fittings for ARIA+ hob

CODE **FDUCTKIT ARIA+**
EAN 801980103273



Carbon filter kit for ARIA+ extraction hob

CODE **FCHF ARIA+**
EAN 801980103274




Anti-grease filter kit for ARIA+ extraction hob

CODE **FGREASE ARIA+**
EAN 801980103275

- Carbon filter kit - Mod. Hood FCHD 900 RC X e FCHD 1200 RC X
- Carbon filter kit - Mod. Hood FBGHD 850 TC X
- Carbon filter kit - Mod. Hood FDDH 900 TRC X
- Carbon filter kit - Mod. Hood FDDH 1120 TRC X
- Carbon filter kit - Mod. Hood FBGHD 800 PT X, FBHD 900 PT X, and FBHD 700 PT X
- Carbon filter kit - Mod. Hood FCLHD 900 TC BK
- Carbon filter kit - Mod. Hood FPRHD 482 TC X and FPRHD 482 TC MBK
- Carbon filter kit - Mod. Hood FPRHD 362 TC X and FPRHD 362 TC MBK
- Carbon filter kit - Mod. Hood FPHD 52 TS BK
- Carbon filter kit - Mod. Hood FTIHD 1260 / 960 and FTHD 1200 / 900
- Carbon filter kit - Mod. Hood FCLHD 8041 HID TS BK2
- Carbon filter kit - Mod. Hood FCLHD 9041 HID TS BK2

- FCHF 2** EAN 8019801024247
- FCHF 8** EAN 8019801024254
- FCHF 9** EAN 8019801024223
- FCHF 12** EAN 8019801024230
- FCHF 13** EAN 8019801024278
- FCHF 18** EAN 8019801024179
- FCHF 22** EAN 8019801024162
- FCHF 23** EAN 8019801024155
- FCHF 45** EAN 8019801024216
- FCHF 49** EAN 8019801024261
- FCHF 55** EAN 8019801029525
- FCHF 59** EAN 8019801029532



Inner remote motor

CODE **FEM 1**
EAN 8019801023325



Outer remote motor

CODE **FEM 2**
EAN 8019801023332



On-Board motor

CODE **FDD 2M**
EAN 8019801023400

FULGOR
MILANO

TECHNICAL DATA

PROFESSIONAL

48" FREE-STANDING KITCHEN



FSRC 4807 2P MK 2F ...	
Type	48" free-standing kitchen
Finish	Stainless steel X Matte Black MBK
Interiors: enamelled / other	Ultra Black Piro / -
COOKING HOB	
Supply	Gas
Tubular griddle burner	1 x 1200 - 3350 W
Crescendo burner power (Min-Max)	2 x 450 - 4500 W / 4 x 450 - 4000 W
Gas safety	•
Cast iron grates / griddle no.	3 / 1
Hob surface	Matte black enamelled
OVENS	
Type	Electronic multifunction
Dual convention / Thermoventilated	Primary / Secondary
Efficiency class	A
Capacity (litres)	125 + 65 L
Forced cooling	•
Functions no.	18
PERFORMANCE	
Max cooking temperature	290° C
Pyrolysis temperature / Self-cleaning	460° C / •
Pizza Pizzeria 350° function	•
AirFry (oven-frying)	•
CONTROLS	
Control system	Creactive with knobs
Recipes	•
Automatic power off	•
Booster	•
Meat probe	Primary oven
SAFETY	
Door lock (during pyrolysis)	•
Cool-touch door / no. of glass panes	• / 4
Soft-close door	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	3 + 2
Flat racks no.	2 + 2
Telescopic rack no.	1 + 1
Trays no. / type	1 / enamelled tray
Enamelled AirFry tray	1
Stainless steel AirFry tray	1
Round rack / Pizza shovel	1 / •
Firestone for pizza no.	1
POWER RATING / GAS	
Max electrical power (W)	7000 W
Voltage / Frequency (V - Hz)	220 - 240 V / 380 - 415V 2 N ~; 50 - 60 Hz
Gas types	NG - LPG
Cord / Plug	- / -
DIMENSIONS	
Width (mm)	1216
Height (min - max) mm	898 - 947
Depth (mm)	691

PROFESSIONAL

36" FREE-STANDING KITCHENS



FSRC 3606 P MG MK 2F ...		FSRC 3606 GG ED 2F ...	
Type	36" free-standing kitchen	36" free-standing kitchen	
Finish	Stainless steel X Matte Black MBK	Stainless steel X Matte Black MBK	Stainless steel X Matte Black MBK
Interiors: enamelled / other	Ultra Black Piro / -	Ultra Black Piro / -	
COOKING HOB			
Supply	Gas	Gas	
Crescendo Dual Burners	6	6	
Gas power (min-max)	450 - 4500 W	450 - 4500 W	
Gas safety	•	•	
Cast iron grates no.	3	3	
Hob surface	Matte black enamelled	Matte black enamelled	
OVENS			
Type	Electronic multifunction	Gas	
Interior dual convection	•	•	
Efficiency class	A	A	
Capacity (litres)	150 L	150 L	
Forced cooling	•	•	
Functions no.	18	3	
PERFORMANCE			
Max cooking temperature	290° C	300° C	
Pyrolysis temperature	460° C	-	
Self-cleaning	•	-	
Pizza Pizzeria 350° function	•	-	
AirFry (oven-frying)	•	-	
CONTROLS			
Control system	Creactive with knobs	Digital display with knobs	
Recipes	•	-	
Automatic power off	•	-	
Booster	•	-	
Meat probe	•	-	
SAFETY			
Door lock (during pyrolysis)	•	-	
Cool-touch door / no. of glass panes	• / 4	• / 4	
Soft-close door	•	•	
ACCESSORIES			
Lighting (Halogen, 25 W) no.	3	3	
Flat racks no.	2	2	
Telescopic rack no.	1	1	
Trays no. / type	1 / enamelled tray	1 / enamelled tray	
AirFry tray no.	1	-	
Pizza set no.	1	-	
POWER RATING / GAS			
Max electrical power (W)	3650 W	200 W	
Voltage / Frequency (V - Hz)	220-240 V~ 50-60 Hz	220-240 V~ 50-60 Hz	
Gas types	NG - LPG	NG - LPG	
Power cord	-	•	
Plug	-	Schuko	
DIMENSIONS			
Width (mm)	910	910	
Height (min - max) mm	898 - 947	898 - 947	
Depth (mm)	691	691	

PROFESSIONAL

FREE-STANDING KITCHENS



FSRC 3605 P MI MK 2F ...				FSRC 3004 P MI MK 2F ...			
Type	36" free-standing kitchen			30" free-standing kitchen			
Finish	Stainless steel Matte Black		X MBK	Stainless steel Matte Black		X MBK	
Interiors: enamelled / other	Ultra Black Piro / -			Ultra Black Piro / -			
COOKING HOB							
Supply	Induction			Induction			
Surface	CeraBlack			CeraBlack			
Pan detection sensor / Safety switch	• / •			• / •			
Fan cooling	•			•			
power levels	1 / 9			1 / 9			
	45 °C melting function	Slow cooking at 70 ° C		45 °C melting function	Slow cooking at 70 ° C		
	Booster for each zone	Residual heat detector (H)		Booster for each zone	Residual heat detector (H)		
	Automatic Heat Up	Minute Minder		Automatic Heat Up	Error code indicator		
	Error code indicator						
COOKING ZONE FEATURES							
Left front power (min - Max) (W)	Ø 230 mm	2300 - 3700 W		Ø 230 mm	2300 - 3700 W		
Rear left power (min - Max) (W)	Ø 200 mm	1850 - 3000 W		Ø 165 mm	1400 - 2200 W		
Dual Max Power (min - Max) (W)	Ø 280 mm	3000 - 5500 W		-			
Central power (min - Max) (W)	Ø 200 mm	1850 - 2600 W		-			
Right front power (min - Max) (W)	Ø 230 mm	2300 - 3700 W		Ø 200 mm	1850 - 3000 W		
Rear right power (min - Max) (W)	Ø 200 mm	1850 - 3000 W		Ø 200 mm	1850 - 3000 W		
OVEN FEATURES							
Type / Functions no.	Electronic multifunction / 18			Electronic multifunction / 18			
Interior dual convection	•			•			
Efficiency class	A			A			
Capacity (litres)	150 L			125 L			
Forced cooling	•			•			
PERFORMANCE							
Max cooking temperature	290° C			290° C			
Pyrolysis temperature / Self-cleaning	460° C / •			460° C / •			
Thermovenilated / Recipes	• / •			• / •			
Pizza Pizzeria 350° function	•			•			
AirFry (oven-frying)	•			•			
CONTROLS							
Control system	Creactive with knobs			Creactive with knobs			
Automatic power off	•			•			
Booster / Meat Probe	• / •			• / •			
SAFETY							
Door lock (during pyrolysis)	•			•			
Cool-touch door / no. of glass panes / Soft closing	• / 4 / •			• / 4 / •			
ACCESSORIES							
Lighting (Halogen, 25 W) no.	3			3			
Flat / Telescopic racks no.	2 / 1			2 / 1			
Trays no. / type	1 / enamelled tray			1 / enamelled tray			
AirFry tray / Pizza set no.	1 / 1			1 / 1			
POWER RATING							
Max electrical power (W)	14400 W			10800 W			
Voltage / Frequency (V - Hz)	380 - 415 V 3 N ~; 50 - 60 Hz			220 - 240 V or 380 - 415 V 3 N ~; 50 - 60 Hz			
Cord / Plug	- / -			- / -			
DIMENSIONS							
Width (mm)	910			756			
Height (min - max) mm	898 - 947			898 - 947			
Depth (mm)	691			691			

PROFESSIONAL

30" PIRO COLUMN OVEN



FSO 300 P MK 2F X	
Type	30" oven
Finish	Stainless steel
Interiors: enamelled / other	Ultra Black Piro / -
FEATURES	
Type	Electronic multifunction
Interior dual convection	•
Efficiency class	A
Capacity (litres)	125 L
Forced cooling	•
Functions no.	18
PERFORMANCE	
Max cooking temperature	290° C
Pyrolysis temperature	460° C
Thermovenilated / Recipes	• / •
Pyrolytic	•
Pizza Pizzeria 350° function	•
AirFry (oven-frying)	•
CONTROLS	
Control system	Creactive with knobs
Auto power off	•
Meat probe	•
Booster	•
SAFETY	
Door lock (during pyrolysis)	•
Cool-touch door / no. of glass panes / Soft closing	• / 4 / •
ACCESSORIES	
Lighting (Halogen 25 W)	3
Flat / Telescopic racks no.	2 / 1
Trays no. / type	1 / enamelled tray
AirFry tray no.	1
Pizza set no.	1
POWER RATING	
Max oven electrical power (W)	3650 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz
Power cord	•
DIMENSIONS	
Width (mm)	758
Height (mm)	707
Depth (mm)	640
Built-In Cut Out (W x H x D) mm	722 x 696 x 610

PROFESSIONAL

30" OVENS



	FPCSO 300 TEM X	FPCMO 300 TEM X
Type	Combined Steam	Combined Microwave
Finish	Stainless Steel	Stainless Steel
Temperature regulation	Electronic	Electronic
FUNCTIONS		
AirFry (oven-frying)	•	•
Microwave / Steam cooking	- / •	• / -
Steam heating	•	-
Microwave / steam convection oven	- / •	• / -
Steam cleaning / circuit	• / •	-
Puff	•	-
Convection bake	•	•
Convection and Grill cooking	•	•
Convection grilling	•	•
Grilling	•	•
Microwave and Grill cooking	-	•
Eco Convection bake	•	-
Oven lights	•	•
CONTROL PANEL		
Control type	Creactive Extended	Creactive Extended
Display	TFT 3.5"	TFT 3.5"
Recipe menu	•	•
Controls / Languages	Double Full Touch Display / 15	Double Full Touch Display / 15
FEATURES		
Manual quick pre-heating	-	-
Meat probe	•	-
12/24 clock format	•	•
°C / °F	•	•
OVEN DOOR		
Cool-touch door	•	•
OVEN CAPACITY		
Gross capacity (litres)	34 L	34 L
Interiors:	Stainless steel	Stainless steel
Rack position	3	3
Lighting (Halogen, 25 W) no.	1	1
Upper heating element for grilling	1500 W	1500 W (230 V)
Steam generator /Microwave power	800 W	900 W
Lower heating element power	300 W	-
Convection element power	1500 W	1500 W (230 V)
ACCESSORIES		
Removable Water Tank	•	-
S.Steel Gastronorm Tray	1 / Stainless steel	1 / Stainless steel
Standard Flat Grill Rack / removable no.	1 / 1	1 / -
S.Steel Perforated Tray with Lid	•	-
Glass turntable plate	-	•
Round Grill Rack	-	•
POWER RATING		
Max oven electrical power (W)	3200 W	3200 W
Voltage / Frequency (V - Hz)	220 - 240 V ~; 50 Hz	220 - 240 V ~; 50 Hz
Cord / Plug	• / Schuko	• / Schuko
DIMENSIONS		
Width (mm)	758	758
Height (mm)	474	474
Depth (mm)	591	591
Built-In Cut Out (W x H x D) mm	722 x 463 x 560	722 x 463 x 560

PROFESSIONAL

WARMING DRAWER



	FPWD 3024 X
Type	30" Built-In drawer
Front finish	Stainless steel
Interiors	Anti-slip rubber bottom
Handle / Soft closing opening	• / •
PERFORMANCE	
Max cooking temperature	85° C
Slow cooking / Leavening	• / •
Reheating cooked food and dishes	•
CONTROLS	
On/off key	•
Thermostat / Ventilation	• / •
Internal light	•
SAFETY	
Dark front panel	•
POWER RATING	
Max electrical power (W)	1100 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz
Cord / Plug	• / •
DIMENSIONS	
Width (mm)	758
Height (mm)	264
Depth (mm)	632
Built-In Cut Out (W x H x D) mm	722 x 235 x 610

PROFESSIONAL

36" SLOT-IN GAS COOKTOP



	FSRT 3606 G X
Type	36" slot-in gas cooktop
Finish	Stainless steel
FEATURES	
Supply	Gas
Crescendo Dual Burners	6
Gas power (min-max)	450 - 4500 W
Gas safety	•
Cast iron racks no.	3
Hob surface	Matte black enamelled
CONTROLS	
Steel knobs	•
ACCESSORIES ON REQUEST	
Wok adapter / cast iron heat diffuser	• / •
ELECTRICAL / GAS FEATURES	
Max electrical power (W)	0.6 W
Voltage / Frequency (V - Hz)	220 - 240 V ~; 50 - 60 Hz
Gas types	NG - LPG
Power cord	•
Plug	Schuko
DIMENSIONS	
Width (mm)	910
Height (mm)	179
Depth (mm)	689
Built-In Cut Out (W x H x D) mm	914 x 179 x 610-650

PROFESSIONAL

WALL-MOUNTED HOODS



FPRHD 482 TC ...		FPRHD 362 TC ...		
Type	48" wall-mounted hood		36" wall-mounted hood	
Finish	Stainless steel Matte Black	X MBK	Stainless steel Matte Black	X MBK
FEATURES				
Efficiency class	A		A	
Extraction levels	4		4	
Power off timer	•		•	
Anti-grease filter saturation indicator	•		•	
Type / no. of anti-grease filters	Stainless steel professional / 3		Stainless steel professional / 2	
HP filter replacement light	•		•	
Type and no. of lights	2 LED bars		2 LED bars	
Dishwasher-safe filters	•		•	
Ø Air outlet	Ø 200		Ø 200	
Airflow non-return valve	•		•	
CONTROLS				
Soft Touch control	•		•	
POWER RATING				
Extraction power m³/h (max)	1450 m³/h		1450 m³/h	
Noise (dBA)	48 - 75		48 - 75	
Annual consumption (kWH)	195		195	
Motor power (W)	550 W		550 W	
Rated power (W)	320 W		320 W	
Voltage / Frequency (V - Hz)	220 - 240 / 50 - 60		220 - 240 / 50 - 60	
Power cord (m)	2		2	
Plug (Schuko)	•		•	
ACCESSORIES ON REQUEST				
48" chimney extension kit (on request)	Stainless steel: FPRHD 482 KIT X Matte Black: FPRHD 482 KIT MBK		Stainless steel: FPRHD 362 KIT X Matte Black: FPRHD 362 KIT MBK	
HP filter for filtering version	FCHF 22 (X2)		FCHF 23 (X2)	
DIMENSIONS				
Width (mm)	1219		914	
Height (min - max) mm	779 - 1067		779 - 1067	
Depth (mm)	609		609	

PROFESSIONAL

DISHWASHER



FPDW 82103 XX	
Type	Integrated
Finish	Stainless steel door and handle
PERFORMANCE	
Efficiency class	D (ex A +++)
Washing class	A
Drying class	A
Water consumption (Litres / cycle)	12 L
Estimated annual energy consumption (Kwh)	258
Estimated annual water consumption (litres)	3360 L
Sound level dB (A) re 1pW	44
FEATURES	
Max place setting no. / IEC	13
Electronic control	•
Delayed start (hours)	1/2 - 24
Digital display	White
Interior light	-
End-of-cycle light indicator	•
Multi tablets dispenser	•
Drying with door auto opening	•
Cold/hot water supply (max 60°C)	•/•
SAFETY	
AcquaStop	•
No salt indicator	•
No rinse aid indicator	•
Water softener adjustable from 0 to 90 ° dF	Electronic regulation
STRUCTURAL FEATURES	
AISI 304 s. steel interior / counterdoor	• / •
Retractable electric heating element	•
Stainless steel adjustable upper rack	3-level button
Stainless steel folding rack	•
3rd upper rack	•
Max kitchenware ø (mm) in the upper rack	235
Max kitchenware ø (mm) in the lower rack	300
POWER RATING	
Voltage / Frequency (V - Hz)	220 - 230 / 50
Power cord (m)	1.5
Plug (Schuko)	•
WEIGHT, DIMENSIONS, INSTALLATION	
Net weight (kg)	41.5
Gross weight (kg)	43.5
Height (mm)	818 - 868
Width (mm)	598
Depth (mm)	550
Door opening	Double-action pivot hinge
Built-In Cut Out (W x H x D) mm	598 x (min 818 - MAX 888) x 570
Baseboard regulation (mm)	120 - 190
Rear feet front regulation	•

BBQ

BARBECUE GAS 1000



	FOBQ 1000 G X	FOBQ HL 1000 X	FOBQ LL 1000 X
Type	Built-In Barbecue	High lid	Low lid
Finish	Stainless steel	Stainless steel	Stainless steel
FEATURES			
Knob material / no.	Steel / 4	-	-
Teppanyaki (material)	Stainless steel	-	-
Grates (material)	Stainless steel	-	-
Tubular burners	4	-	-
Inner tub	Black enamel	-	-
Steel knob	-	•	•
Supply	Gas	-	-
Grates no.	2	-	-
Gastronorm liquid-collection tray	•	-	-
Heating grid	-	•	-
Total gas burner power	15.2 kW	-	-
Electronic ignition	•	-	-
Battery ignition	•	-	-
Thermometer / gas types	- / NG - LPG	• / -	- / -
DIMENSIONS			
Cooking zone width (mm)	900	-	-
Width (mm)	1046 x 189 x 540	920 x 191 x 600	920 x 54 x 559
Built-In Cut Out (W x H x D) mm	1025 x 210 x 505	-	-

BBQ

BARBECUE GAS 1000



	FOBQ 1000 G MBK	FOBQ HL 1000 MBK	FOBQ LL 1000 MBK
Type	Built-In Barbecue	High lid	Low lid
Finish	Matte Black	Matte Black	Matte Black
FEATURES			
Knob material / no.	Steel / 4	-	-
Teppanyaki (material)	Cast-iron	-	-
Grates (material) / Tubular burners	Cast-iron / 4	- / -	- / -
Inner tub	Black enamel	-	-
Steel knob	-	•	•
Supply	Gas	-	-
Grates no.	2	-	-
Gastronorm liquid-collection tray	•	-	-
Heating grid	-	•	-
Total gas burner power	15.2 kW	-	-
Electronic ignition	•	-	-
Battery ignition	•	-	-
Thermometer	-	•	-
Gas types	NG - LPG	-	-
DIMENSIONS			
Cooking zone width (mm)	900	-	-
Width (mm)	1046 x 189 x 540	920 x 191 x 600	920 x 54 x 559
Built-In Cut Out (W x H x D) mm	1025 x 210 x 505	-	-

BBQ

BARBECUE GAS 800



	FOBQ 803 G X	FOBQ HL 800 X	FOBQ LL 800 X
Type	Built-In Barbecue	High lid	Low lid
Finish	Stainless steel	Stainless steel	Stainless steel
FEATURES			
Knob material / no.	Steel / 3	-	-
Grates (material)	Stainless steel	-	-
Tubular burners	3	-	-
Inner tub	Black enamel	-	-
Steel knob	-	•	•
Supply	Gas	-	-
Grates no.	3	-	-
Gastronorm liquid-collection tray	•	-	-
Heating grid	-	•	-
Total gas burner power	11.4 kW	-	-
Electronic ignition	•	-	-
Battery ignition	•	-	-
Thermometer	-	•	-
Gas types	NG - LPG	-	-
DIMENSIONS			
Cooking zone width (mm)	650	-	-
Product (W x H x D) mm	830 x 189 x 540	705 x 191 x 600	705 x 54 x 559
Built-In Cut Out (W x H x D) mm	800 x 210 x 505	-	-

BBQ

BARBECUE GAS 600



	FOBQ 602 G X	FOBQ 601 TY G X	FOBQ HL 600 X	FOBQ LL 600 X
Type	Built-In Barbecue	Built-in Teppanyaki	High lid	Low lid
Finish	Stainless steel	Stainless steel	Stainless steel	Stainless steel
FEATURES				
Knob material / no.	Steel / 2	Steel / 2	-	-
Teppanyaki (material)	-	Stainless steel	-	-
Grates (material)	Stainless steel	-	-	-
Tubular burners	2	2	-	-
Inner tub	Black enamel	Black enamel	-	-
Steel knob	-	-	•	•
Supply	Gas	Gas	-	-
Gastronorm grease-collection tray	•	•	-	-
Heating grid	-	-	•	-
Total gas burner power	7.6 kW	7.6 kW	-	-
Electronic ignition	•	•	-	-
Battery ignition	•	•	-	-
Thermometer	-	-	•	-
Gas types	NG - LPG	NG - LPG	-	-
DIMENSIONS				
Cooking zone width (mm)	440	440	-	-
Product (W x H x D) mm	615 x 189 x 540	615 x 189 x 540	490 x 191 x 600	490 x 54 x 559
Built-In Cut Out (W x H x D) mm	585 x 210 x 505	585 x 210 x 505	-	-

BBQ

BARBECUE GAS 800



	FOBQ 803 G MBK	FOBQ HL 800 MBK	FOBQ LL 800 MBK
Type	Built-In Barbecue	High lid	Low lid
Finish	Matte Black	Matte Black	Matte Black
FEATURES			
Knob material / no.	Steel / 3	-	-
Grates (material)	Cast-iron	-	-
Tubular burners	3	-	-
Inner tub	Black enamel	-	-
Steel knob	-	•	•
Supply	Gas	-	-
Grates no.	3	-	-
Gastronorm liquid-collection tray	•	-	-
Heating grid	-	•	-
Total gas burner power	11.4 kW	-	-
Electronic ignition	•	-	-
Battery ignition	•	-	-
Thermometer	-	•	-
Gas types	NG - LPG	-	-
DIMENSIONS			
Cooking zone width (mm)	650	-	-
Width (mm)	830 x 189 x 540	705 x 191 x 600	705 x 54 x 559
Built-In Cut Out (W x H x D) mm	800 x 210 x 505	-	-

CLUSTER

MULTIFUNCTION OVEN 90



FCLO 9615 TEM 2F BK	
Type	Electronic multifunction
Finish	Deep Black
Interiors: enamelled / other	Ultra Black Piro / -
FEATURES	
Efficiency class	A +
Capacity (litres)	100 L
Forced cooling	•
Functions no.	16
PERFORMANCE	
AirFry (oven-frying)	•
Max cooking temperature	250 °C
Interior dual convection	•
Assisted cleaning (CLEAN)	•
Grill power (W)	1750 +1100
Low-temperature slow cooking	•
CONTROLS	
Control type	Creactive Extended
Pre-loaded and editable recipes	•
Booster	•
Meat probe	•
On/off icon	•
Electronic temperature regulation	•
Single / double thermoventilated	- / •
Internal light	•
SAFETY	
Cool-touch door / no. of glass panes	• / 3
SOFT CLOSING door	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	2
Set of telescopic rails no.	1
Trays no. / type	1 / enamelled
Enamelled AirFry trays no.	1
Flat racks no.	1
Rotisserie	•
POWER RATING	
Max electrical power (W)	3500 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz
Power cord	•
Plug	Schuko
DIMENSIONS	
Width (mm)	894
Height (mm)	588
Depth (mm)	564
Built-In Cut Out (W x H x D) mm	860 x 585 x 560

CLUSTER

MULTIFUNCTION OVEN 75



FCLO 7515 TEM BK	
Type	Electronic multifunction
Finish	Deep Black
Interiors: enamelled / other	Ultra Black Piro / -
FEATURES	
Efficiency class	A +
Capacity (litres)	89 L
Forced cooling	•
Functions no.	16
PERFORMANCE	
AirFry (oven-frying)	•
Max cooking temperature	250 °C
Interior dual convection	-
Assisted cleaning (CLEAN)	•
Grill power (W)	1750 +1100
Low-temperature slow cooking	•
CONTROLS	
Control type	Creactive Extended
Pre-loaded and editable recipes	•
Booster	•
Meat probe	•
On/off icon	•
Electronic temperature regulation	•
Single / double thermoventilated	• / -
Internal light	•
SAFETY	
Cool-touch door / no. of glass panes	• / 3
SOFT CLOSING door	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	2
Set of telescopic rails no.	1
Trays no. / type	1 / enamelled
Enamelled AirFry trays no.	1
Flat racks no.	1
Rotisserie	•
POWER RATING	
Max electrical power (W)	3500W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz
Power cord	•
Plug	Schuko
DIMENSIONS	
Width (mm)	745
Height (mm)	589
Depth (mm)	564
Built-In Cut Out (W x H x D) mm	710 x 585 x 560

CLUSTER

STEAM OVEN 75X45



FCLSO 7510 TEM BK	
Type	Combined Steam
Finish / Interiors: enamelled - other	Deep Black / Stainless steel
FEATURES	
Efficiency class	A ++
Capacity (litres)	34 L
Forced cooling	•
Functions no.	11
PERFORMANCE	
Max cooking temperature	230° C
Pre-loaded and editable recipes	•
AirFry (oven-frying)	•
Steam cooking 100° C / 130° C	• / •
Assisted cooking 100 °C	•
Mixed steam / convection	•
Defrosting (time/weight)	-
Assisted cleaning (CLEAN)	•
Microwave / Grill	-
Microwave / Convection	-
Microwave power (W)	-
Grill power (W)	1500 W
CONTROLS	
Control type	Creactive Extended
Easy Access	•
Meat probe	•
On/off icon	•
Forced cooling	•
Electronic temperature regulation	•
Internal light	•
SAFETY	
Safe door / no. of glass panes	• / 3
ACCESSORIES	
Lighting (Halogen, 25 W) no.	1
Removable Water Tank	•
S.Steel Gastronorm Tray	•
Standard Flat Grill Rack / removable no.	1 / 1
S.Steel Perforated Tray with Lid	•
POWER RATING	
Max electrical power (W)	3200 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 Hz
Power cord	•
Plug	Schuko
DIMENSIONS	
Width (mm)	745
Height (mm)	452
Depth (mm)	561
Built-In Cut Out (W x H x D) mm	722 x 450 x 560

CLUSTER

MICROWAVE OVEN 75X45



FCLMO 7510 TEM BK	
Type	Combined Microwave
Finish / Interiors: enamelled - other	Deep Black / Stainless steel
FEATURES	
Efficiency class	-
Capacity (litres)	34 L
Forced cooling	•
Functions no.	10
PERFORMANCE	
Max cooking temperature	230° C
Pre-loaded and editable recipes	•
AirFry (oven-frying)	•
Steam cooking 100° C / 130° C	- / -
Assisted cooking 100 °C	-
Mixed steam / convection	-
Defrosting (time/weight)	•
Assisted cleaning (CLEAN)	-
Microwave / Grill	•
Microwave / Convection	•
Microwave power (W)	900 W
Microwave power levels	6
Grill power (W)	1500 W
CONTROLS	
Control type	Creactive Extended
Easy Access	•
On/off icon	•
Forced cooling	•
Electronic temperature regulation	•
Internal light	•
SAFETY	
Safe door / no. of glass panes	• / 3
ACCESSORIES	
Lighting (Halogen, 25 W) no.	1
S.Steel Gastronorm Tray	•
Standard Flat Grill Rack	•
Glass turntable plate	•
Round Grill Rack	•
POWER RATING	
Max electrical power (W)	3200 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 Hz
Power cord	•
Plug	Schuko
DIMENSIONS	
Width (mm)	745
Height (mm)	452
Depth (mm)	561
Built-In Cut Out (W x H x D) mm	722 x 450 x 560

CLUSTER

ATMOS 60" STEAM OVEN



FCLSO 6023 TEM BK			
Type	Combined Steam		
Dimension	60		
Structure - Finish	Deep Black		
Temperature regulation	Electronic		
FEATURES			
Efficiency class	A++		
Capacity (litres)	65		
Forced cooling	•		
Meat probe	•		
Sizes	Timer 12 / 24 - Temperature °C / °F - Weight Kg / lb		
Cooking functions	Classic 11	Steam 6	Special 7
Max cooking temperature	250 °C		
Grill power (W)	1200 + 1000		
Steam cooking autonomy	> 3 hours		
Water tank capacity	1.5 l (Topping up without door opening)		
Dashboard opening - touch control	•		
FUNCTIONS			
	Classic Pizza function at 250 °C	AirFry (oven-frying)	
	Steam cooking from 30 ° to 100°C	Pre-loaded and editable recipes	
	Puff function	Low-temperature cooking	
	Sous vide	Defrost function with steam	
	Leavening function	Regeneration (180 °C)	
CONTROL PANEL			
Display Control type	TFT 3.5" MODULAR - Electronic (double full touch keypad)		
Fast recipe selection	•		
Languages	15		
FEATURES			
	Demo Mode	Steam cleaning function	
	Beep volume setting	Circuit cleaning function	
	Display brightness setting	Sabbath mode	
	Descaling function	Event logs (for assistance)	
OVEN DOOR			
Cool touch - no. of glass panes	3		
Closure	soft closed		
ACCESSORIES			
Side rack levels	5 (removable side racks)		
Rectangular halogen light (25 W)	2		
Fully removable telescopic rails	1 pair		
S. Steel Gastronorm perforated trays	1		
Gastronorm flat tray	1		
AirFry enamel tray	1		
Tray support frame	1		
Enamelled trays	1		
Flat racks	1		
DIMENSIONS			
Product (W x H x D) mm	594 x 596 x 560		
Built-In Cut Out (W x H x D) mm	560 x 595 x 560		
ELECTRICAL FEATURES			
Max electrical power	3.50 kW		
Voltage / Frequency (V - Hz)	220 - 240 V; 50 Hz		
Power cord	•		
Plug	Schuko		

CLUSTER

MULTIFUNCTION OVENS 60



FCLPO 6215 P TEM BK		FCLO 6215 TEM BK	
Type	Electronic self-cleaning multifunction	Electronic multifunction	
Finish	Deep Black	Deep Black	
Interiors: enamelled / other	Ultra Black Piro / -	Ultra Black Piro / -	
FEATURES			
Efficiency class	A +	A ++	
Capacity (litres)	65 L	65 L	
Forced cooling	•	•	
Functions no.	18	16	
PERFORMANCE			
Ma cooking temperature	290 °C	250 °C	
Pizza Pizzeria 350 °C function	350 °C	-	
AirFry (oven-frying)	•	•	
Pyrolysis temperature	470 °C	-	
Pyrolytic	•	-	
Assisted cleaning (CLEAN)	-	•	
Grill power (W)	1200 +1000	1200 +1000	
Low-temperature slow cooking	•	•	
CONTROLS			
Control type	Creative Extended	Creative Extended	
Pre-loaded and editable recipes	•	•	
Booster	•	•	
Meat probe	•	•	
Fume catalyst	•	-	
On/off icon	•	•	
Thermostat	•	•	
Thermovenilated	•	•	
Internal light	•	•	
SAFETY			
Door lock (during pyrolysis)	•	-	
Cool-touch door / no. of glass panes	• / 4	• / 3	
SOFT-CLOSING DOOR	•	•	
ACCESSORIES			
Lighting (Halogen, 25 W) no.	2	2	
Set of telescopic rails no.	2	1	
Trays no. / type	1 / enamelled	1 / enamelled	
Enamelled AirFry trays no.	1	1	
Flat racks no.	1	1	
Round rack no.	1	-	
Firestone for pizza no.	1	-	
Pizza Shovel	•	-	
POWER RATING			
Max electrical power (W)	3450 W	3500 W	
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz	
Power cord	•	•	
Plug	Schuko	Schuko	
DIMENSIONS			
Width (mm)	594	594	
Height (mm)	596	596	
Depth (mm)	560	560	
Built-In Cut Out (W x H x D) mm	560 x 595 x 560	560 x 595 x 560	

CLUSTER

45" OVENS



	FCLCSO 4510 TEM BK	FCLCMO 4510 TEM BK	FCLGMO 4508 TEM BK
Type	Combined Steam	Combined Microwave	Microwave with grill
Finish	Deep Black	Deep Black	Deep Black
Interiors: enamelled / other	Stainless steel	Stainless steel	Stainless steel
FEATURES			
Efficiency class	A ++	-	-
Capacity (litres)	34 L	34 L	34 L
Forced cooling	•	•	•
Functions no.	11	10	5
PERFORMANCE			
Max cooking temperature	230° C	230° C	230° C
Pre-loaded and editable recipes	•	•	•
AirFry (oven-frying)	•	•	-
Steam cooking 100° C / 130° C	• / •	- / -	- / -
Assisted cooking 100 °C	•	-	-
Mixed steam / convection	•	-	-
Defrosting (time/weight)	-	•	•
Assisted cleaning (CLEAN)	•	-	-
Microwave / Grill	-	•	•
Microwave / Convection	-	•	-
Microwave power (W)	-	900 W	900 W
Microwave power levels	-	6	6
Grill power (W)	1500 W	1500 W	1500 W
CONTROLS			
Control type	Creactive Extended	Creactive Extended	Creactive Extended
Easy Access	•	•	•
Meat probe	•	-	-
On/off icon	•	•	•
Electronic temperature regulation	•	•	•
Forced cooling	•	•	•
Internal light	•	•	•
SAFETY			
Safe door / no. of glass panes	• / 3	• / 3	• / 3
ACCESSORIES			
Lighting (Halogen, 25 W) no.	1	1	1
Removable Water Tank	•	-	-
S.Steel Gastronorm Tray	•	•	•
Standard Flat Grill Rack / removable no.	1 / 1	1 / -	1 / -
S.Steel Perforated Tray with Lid	•	-	-
Glass turntable plate	-	•	•
Round Grill Rack	-	•	•
POWER RATING			
Max electrical power (W)	3200 W	3200 W	3200 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 Hz	220 - 240 V; 50 Hz	220 - 240 V; 50 Hz
Power cord	•	•	•
Plug	Schuko	Schuko	Schuko
DIMENSIONS			
Width (mm)	594	594	594
Height (mm)	452	452	452
Depth (mm)	562	562	562
Built-In Cut Out (W x H x D) mm	560 x 450 x 560	560 x 450 x 560	560 x 450 x 560

CLUSTER

BLAST CHILLER 45



	FCLBC 4500 TF BK
Type	Blast chiller multifunction
Finish	Deep Black
Interiors: enamelled / other	Stainless steel
FEATURES	
Volume (litres)	40 L
Total functions no.	11
Cold functions	7
Hot functions	4
PERFORMANCE	
Sanitation -30°C	•
Blast chilling up to + 3°C	•
Deep-freezing up to 18 °C	•
Timed cooling	•
Bottle cooling	•
Low-temperature cooking up to +75 °C	•
Regeneration	•
Ready to serve	•
CONTROLS	
Control type	TFT Display
Auto power off	•
SAFETY	
Control lock	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	1
Flat metal racks / glass tray no.	1 / 1
POWER RATING	
Max electrical power (W)	300 W
Voltage / Frequency (V - Hz)	230 / 50
Power cord	•
Plug	Schuko
DIMENSIONS	
Width (mm)	594
Height (mm)	452
Depth (mm)	571
Built-In Cut Out (W x H x D) mm	560 x 450 x 560

URBANTECH

MULTIFUNCTION OVEN 90



Type	Multifunction
Code FUTO 9609 MT IX Code FUO 9609 MT MBK	Stainless steel Matte Black Metal
Interiors: enamelled / other	Black
FEATURES	
Efficiency class	A
Capacity (litres)	100 L
Forced cooling	•
Functions no.	9
PERFORMANCE	
Max cooking temperature	250 °C
Assisted cleaning (CLEAN)	•
CONTROLS	
Control type	Digital timer + Knobs
Auto power off	•
SAFETY	
Safe door / no. of glass panes	• / 3
SOFT-CLOSING DOOR	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	2
Set of telescopic rails no.	1
Trays no. / type	1 / enamelled
Flat racks no. / rotisserie kit	1 / •
POWER RATING	
Max electrical power (W)	3500 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz
Power cord / Plug	• / Schuko
DIMENSIONS	
Dim. Product (W x H x D) mm	894 x 588 x 564
Built-In Cut Out (W x H x D) mm	860 x 585 x 560

URBANTECH

VENTILATED GAS OVEN 90



FUTO 9605 FG EM 2F IX	
Type	Gas ventilated
Finish	Anti-fingerprint Stainless steel
Interiors: enamelled / other	Black
FEATURES	
Efficiency class	A
Volume (litres)	97 L
Tangential ventilation	•
Functions no.	4
PERFORMANCE	
Max cooking temperature	250 °C
CONTROLS	
Control type	Timer touch + Knobs
SAFETY	
Safe door / no. of glass panes	• / 3
ACCESSORIES	
Lighting (Halogen, 25 W) no.	2
Set of telescopic rails no.	1
Trays no. / type	1/ enamel
Flat racks no.	1
Rotisserie kit	•
POWER RATING	
Max electrical power (W)	1800 W
Power supply (V - Hz)	220 - 240 V; 50 - 60 Hz
Power cord	•
Plug	Schuko
DIMENSIONS	
Width (mm)	894
Height (mm)	588
Depth (mm)	564
Built-In Cut Out (W x H x D) mm	860 x 585 x 560

URBANTECH

MULTIFUNCTION OVEN 75



Type	Multifunction
Code FUTO 7509 MT IX Code FUTO 7509 MT GBK Code FUO 7509 MT MBK	Stainless Steel Black Glass Matte Black Metal
Interiors: enamelled / other	Ultra Black Piro / -
FEATURES	
Efficiency class	A
Capacity (litres)	89 L
Forced cooling	•
Functions no.	9
PERFORMANCE	
Max cooking temperature	250 °C
CONTROLS	
Control type	Timer touch + Knobs
Auto power off	•
SAFETY	
Safe door / no. of glass panes	• / 3
SOFT CLOSING door	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	2
Set of telescopic rails no.	1
Trays no. / type	1 / enamelled
Flat racks no.	1
Rotisserie kit	•
POWER RATING	
Max electrical power (W)	3500 W
Voltage / Frequency (V - Hz)	220 - 240V; 50 - 60 Hz
Power cord / Plug	• / Schuko
DIMENSIONS	
Width (mm)	745
Height (mm)	589
Depth (mm)	564
Built-In Cut Out (W x H x D) mm	710 x 585 x 560

URBANTECH

STEAM OVEN 75X45



Type	Steam with grill
Code FUSO 7505 MT IX Code FUSO 7505 MT GBK Code FUSO 7505 MT MBK	Stainless Steel Black Glass Matte Black Metal
FEATURES	
Interiors: enamelled / other	Stainless steel
Capacity (litres)	34 L
Forced cooling	•
Functions no.	2
PERFORMANCE	
Max cooking temperature	230 °C
Steam100 °C / 130 °C	• / -
Grill power (W)	900 W
Cooking with Grill	•
CONTROLS	
Control type	Digital timer + Knobs
Auto power off	•
SAFETY	
Safe door / no. of glass panes	• / 3
ACCESSORIES	
Stainless steel steam set	Microperforated tray with lid, liquid-collection tray and support
Flat grill racks no.	1
Water tank no.	1
POWER RATING	
Max electrical power (W)	1200 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 Hz
Power cord / Plug	• / Schuko
DIMENSIONS	
Width (mm)	745
Height (mm)	452
Depth (mm)	561
Built-In Cut Out (W x H x D) mm	722 x 450 x 560

URBANTECH

MICROWAVE OVEN 75X45



Type	Microwave with grill
Code FUGMO 7505 MT IX Code FUGMO 7505 MT GBK Code FUGMO 7505 MT MBK	Stainless steel Black Glass Matte Black Metal
FEATURES	
Interiors: enamelled / other	Stainless steel
Capacity (litres)	34 L
Forced cooling	•
Functions no.	3
PERFORMANCE	
Max cooking temperature	230 °C
Grill power (W)	1500 W
Microwave power (W)	900 W
Microwave power levels	6
Cooking with Grill	•
CONTROLS	
Control type	Digital timer + Knobs
Auto power off	•
SAFETY	
Safe door / no. of glass panes	• / 3
ACCESSORIES	
Flat grill racks no.	1
Round grill rack / Glass turntable plate	• / •
POWER RATING	
Max electrical power (W)	3200 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 Hz
Power cord	•
Plug	Schuko
DIMENSIONS	
Width (mm)	745
Height (mm)	452
Depth (mm)	561
Built-In Cut Out (W x H x D) mm	722 x 450 x 560

URBANTECH

PIRO MULTIFUNCTION OVEN 60



FUO 6011 P MT MBK	
Type	Self-cleaning multifunction
Cod. FUTO 6011 P MT IX Cod. FUTO 6011 P MT GBK Cod. FUO 6011 P MT MBK	Stainless steel Black Glass Matte Black Metal
Interiors: enamelled / other	Ultra Black Piro / -
FEATURES	
Efficiency class	A +
Capacity (litres) / Functions no.	65 L / 9
Forced cooling	•
PERFORMANCE	
Max cooking temperature	250° C
Pyrolysis temperature	470° C
Pyrolytic	•
CONTROLS	
Control type	Digit Control with knobs
Auto power off	•
Booster	-
Internal light	•
SAFETY	
Door lock (during pyrolysis)	•
Cool-touch door / no. of glass panes	• / 4
ACCESSORIES	
Lighting (Halogen, 25 W) no.	2
Set of telescopic rails no.	1
Trays no. / type	1 / enamelled
Flat racks no.	2
POWER RATING	
Max electrical power (W)	3350 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz
Power cord / Plug	• / Schuko
DIMENSIONS	
Dim. Product (W x H x D) mm	594 x 596 x 560
Built-In Cut Out (W x H x D) mm	560 x 595 x 560

URBANTECH

MULTIFUNCTION OVEN 60



Type	Multifunction
Code FUTO 6009 MT IX Code FUTO 6009 MT GBK Code FUAO 6009 MT MBK	Stainless steel Black Glass Matte Black Metal
FEATURES	
Interiors: enamelled / other	Ultra Black Piro / -
Efficiency class	A
Capacity (litres)	65 L
Forced cooling / Functions no.	• / 9
PERFORMANCE	
Max cooking temperature	250 °C
Assisted cleaning (CLEAN)	•
CONTROLS	
Control type	Digital timer with knobs
Auto power off / Internal light	• / •
SAFETY	
Cool-touch door / no. of glass panes	• / 3
SOFT-CLOSING DOOR	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	1
Set of telescopic rails no.	1
Trays no. / type flat racks no.	1 / enamelled 1
POWER RATING	
Max electrical power (W)	3500 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz
Power cord	•
Plug	Schuko
DIMENSIONS	
Dim. Product (W x H x D) mm	594 x 596 x 560
Built-In Cut Out (W x H x D) mm	560 x 595 x 560

URBANTECH

VENTILATED GAS OVEN 60



FUTO 6005 FG EM IX	
Type	Gas ventilated
Finish	Anti-fingerprint stainless steel
Interiors: enamelled / other	Black
FEATURES	
Efficiency class	A +
Volume (litres)	64 L
Tangential ventilation	•
Total functions no.	3
PERFORMANCE	
Max cooking temperature	250 °C
Assisted cleaning (CLEAN)	•
CONTROLS	
Control type	Digital timer with knobs
SAFETY	
Safe door / no. of glass panes	• / 3
SOFT-CLOSING DOOR	•
ACCESSORIES	
Lighting (Halogen 25 W) no.	1
Trays no. / type	1/ enamel
Flat racks no.	1
Rotisserie kit	•
POWER RATING	
Max electrical power (W)	1200W
Power supply (V - Hz)	220 - 240 V; 50 - 60 Hz
Power cord	•
Plug	Schuko
DIMENSIONS	
Dim. Product (W x H x D) mm	594 x 596 x 560
Recessed compartment (L x H x D) mm	560 x 595x 560

URBANTECH

GRILL STEAM OVEN 45



Type	Steam with grill
Code FUTGSO 4505 MT IX Code FUTGSO 4505 MT GBK Code FUSO 4505 MT MBK	Stainless Steel Black Glass Matte Black Metal
FEATURES	
Interiors: enamelled / other	Stainless steel
Capacity (litres)	34 L
Forced cooling	•
Functions no.	2
PERFORMANCE	
Max cooking temperature	230 °C
Steam100 °C / 130 °C	• / -
Grill power (W) / Cooking with Grill	900 W / •
CONTROLS	
Control type	Digital timer + Knobs
Auto power off	•
SAFETY	
Safe door / no. of glass panes	• / 3
ACCESSORIES	
Stainless steel steam set	Micro-perforated tray with lid, liquid-collection tray and support
Flat grill racks no.	1
Water tank no.	1
POWER RATING	
Max electrical power (W)	1200 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 Hz
Power cord / Plug	• / Schuko
DIMENSIONS	
Dim. Product (W x H x D) mm	594 x 452 x 562
Built-In Cut Out (W x H x D) mm	560 x 450 x 560

URBANTECH

MICROWAVE AND GRILL OVEN 45



Type	Microwave with grill
Code FUTGMO 4505 MT IX Code FUTGMO 4505 MT GBK Code FUGMO 4505 MT MBK	Stainless steel Black Glass Matte Black Metal
FEATURES	
Interiors: enamelled / other	Stainless steel
Capacity (litres)	34 L
Forced cooling	•
Functions no.	3
PERFORMANCE	
Max cooking temperature	230 °C
Grill power (W)	1500 W
Microwave power (W)	900 W
Microwave power levels	6
Cooking with Grill	•
CONTROLS	
Control type	Digital timer + Knobs
Auto power off	•
SAFETY	
Safe door / no. of glass panes	• / 3
ACCESSORIES	
Flat grill racks no.	1
Round grill rack / Glass turntable plate	• / •
POWER RATING	
Max electrical power (W)	3200 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 Hz
Power cord / Plug	• / Schuko
DIMENSIONS	
Dim. Product (W x H x D) mm	594 x 452 x 562
Built-In Cut Out (W x H x D) mm	560 x 450 x 560



FCPO 315 P TEM 2F X	
Type	Electronic pyrolytic multifunction
Finish	Stainless Steel
Interiors: enamelled / other	Ultra Black Piro / -
FEATURES	
Efficiency class	A
Capacity (litres)	125 L
Forced cooling	•
Functions no.	18
PERFORMANCE	
Max cooking temperature	290 °C
Pizza Pizzeria 350°C	350 °C
AirFry (oven-frying)	•
Pyrolysis temperature	460°C
Interior dual convection	•
Assisted cleaning (CLEAN)	-
Pyrolysis	•
CONTROLS	
Operating system	Creactive Extended
Pre-loaded and editable recipes	•
Auto power off	•
Booster	•
Meat probe	•
SAFETY	
Door lock (during pyrolysis)	•
Cool-touch door / no. of glass panes	• / 4
SOFT-CLOSING DOOR	-
ACCESSORIES	
Lighting (Halogen, 25 W) no.	3
Set of telescopic rails no.	2
Trays no. / type	1 / enamelled
Enamelled AirFry trays no.	1
Flat racks no.	1
Side racks	-
Round pizza rack	•
Pizza Stone	•
Pizza shovel	•
Rotisserie kit	-
POWER RATING	
Max electrical power (W)	3650 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz
Power cord	•
Plug	-
DIMENSIONS	
Width (mm)	754
Height (mm)	707
Depth (mm)	610
Built-In Cut Out (W x H x D) mm	722 x 696 x 610



FCSO 310 TEM X		FCMO 310 TEM X
Type	Combined Steam	Combined Microwave
Finish / Temperature regulation	Stainless Steel / Electronic	Stainless Steel / Electronic
FUNCTIONS		
Microwave / Steam cooking	- / •	• / -
AirFry (oven-frying)	•	•
Steam heating	•	-
Microwave / steam convection oven	- / •	• / -
Steam cleaning / circuit	•	-
Puff function	•	-
Convection bake	•	•
Convection roast	•	•
Grilling	•	•
Eco Convection bake	•	-
Recipes	•	•
Oven lights	•	•
CONTROL PANEL		
Operating system	Creactive Extended	Creactive Extended
Display	TFT 3.5"	TFT 3.5"
Recipe menu	•	•
Controls / Languages	Double Full Touch Display / 15	Double Full Touch Display / 15
FEATURES		
Manual quick pre-heating	-	-
Meat probe	•	-
12 / 24 clock format °C / °F	•	•
Cool-touch door	•	•
OVEN CAPACITY		
Gross capacity (litres)	34 L	34 L
Interiors:	Stainless steel	Stainless steel
Rack position	3	3
Lighting (Halogen, 25 W) no.	1	1
Upper heating element for grilling	1500 W	1500 W
Steam generator / microwave	800 W	900 W
Lower heating element power	300 W	-
Convection element power	1500 W	1500 W
ACCESSORIES		
Removable Water Tank	•	-
S.Steel Gastronorm Tray	•	•
Standard Flat Grill Rack / removable no.	1 / 1	1 / -
S.Steel Perforated Tray with Lid	•	-
Glass turntable plate	-	•
Round Grill Rack	-	•
POWER RATING		
Max oven electrical power (W)	3200 W	3200 W
Voltage / Frequency (V - Hz)	220 - 240V; 50 Hz	220 - 240 V; 50 Hz
Cord / Plug	• / Schuko	• / Schuko
DIMENSIONS		
Dim. Product (W x H x D) mm	754 x 474 x 564	754 x 474 x 564
Built-In Cut Out (W x H x D) mm	722 x 463 x 560 *	722 x 463 x 560 *

* In case the oven is combined with the XXL 30" Pyrolytic Multifunction Oven (code FCPO 315 P TEM 2F X), the recessed compartment depth will be 610 mm

PLANO

MULTIFUNCTION OVEN 90



FCO 9615 TEM 2F ...	
Type	Electronic multifunction
Finish	Stainless Steel X Black Glass BK
Interiors: enamelled / other	Ultra Black Piro / -
FEATURES	
Efficiency class	A +
Capacity (litres)	100 L
Forced cooling	•
Functions no.	16
PERFORMANCE	
Max cooking temperature	250 °C
Interior dual convection	•
Assisted cleaning (CLEAN)	•
CONTROLS	
Operating system	Creactive Extended
AirFry (oven-frying)	•
Pre-loaded and editable recipes	•
Auto power off	•
Booster	•
Meat probe	•
SAFETY	
Door lock	-
Cool-touch door / no. of glass panes	• / 3
SOFT-CLOSING DOOR	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	2
Set of telescopic rails no.	2
Trays no. / type	1 / enamelled
Enamelled AirFry trays no.	1
Flat racks no.	1
Rotisserie kit	•
POWER RATING	
Max electrical power (W)	3500 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz
Power cord	•
Plug	Schuko
DIMENSIONS	
Width (mm)	894
Height (mm)	588
Depth (mm)	564
Built-In Cut Out (W x H x D) mm	860 x 585 x 560

PLANO

MULTIFUNCTION OVEN 90X48



FCO 9013 TM ...	
Type	Electronic multifunction
Finish	Stainless Steel X Black Glass BK/2
Interiors: enamelled / other	Ultra Black Piro / -
FEATURES	
Efficiency class	A +
Capacity (litres)	89 L
Forced cooling	•
Functions no.	16
PERFORMANCE	
Max cooking temperature	250 °C
Interior dual convection	-
Assisted cleaning (CLEAN)	•
CONTROLS	
Operating system	Creactive
AirFry (oven-frying)	•
Pre-loaded and editable recipes	•
Auto power off	•
Booster	•
Meat probe	•
SAFETY	
Door lock	-
Cool-touch door / no. of glass panes	• / 3
SOFT-CLOSING DOOR	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	2
Set of telescopic rails no.	2
Trays no. / type	1 / enamelled
Enamelled AirFry trays no.	1
Flat racks no.	1
Rotisserie kit	•
POWER RATING	
Max electrical power (W)	3500 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz
Power cord	•
Plug	Schuko
DIMENSIONS	
Width (mm)	894
Height (mm)	478
Depth (mm)	559
Built-In Cut Out (W x H x D) mm	860 x 475 x 560

PLANO

MULTIFUNCTION OVEN 75



FCO 7515 TEM ...	
Type	Electronic multifunction
Finish	Stainless Steel X Black Glass BK
Interiors: enamelled / other	Ultra Black Piro / -
FEATURES	
Efficiency class	A +
Capacity (litres)	89 L
Forced cooling	•
Functions no.	16
PERFORMANCE	
Max cooking temperature	250 °C
AirFry (oven-frying)	•
Assisted cleaning (CLEAN) / Pyrolysis	• / -
CONTROLS	
Operating system	Creactive Extended
Pre-loaded and editable recipes	•
Auto power off	•
Booster	•
Meat probe	•
SAFETY	
Cool-touch door / no. of glass panes	• / 3
SOFT CLOSING door	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	2
Set of telescopic rails no.	2
Trays no. / type	1 / enamelled
Enamelled AirFry trays no.	1
Flat racks no.	1
Rotisserie kit	•
POWER RATING	
Max electrical power (W)	3500 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz
Power cord	•
Plug	Schuko
DIMENSIONS	
Width (mm)	745
Height (mm)	589
Depth (mm)	564
Built-In Cut Out (W x H x D) mm	710 x 585 x 560

PLANO

STEAM OVEN 75X45



FCSO 7510 TEM ...	
Type	Combined Steam
Finish	Stainless Steel X Black Glass BK
Interiors: enamelled / other	Stainless steel
FEATURES	
Efficiency class	A ++
Capacity (litres)	34 L
Forced cooling / Meat probe	• / •
Functions no.	11
PERFORMANCE	
Max cooking temperature	230 °C
AirFry (oven-frying)	•
Pre-loaded and editable recipes	•
Steam100 °C / 130 °C	• / •
Steam puff 100 °C	•
Steam + Thermoventilated	•
Assisted cleaning (CLEAN)	•
Grill power (W)	1500 W
CONTROLS	
Operating system	Creactive Extended
Easy access / Auto power off	• / •
SAFETY	
Safe door / no. of glass panes	• / 3
Safety switch	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	1
Removable water tank	•
S.Steel Gastronorm Tray	•
Standard Flat Grill Rack / removable no.	1 / 1
S.Steel Perforated Tray with Lid	•
POWER RATING	
Max electrical power (W)	3200 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 Hz
Power cord / Plug	• / Schuko
DIMENSIONS	
Width (mm)	745
Height (mm)	452
Depth (mm)	561
Built-In Cut Out (W x H x D) mm	722 x 450 x 560

PLANO

MICROWAVE OVEN 75X45



FCMO 7510 TEM...	
Type	Combined Microwave
Finish	Stainless Steel X Black Glass BK
Interiors: enamelled / other	Stainless steel
FEATURES	
Capacity (litres)	34 L
Forced cooling	•
Functions no.	10
PERFORMANCE	
Max cooking temperature	230 °C
AirFry (oven-frying)	•
Pre-loaded and editable recipes	•
Defrosting (time/weight)	•
Microwave with grill	• / •
Microwave + Convection	•
Microwave power (W)	900 W
Microwave power levels	6
Grill power (W)	1500 W
CONTROLS	
Operating system	Creactive Extended
Auto power off	•
SAFETY	
Door with safety switch	•
Safe door / no. of glass panes	• / 3
Panel lock	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	1
S.Steel Gastronorm Tray	•
Standard Flat Grill Rack / removable no.	1 / -
Glass turntable plate	•
Round Grill Rack	•
POWER RATING	
Max electrical power (W)	3200 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 Hz
Power cord / Plug	• / Schuko
DIMENSIONS	
Width (mm)	745
Height (mm)	452
Depth (mm)	561
Built-In Cut Out (W x H x D) mm	722 x 450 x 560

PLANO

ATMOS STEAM OVEN 60



FCSO 6023 TEM...			
Type	Combined Steam		
Dimension	60		
Structure - Finish	Stainless steel X Black Glass BK		
Temperature regulation	Electronic		
FEATURES			
Efficiency class	A++		
Capacity (litres)	65		
Forced cooling	•		
Meat probe	•		
Sizes	Timer 12 / 24 - Temperature °C / °F - Weight Kg / lb		
Cooking functions	Classic 11	Steam 6	Special 7
Max cooking temperature	250 °C		
Grill power (W)	1200 + 1000		
Steam cooking autonomy	> 3 hours		
Water tank capacity	1.5 l (Topping up without door opening)		
Dashboard opening - touch control	•		
FUNCTIONS			
	Classic Pizza function at 250 °C	AirFry (oven-frying)	
	Steam cooking from 30 ° to 100°C	Pre-loaded and editable recipes	
	Puff function	Low-temperature cooking	
	Sous vide	Defrost function with steam	
	Leavening function	Regeneration (180 °C)	
CONTROL PANEL			
Display Control type	TFT 3.5" MODULAR - Electronic (double full touch keypad)		
Fast recipe selection	•		
Languages	15		
FEATURES			
	Demo Mode	Steam cleaning function	
	Beep volume setting	Circuit cleaning function	
	Display brightness setting	Sabbath mode	
	Descaling function	Event logs (for assistance)	
OVEN DOOR			
Cool touch - no. of glass panes	3		
Closure	soft closed		
ACCESSORIES			
Side rack levels	5 (removable side racks)		
Rectangular halogen light (25 W)	2		
Fully removable telescopic rails	1 pair		
S. Steel Gastronorm perforated trays	1		
AirFry enamel tray	1		
Gastronorm flat tray	1		
Tray support frame	1		
Enamelled trays	1		
Flat racks	1		
DIMENSIONS			
Product (W x H x D) mm	594 x 596 x 560		
Built-In Cut Out (W x H x D) mm	560 x 595 x 560		
ELECTRICAL FEATURES			
Max electrical power	3.50 kW		
Voltage / Frequency (V - Hz)	220 - 240 V; 50 Hz		
Power cord	•		
Plug	Schuko		

PLANO

PIRO MULTIFUNCTION OVEN 60



FCPO 6215 P TEM ...	
Type	Electronic pyrolytic multifunction
Finish	Stainless Steel X
	Black Glass BK
	White Glass WH
Interiors: enamelled / other	Ultra Black Piro / -
FEATURES	
Efficiency class	A +
Capacity (litres)	65 L
Forced cooling	•
Functions no.	18
PERFORMANCE	
Max cooking temperature	290 °C
Pizza Pizzeria 350 °C function	350 °C
AirFry (oven-frying)	•
Pyrolysis temperature	470 °C
Pyrolytic	•
CONTROLS	
Operating system	Creactive Extended
Pre-loaded and editable recipes	•
Auto power off	•
Booster	•
Meat probe	•
SAFETY	
Door lock (during pyrolysis)	•
Cool-touch door / no. of glass panes	• / 4
SOFT CLOSING door	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	2
Set of telescopic rails no.	2
Trays no. / type	1 / enamelled
Enamelled AirFry trays no.	1
Flat racks no.	1
Round pizza rack	•
Pizza Stone	•
Pizza shovel	•
POWER RATING	
Max electrical power (W)	3450 W
Voltage / Frequency (V - Hz)	220 - 40 / 50 - 60 Hz
Power cord	•
Plug	Schuko
DIMENSIONS	
Width (mm)	594
Height (mm)	596
Depth (mm)	560
Built-In Cut Out (W x H x D) mm	560 x 595 x 560

PLANO

MULTIFUNCTION OVEN 60



FCOS 6215 TEM X	
Type / Finish	Electronic multifunction / Stainless steel
Interiors: enamelled / other	Ultra Black Piro / -
FEATURES	
Efficiency class	A ++
Capacity (litres)	65 L
Forced cooling	•
Functions no.	16
PERFORMANCE	
Max cooking temperature	250 °C
Assisted cleaning (CLEAN)	•
CONTROLS	
Operating system	Creactive Extended
AirFry (oven-frying)	•
Pre-loaded and editable recipes	•
Auto power off / Booster	• / •
Meat probe	•
SAFETY	
Cool-touch door / no. of glass panes	• / 3
Door with Side opening	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	2
Set of telescopic rails no.	2
Trays no. / type	1 / enamelled
Enamelled Airfry trays / Flat racks no.	1 / 1
POWER RATING	
Max electrical power (W)	3500W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz
Power cord / Plug	• / Schuko
DIMENSIONS	
Width (mm)	594
Height (mm)	596
Depth (mm)	560
Built-In Cut Out (W x H x D) mm	560 x 595 x 560

PLANO

MULTIFUNCTION OVEN 60



FCO 6215 TEM...		
Type / Finish	Electronic multifunction	
Finish	Stainless Steel Black Glass White Glass	X BK WH
Interiors: enamelled / other	Ultra Black Piro / -	
FEATURES		
Efficiency class	A ++	
Capacity (litres)	65 L	
Forced cooling	•	
Functions no.	16	
PERFORMANCE		
Max cooking temperature	250 °C	
Assisted cleaning (CLEAN)	•	
CONTROLS		
Operating system	Creactive Extended	
AirFry (oven-frying)	•	
Pre-loaded and editable recipes	•	
Auto power off / Booster	• / •	
Meat probe	•	
SAFETY		
Cool-touch door / no. of glass panes	• / 3	
Soft Closing	•	
ACCESSORIES		
Lighting (Halogen, 25 W) no.	2	
Set of telescopic rails no.	2	
Trays no. / type	1 / enamelled	
Enamelled Airfry trays / Flat racks no.	1 / 1	
POWER RATING		
Max electrical power (W)	3500W	
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz	
Power cord / Plug	• / Schuko	
DIMENSIONS		
Width (mm)	594	
Height (mm)	596	
Depth (mm)	560	
Built-In Cut Out (W x H x D) mm	560 x 595 x 560	

PLANO

STEAM OVEN 45



FCSO 4510 TEM ...	
Type	Combined Steam
Finish	Stainless Steel X Black Glass BK White Glass WH
Interiors: enamelled / other	Stainless steel
FEATURES	
Efficiency class	A ++
Capacity (litres)	34 L
Forced cooling / Meat probe	• / •
Functions no.	11
PERFORMANCE	
Max cooking temperature	230 °C
AirFry (oven-frying)	•
Pre-loaded and editable recipes	•
Steam100 °C / 130 °C	• / •
Puff function	•
Steam + Thermoventilated	•
Assisted cleaning (CLEAN)	•
Grill power (W)	1500 W
CONTROLS	
Operating system	Creactive Extended
Easy access / Auto power off	• / •
SAFETY	
Safe door / no. of glass panes	• / 3
Safety switch	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	1
Removable Water Tank	•
S.Steel Gastronorm Tray	•
Standard Flat Grill Rack / removable no.	1 / 1
S.Steel Perforated Tray with Lid	•
POWER RATING	
Max electrical power (W)	3200 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 Hz
Power cord / Plug	• / Schuko
DIMENSIONS	
Width (mm)	594
Height (mm)	452
Depth (mm)	556
Built-In Cut Out (W x H x D) mm	560 x 450 x 560

PLANO

MICROWAVE OVEN 45



FCMO 4510 TEM ...	
Type	Combined Microwave
Finish	Stainless Steel X Black Glass BK White Glass WH
Interiors: enamelled / other	Stainless steel
FEATURES	
Capacity (litres)	34 L
Forced cooling	•
Functions no.	10
PERFORMANCE	
Max cooking temperature	230 °C
AirFry (oven-frying)	•
Pre-loaded and editable recipes	•
Defrosting (time/weight)	•
Microwave with grill	• / •
Microwave + Convection	•
Microwave power (W)	900 W
Microwave power levels	6
Grill power (W)	1500 W
CONTROLS	
Operating system / Auto power off	Creactive Extended / •
SAFETY	
Door with safety switch	•
Safe door / no. of glass panes	• / 3
Panel lock	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	1
S.Steel Gastronorm Tray	•
Standard Flat Grill Rack / removable no.	1 / -
Glass turntable plate	•
Round Grill Rack	•
POWER RATING	
Max electrical power (W)	3200 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 Hz
Power cord / Plug	• / Schuko
DIMENSIONS	
Width (mm)	594
Height (mm)	452
Depth (mm)	556
Built-In Cut Out (W x H x D) mm	560 x 450 x 560

PLANO

MICROWAVE AND GRILL OVEN 45



FGMO 4508 TEM ...	
Type	Microwave with grill
Finish	Stainless Steel X Black Glass BK White Glass WH
Interiors: enamelled / other	Stainless steel
FEATURES	
Capacity (litres)	34 L
Forced cooling	•
Functions no.	5
PERFORMANCE	
Max cooking temperature	230 °C
Pre-loaded and editable recipes	•
Defrosting (time/weight)	•
Microwave with grill	• / •
Microwave + Convection	-
Microwave power (W)	900 W
Microwave power levels	6
Grill power (W)	1500 W
CONTROLS	
Operating system	Creactive Extended
Auto power off	•
SAFETY	
Door with safety switch	•
Safe door / no. of glass panes	• / 3
Panel lock	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	1
S.Steel Gastronorm Tray	•
Standard Flat Grill Rack / removable no	1 / -
Glass turntable plate	•
Round Grill Rack	•
POWER RATING	
Max electrical power (W)	3200 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 Hz
Power cord / Plug	• / Schuko
DIMENSIONS	
Width (mm)	594
Height (mm)	452
Depth (mm)	556
Built-In Cut Out (W x H x D) mm	560 x 450 x 560

PLANO

BLAST CHILLER 45



FBC 4500 TF ...	
Type	Blast chiller multifunction
Finish	Stainless Steel X Black Glass BK White Glass WH
Interiors: enamelled / other	Stainless steel
FEATURES	
Volume (litres)	40 L
Total functions no.	11
Cold functions	7
Hot functions	4
Meat probe	•
PERFORMANCE	
Sanitation - 30°C	•
Blast chilling up to + 3°C	•
Deep-freezing up to 18 °C	•
Timed cooling	•
Bottle cooling	•
Low-temperature cooking up to +75 °C	•
Regeneration	•
Ready to serve	•
CONTROLS	
Programming	TFT Display
Auto power off	•
SAFETY	
Temperature overload protection sensors	•
Control lock	•
ACCESSORIES	
Lighting (Halogen, 25 W) no.	1
Flat racks / glass tray no.	1 / 1
POWER RATING	
Max electrical power (W)	300 W
Voltage / Frequency (V - Hz)	230 - 50
Power cord	•
Plug	Schuko
DIMENSIONS	
Width (mm)	594
Height (mm)	452
Depth (mm)	571
Built-In Cut Out (W x H x D) mm	560 x 450 x 560

PLANO - URBANTECH - CLUSTER

WINE CELLAR 45



Type	Wine cellar	
Finish	Built-In	
Bottle no. (Ø 76 mm)	22	
Code FCLWC 4500 TC FO BK Code FUWC 4500 TC FO MBK Code FUWC 4500 TC FO IX Code FWC 4500 TC FO X Code FWC 4500 TC FO BK Code FWC 4500 TC FO WH	Cluster range Urbantech range Urbantech range Plano range Plano range Plano range	Deep Black Glass finish Matte Black Metal finish Stainless steel finish Stainless steel finish Black Glass finish White Glass finish
Drop-down door	•	
PERFORMANCE		
Cooling system	Ventilated	
Temperature zones	1	
Adjustable temperature (°C)	from 5 to 20	
Efficiency class	G	
Anti-vibration system	•	
Anti-condensation system	•	
Climate class	SN-T	
Sound level dB (A) re1pW	39	
CONTROL SYSTEM		
	Electronic regulation	Digital touch display
	Double automatic hot/cold circuit	Control light indicator
ACCESSORIES		
UV-insulating glass pane	•	
Lighting	LED	
Sliding wooden shelves / type	3 / Beech	
Champagne shelf (4 bottles)	1	
POWER RATING		
Max power absorbed at 220 V	80W	
Power supply (V - Hz)	220-240 / 50	
Plug (Schuko)	•	
DIMENSIONS		
Product (W x H x D) mm	594 x 452 x 556	
Built-In Cut Out (W x H x D) mm	450 x 560 x 560	



PLANO - URBANTECH - CLUSTER

COFFEE MACHINE 45



Coffee machine		
Type	Coffee machine	
Code FCM 4500 TF BK + F6PTK30BC Code FCLCM 4500 TF BK Code FUCM 4500 TF MBK Code FUCM 4500 TF IX Code FCM 4500 TF X Code FCM 4500 TF BK Code FCM 4500 TF WH	Professional range Cluster range Urbantech range Urbantech range Plano range Plano range Plano range	Stainless steel finish Black Glass finish Matte Black Metal finish Stainless steel finish Stainless steel finish Black Glass finish White Glass finish
PERFORMANCE		
Total functions no. / Operating system	30 / Full Touch TFT	
Automatic functions	Coffee, steam, hot water	
Energy efficiency	A	
Annual energy consumption (kWh)	45	
Water / coffee container capacity	1.8 L / 200 g	
Coffee grinder with 13 regulation levels	•	
Coffee cups no.	2	
	Height-adjustable (80-100 mm) coffee dispenser	Retractable dispenser for steam and hot water
	Compartment LED lighting	Automatic descaling program
Integrated cleaning program	•	
Milk container (0.75 l)	•	
Drip tray	•	
Anti-scale filter indicator / water reserve indicator	• / •	
Residual emptying indicator	•	
Telescopic rails	•	
POWER RATING		
Max electrical power (W)	1350 W	
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz	
Power cord / Plug	• / Schuko	
Pump pressure (bar)	15	
DIMENSIONS		
Product (W x H x D) mm	594 x 455 x 443	
Built-In Cut Out (W x H x D) mm	560 x 450 x 560	
Professional Product (W x H x D) mm	758 x 476 x 476	
Pro Built-In Cut Out (W x H x D) mm	722 x 463 x 610	



DRAWER

VACUUM SEALING DRAWER 15



	FVSD 150 TC X	FVSD 150 TC BK	FCLVSD 150 TC BK	FVSD 150 TC WH
Front finish	Stainless steel	Black Glass	Deep Black Glass	White Glass
Type / Interiors: enamelled other	Vacuum sealing drawer / Stainless steel			
FEATURES				
	Push-to-open system		Programming Touch controls 4 total functions	
	Max vacuum level 2 - 10 mbar (99.9%)		Container volume 6.4 l Max bag size 25 x 35 cm	
	Chamber height 95 mm 65° degrees lid opening		Removable sealing bar (length 260 mm)	
	CHEF cycle		Cooking cycle duration: 55"	
	3 storage cycles duration 70"		Vacuum cycle in container	
	Oil replacement indicator		Oil de-humidification cycle	
POWER RATING				
	Max electrical power 230 W		Voltage / Frequency (V - Hz) 230 - 50 / 60	
	Power cord		Plug (Schuko)	
DIMENSIONS				
	Product (W x H x D) 594 x 137 x 562 mm		Built-In Cut Out (W x H x D) 560 x 142 x 560 mm	



DRAWER

VACUUM SEALING DRAWER 29

FVSD 2900 TC		
Type / Interiors: enamelled other	Vacuum sealing drawer / Stainless steel	
FEATURES		
	Push-to-open system	Programming Touch controls 4 total functions
	Max vacuum level 2 - 10 mbar (99.9%)	Container volume 7.65 l
	Chamber height 110 mm 65° degrees lid opening	Removable sealing bar (length 260 mm)
	Cooking cycle duration: 55”	3 storage cycles duration 70”
	Vacuum cycle in container	Max bag size 25 x 35 cm
	Oil replacement indicator	Oil de-humidification cycle
POWER RATING		
	Max electrical power 350 W	Voltage / Frequency (V - Hz) 230 - 50 / 60
	Power cord	Plug (Schuko)
DIMENSIONS		
Product (W x H x D) mm	Product (W x H x D) 594 x 286 x 562 mm	Built-In Cut Out (W x H x D) 560 x 290 x 566 mm

DRAWER

WARMING DRAWER 15



	FWD 150 X	FWD 150 BK	FCLWD 150 BK	FUWD 150 MBK	FWD 150 WH
Finish	Stainless steel	Black Glass	Deep Black Glass	Matte Black Metal	White Glass
Type / Interiors: enamelled / other	Warming drawer / Anti-slip rubber bottom				
PERFORMANCE					
	Maximum temperature 70 °C		Low-temperature cooking (slow cooking)		
	Leavening		Plates and dish heating		
CONTROLS					
	On/off key		Thermostat 30 °C - 70 °C		
	Internal ventilation		Operation indicator		
	Push-to-open door		Dark front panel		
POWER RATING					
	Max power absorbed 400 W		Power supply (V - Hz) 220 - 240 V; 50-60 Hz		
	Power cord		Plug (Schuko)		
DIMENSIONS					
	Product (W x H x D) 594 x 137 x 562 mm		Built-In Cut Out (W x H x D) 560 x 142 x 560 mm		

DRAWERS


WARMING DRAWER 27



	FWD 3024 X	
	Type: warming drawer / Stainless Steel finish	Anti-slip rubber bottom
	Push-to-open door	It can be combined with oven mod.
PERFORMANCE		
	Maximum temperature 85 °C	Low-temperature cooking (slow cooking)
	Leavening	Warm food function
CONTROLS		
	On/off key	Thermostat 30 °C - 85 °C
	Internal ventilation Operation indicator	Dark front panel
POWER RATING		
	Max power absorbed 1100 W	Power supply (V - Hz) 220 - 240 V; 50 - 60 Hz
	Power cord	Plug (Schuko)
DIMENSIONS		
Product (W x H x D) mm	Product (W x H x D) 754 x 264 x 613 mm	Built-In Cut Out (W x H x D) 722 x 235 x 610 mm

DRAWERS

STORAGE DRAWER 15




	FD 150 X	FD 150 BK	FCLD 150 BK	FUD 150 MBK	FD 150 WH
Finish	Stainless steel	Black Glass	Deep Black Glass	Matte Black Metal	White Glass
Type	Type: storage drawer			Anti-slip rubber bottom	
Push-to-open door	•				
DIMENSIONS					
	Product (W x H x D) 594 x 137 x 562 mm			Built-In Cut Out (W x H x D) 560 x 142 x 560 mm	


INDUCTION HOBS

GLASS-CERAMIC INDUCTION HOBS

NEW




NEW



FHH 600 ID TC BK			FHH 800 ID TC BK	
Dimension	60		80	
Technology	Induction B4		Induction B4	
Type of glass	Black Glass Ceramic		Black Glass Ceramic	
Control type	Touch		Touch	
Version	with extraction hood		with extraction hood	
Efficiency class	A ++		A ++	
INDUCTION HOB TECHNICAL DATA				
Power limiter	•		•	
Power levels	9 + P		9 + P	
Booster	5 minutes		5 minutes	
Controls	Multifunction Touch Control		M Multifunction Touch Control	
Power level indication slider	•		•	
Residual heat indicator for each zone	•		•	
FUNCTIONS				
	“Pause and Resume” function	Pan detector	“Pause and Resume” function	Pan detector
	Overheating prot. device	Tem. lock Controls	Overheating prot. device	Tem. lock Controls
	Children lock	Operation timer	Children lock	Operation timer
	Melt function (44 °C)	Aut. fast heating	Melt function (44 °C)	Aut. fast heating
	Single zone timer	Chef function	Aut. fast heating	Chef function
	Buzzer	Bridge function	Buzzer	Bridge function
4 ZONES				
Zone Dimension	220 X 190 mm		220 X 190 mm	
Bridge function	2 vertical bridge zones		2 vertical bridge zones	
Max zone power (L9)	2100W		2100W	
Booster zone power	3000W		3000W	
HOOD TECHNICAL DATA				
Adjustable delayed auto power off	•		•	
Anti-grease filter maintenance indicator	•		•	
Ceramic filter regeneration LED indicator	•		•	
Internal water discharge valve	•		•	
Dishwasher-safe filter	•		•	
Regenerable ceramic odour filter removable from the top (optional)	•		•	
Automatic hood shut-off when the flap is closed	•		•	
Motor under the glass	•		•	
Patented waterproof motor	•		•	
Air exhaust plastic connection	•		•	
Maximum flow rate (m³ / h)	700		700	
Pressure (Pa)	540		540	
Motor power (W)	220		220	
Voltage (V)	220 - 240		220 - 240	
Frequency (Hz)	50 - 60		50 - 60	
Sound power max sp. dB(A)	62		62	
Controls	Multifunction Touch Control		Multifunction Touch Control	
DIMENSIONS				
Width x Height x Depth (mm)	600 x 249 x 520		800 x 249 x 520	
Cutout Width x Depth (mm)	560 x 480		750 x 490	
PERFORMANCE				
Max power absorbed (kW)	7.36		7.36	
Voltage (V)	220/240		220/240	
Frequency (Hz)	50/60		50/60	
INSTRUCTION MANUAL				
Use and installation manual	IT - EN - FR - DE - ES - RU		IT - EN - FR - DE - ES - RU	

INDUCTION HOBS

GLASS-CERAMIC INDUCTION HOBS



FCLHD 9041 HID TS BK2		FCLH 9008 ID WT BK	
Type	ARIA + with rear extraction hood	8 cooking zones	
Finish	Black Glass Ceramic	Black Glass Ceramic	
INDUCTION PERFORMANCE			
Octa Flexi N. Pot. MIN / MAX	-	3 Vertical 1400 / 2100 W	
Octa Bridge N. Pot. MIN / MAX	2 Horizontal 1000 / 3700 W	-	
Max electrical power (W)	7360 W	11040 W	
Preloaded temperatures 42 °C (Melt)	•	•	
70°C Slow cooking	•	•	
90°C Simmering	•	•	
INDUCTION CONTROLS			
Operating system	Touch&Slider	Wave Touch	
AUTO cooking	•	•	
Timer	•	•	
Residual heat detector (H)	•	•	
Buzzer / Pan detector	• / •	• / •	
Keypad lock	•	•	
Power levels no.	9 + P	9 + P	
Digital display	•	•	
HOOD FEATURES			
Efficiency class	A +	-	
Extraction levels	•	-	
Delayed auto power off	• / 10 min	-	
Anti-grease filter saturation indicator	• / 30 h	-	
HP filter replacement light	-	-	
Anti-grease filter with oil-collection tray / type	-	-	
Dishwasher-safe anti-grease filter	•	-	
Rear air outlet size	rect. 220 x 90	-	
Airflow non-return flap	-	-	
HP filter for filtering version (optional)	FHCF 59	-	
AUTO opening (2 steps)	45° - 90°	-	
Controls	Touch	-	
Extraction capacity up to m³ / h	645 m³/h	-	
Sound emissions (dBA)	53 - 63	-	
Estimated annual consumption (kWh)	43.3	-	
BRHM motor (W)	220	-	
ACCESSORIES			
Scraper	-	•	
Power cord	•	•	
DIMENSIONS			
Width (mm)	898	914	
Height (mm)	-	48	
Depth (mm)	520	522	
Built-In Cut Out (W x D) mm	860 x 490	902 x 500	

INDUCTION HOBS



GLASS-CERAMIC INDUCTION HOBS



FSH 905 ID WT BK		FSH 804 ID WT BK	
Type	5 cooking zones	4 cooking zones	
Finish	Black Glass Ceramic	Black Glass Ceramic	
PERFORMANCE			
Ø 260 DUAL	1 zone 3000 / 5500 W	1 zone 3000 / 5500 W	
Octa Flexi N. Pot. MIN / MAX	2 Flexi Vertical 2100 / 3700 W	1 Flexi Vertical 2100 / 3700 W	
Ø 145	-	N.1 Zone 1400 / 2200 W	
Preset temperatures 42 °C (Melt)	•	•	
70°C Slow cooking	•	•	
90°C Simmering	•	•	
Max electrical power (W)	11040 W	7360 W	
FEATURES			
Operating system	Wave Touch	Wave Touch	
AUTO cooking	•	•	
Timer	•	•	
Residual heat detector (H)	•	•	
Automatic pan detection sensor	•	•	
Keypad lock	•	•	
Power levels no.	9 + P	9 + P	
Digital display	•	•	
ACCESSORIES			
Scraper / Power cord	•	•	
DIMENSIONS			
Width (mm)	900	800	
Height (mm)	50	50	
Depth	520	520	
Built-In Cut Out (W x D) mm	880 x 490	750 x 490	

INDUCTION HOBS

GLASS-CERAMIC INDUCTION HOBS



FSH 905 ID TS WH 1		FSH 804 ID TS WH 1	
Type	5-zone induction hob	4-zone induction hob	
Finish	White Glass Ceramic	White Glass Ceramic	
INDUCTION PERFORMANCE			
Ø 260	2600 / 3700 W	-	
Octagonal	2100 / 3700 (x2) W	2300 / 3700 (x2) W	
Ø 210	-	2300 / 3700 W	
Ø 180	1850 / 3000 W	1850 / 3000 W	
Ø 145	1400 / 2200 W	-	
Assisted cooking 42 °C (Melt) 70°C slow cooking, 94°C simmering	•	•	
Max electrical power (W)	11040 W max	7360 W max	
FEATURES			
SLIDER sensor controls with buzzer	•	•	
Electronic cooking start device	•	•	
Timer for each zone with automatic power off	•	•	
Residual heat indicator	•	•	
Function lock and power on sensor	•	•	
Cooking level number	9+P	9+P	
Digital display of the selected power	•	•	
ACCESSORIES			
Hob cleaning spatula	•	•	
Power cord	•	•	
DIMENSIONS			
Dim. Product (W x H x D) mm	900 x 55 x 510	800 x 55 x 515	
Built-In Cut Out (D x W)	490 x 880	490 x 750	

INDUCTION HOBS

GLASS-CERAMIC INDUCTION HOB



FSH 402 ID TS ...		
Type	2 cooking zones	
Glass-ceramic finish	Black Glass Ceramic	BK
	White Glass Ceramic	WH
PERFORMANCE		
Octa Bridge N. Pot. MIN / MAX	1 Vertical 2100 / 3700 W	
Ø Dual zone	1	
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz	
Maximum power absorbed (W)	3680 W	
Preset temperatures 42°C Melt	•	
70°C Slow cooking	•	
90°C Simmering	•	
CONTROLS		
Operating system	Slider touch	
AUTO cooking	•	
Timer	•	
Residual heat indicator (H)	•	
Keypad safety lock	•	
Power levels + Booster (P)	9+P	
Digital display	•	
ACCESSORIES		
Scraper	•	
Power cord	•	
DIMENSIONS		
Width (mm)	400	
Height (mm)	50	
Depth (mm)	520	
Built-In Cut Out (W x D) mm	490 x 280	

INDUCTION HOBS


GLASS-CERAMIC INDUCTION HOBS



FCHH 905 ID TS G ...		FCHL 904 ID TS ...
Type	5 cooking zones	4 in-line cooking zones
Finish	Black Glass Ceramic	Black Glass Ceramic
	White Glass Ceramic	White Glass Ceramic
	DWK BK	BK
	DWK WH	WH
INDUCTION PERFORMANCE		
Octa Bridge N. Pot. MIN / MAX	2 Vertical 2100 / 3000 W	2 Horizontal 2100 / 3000 W
Max electrical power (W)	7360 W	7360 W
GAS BURNER PERFORMANCE		
Brass WOK DUAL burner	4 kW	-
Cast iron grate	•	-
FEATURES		
Operating system	Slider Touch	Slider Touch
AUTO cooking / Timer	• / •	• / •
Residual heat detector (H)	•	•
Keypad lock	•	•
Power levels no.	9 + P	9 + P
Digital display	•	•
Electric ignition under the gas burner knob	•	-
Gas safety / Double regulation	•/•	-
ACCESSORIES		
Scraper	•	•
Moka Reducer	•	-
Wok Reducer	•	-
Power cord	•	•
DIMENSIONS		
Dim. Product (W x H x D) mm	900 x 58 x 510	900 x 55 x 400
Built-In Cut Out (W x D) mm	880 x 490	880 x 380

INDUCTION HOBS

GLASS-CERAMIC INDUCTION HOBS



	FCH 804 ID TS ...	FCH 604 ID TS ...	FCH 302 ID TS ...
Type	4 cooking zones	4 cooking zones	2 cooking zones
Finish	Black Glass Ceramic White Glass CeramicBK WH	Black Glass Ceramic White Glass CeramicBK WH	Black Glass Ceramic White Glass CeramicBK WH
PERFORMANCE			
Octa Bridge N. Pot. MIN / MAX	2 Bridge Zones 2100 / 3000 W	2 Bridge Zones 2100 / 3000 W	1 Bridge Zone 2100 / 3000 W
Consumption reduction, removable	•	•	-
Max electrical power (W)	7360 W	7360 W	3680 W
FEATURES			
Operating system	Slider Touch	Slider Touch	Slider Touch
AUTO cooking	•	•	•
Timer	•	•	•
Residual heat detector (H)	•	•	•
Keypad lock	•	•	•
Power levels no.	9 + P	9 + P	9 + P
Digital display	•	•	•
ACCESSORIES			
Scraper	•	•	•
Power cord	•	•	•
DIMENSIONS			
Width (mm)	780	600	300
Height (mm)	55	55	55
Depth	520	520	520
Built-In Cut Out (W x D) mm	750 x 490 W	560 x 490	268 x 490

INDUCTION HOBS

MATTE GLASS CERAMIC INDUCTION HOBS



	FSH 905 ID WT MBK	FSH 804 ID WT MBK
Type	5 cooking zones	4 cooking zones
Finish	Matte Black Glass Ceramic	Matte Black Glass Ceramic
INDUCTION PERFORMANCE		
Ø 290 / 180 DUAL MAX POWER	3000 / 5500 W	3000 / 5500 W
Octa Flexi N. - MIN / MAX power	2 Vertical - 2100 / 3700 (x 4) W	1 Vertical - 2100 / 3700 (x 2) W
Ø 145	-	1400 / 2200 W
Max electrical power (W)	11040 W	7360 W
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz
Preset temperatures 42° C (Melt)	•	•
70° C Slow cooking / 90° C Simmering	• / •	• / •
INDUCTION CONTROLS		
Programming	Wave Touch	Wave Touch
AUTO cooking	•	•
Timer	•	•
Residual heat detector (H)	•	•
Buzzer / Keypad lock	• / •	• / •
Power levels no.	9 + P	9 + P
Digital display	•	•
ACCESSORIES		
Scraper / Power cord	• / •	• / •
DIMENSIONS		
Dim. Product (W x H x D) mm	900 x 50 x 520	800 x 50 x 520
Built-In Cut Out (W x D) mm	880 x 490	750 x 490

GAS HOBS

GLASS-CERAMIC GAS HOBS



FCLH 905 G T WK BK		FCLH 755 G T WK BK	
Type	Gas hob 90	Gas hob 80	
Finish	Black Glass Ceramic	Black Glass Ceramic	
Surface	Glass-ceramic	Glass-ceramic	
GAS BURNER PERFORMANCE			
Front RH	1000 W	1000 W	
Rear RH	3000 W	3000 W	
LH	4000 W	4000 W	
Front centre	1750 W	1750 W	
Rear centre	1750 W	1750 W	
Front LH	-	-	
CONTROLS - FEATURES			
HALO VISION back-lit knobs	•	•	
Electric ignition under the knob	•	•	
Gas safety	•	•	
Timer / Display	• / •	• / •	
Cast-iron racks / Brass burners no.	• / 5	• / 5	
ACCESSORIES			
Wok adapter	•	•	
Wok Reducer	•	•	
Plug / Power cord	Schuko / •	Schuko / •	
DIMENSIONS			
Width (mm)	900	760	
Height (mm)	55	55	
Depth (mm)	520	520	
Built-In Cut Out (W x D) mm	840 x 490	650 x 490	

GAS HOBS

MATTE BLACK STEEL GAS HOBS



FUH 604 G DWK MBK		FUH 755 G DWK MBK		FUH 7541 G DWK MBK	
Type	Gas hob 60	Gas hob 75		Gas hob 75	
Finish	Matte Black Metal	Matte Black Metal		Matte Black Metal	
GAS BURNER PERFORMANCE					
Front RH	1000 W	1000 W		1000 W	
Rear RH	3000 W	3000 W		3000 W	
LH	-	4000 W		-	
Front LH	4000 W	-		1750 W	
Rear LH	1750 W	-		1750 W	
Centre	-	-		4000 W	
Front centre	-	1750 W		-	
Rear centre	-	1750 W		-	
CONTROLS - FEATURES					
Knob regulation / type	• / Matte black	• / Matte black		• / Matte black	
Electric ignition under the knob	•	•		•	
Gas safety	•	•		•	
Cast-iron racks / matte brass burners no.	• / 4	• / 5		• / 5	
ACCESSORIES					
Wok adapter	•	•		•	
Power cord	•	•		•	
Plug	Schuko	Schuko		Schuko	
DIMENSIONS					
Width (mm)	620	760		760	
Height (mm)	55	55		55	
Depth (mm)	520	520		520	
Built-In Cut Out (W x D) mm	560 x 490	560 x 490		560 x 490	

GAS HOBS


MATTE BLACK STEEL GAS HOBS



	FUH 905 G DWK MBK	FUH 9041 G DWK MBK
Type	Gas hob 90	Gas hob 90
Finish	Matte Black Metal	Matte Black Metal
GAS BURNER PERFORMANCE		
Front RH	1000 W	1000 W
Rear RH	3000 W	3000 W
LH	4000 W	-
Front LH	-	1750 W
Rear LH	-	1750 W
Centre	-	4000 W
Front centre	1750 W	-
Rear centre	1750 W	-
CONTROLS - FEATURES		
Knob regulation / type	• / Matte black	• / Matte black
Electric ignition under the knob	•	•
Gas safety	•	•
Cast-iron grids / matte brass burners no.	• / 5	• / 5
ACCESSORIES		
Wok adapter	•	•
Power cord	•	•
Plug	Schuko	Schuko
DIMENSIONS		
Width (mm)	900	900
Height (mm)	55	55
Depth (mm)	520	520
Built-In Cut Out (W x D) mm	840 x 490	840 x 490

GAS HOBS

STEEL GAS HOBS




	FPH 906 G WK X	FPH 905 G WK X	FPH 9041 G WK X
Type	Gas hob 90	Gas hob 90	Gas hob 90
Finish	Stainless Steel	Stainless Steel	Stainless Steel
GAS BURNER PERFORMANCE			
Front RH	1000 W	1000 W	1000 W
Rear RH	3000 W	3000 W	3000 W
LH wok	-	4000 W	-
Front LH	4000 W	-	1750 W
Rear LH	1750 W	-	1750 W
Centre	-	-	4000 W
Front centre	1750 W	1750 W	-
Rear centre	1750 W	1750 W	-
CONTROLS - FEATURES			
Knob regulation	•	•	•
Electric ignition under the knob	•	•	•
Gas safety	•	•	•
Cast-iron grids / Burners - brass ring	• / 6	• / 5	• / 5
ACCESSORIES			
Wok adapter	•	•	•
POWER RATING			
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz
Power cord	•	•	•
Plug	Schuko	Schuko	Schuko
DIMENSIONS			
Dim. Product (W x H x D) mm	900 x 55 x 520	900 x 55 x 520	900 x 55 x 520
Built-In Cut Out (W x D) mm	840 x 490	840 x 490	840 x 490

GAS HOBS

STEEL GAS HOBS


NEW



NEW



NEW



	FPH 755 G WK X	FPH 7541 G WK X	FPH 604 G WK X
Type	Gas hob 75	Gas hob 75	Gas hob 60
Finish	Stainless Steel	Stainless Steel	Stainless Steel
GAS BURNER PERFORMANCE			
Front RH	1000 W	1000 W	1000 W
Rear RH	3000 W	3000 W	3000 W
LH wok	4000 W	-	-
Front LH	-	1750 W	4000 W
Rear LH	-	1750 W	1750 W
Centre	-	4000 W	-
Front centre	1750 W	-	-
Rear centre	1750 W	-	-
CONTROLS - FEATURES			
Knob regulation	•	•	•
Electric ignition under the knob	•	•	•
Gas safety	•	•	•
Cast-iron grids / Burners - brass ring	• / 5	• / 5	• / 4
ACCESSORIES			
Wok adapter	•	•	•
POWER RATING			
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz
Power cord	•	•	•
Plug	Schuko	Schuko	Schuko
DIMENSIONS			
Width (mm)	760	760	620
Height (mm)	55	55	55
Depth (mm)	520	520	520
Built-In Cut Out (W x D) mm	560 x 490	560 x 490	560 x 490

GAS HOBS

GLASS GAS HOBS



	FPH 905 G WK ...	FPH 755 G WK ...	FPH 604 G WK ...
Type	Gas hob 90	Gas hob 75	Gas hob 60
Finish	Black Glass White Glass	Black Glass White Glass	Black Glass White Glass
	BKG WHG	BKG WHG	BKG WHG
GAS BURNER PERFORMANCE			
Front RH	1000 W	1000 W	1000 W
Rear RH	3000 W	3000 W	3000 W
LH wok	4000 W	4000 W	-
Front LH	-	-	4000 W
Rear LH	-	-	1750 W
Front centre	1750 W	1750 W	-
Rear centre	1750 W	1750 W	-
CONTROLS - FEATURES			
Knob regulation	•	•	•
Electric ignition under the knob	•	•	•
Gas safety	•	•	•
Cast-iron grids / Burners - brass ring	• / 5	• / 5	• / 4
ACCESSORIES			
Wok adapter	•	•	•
POWER RATING			
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz
Power cord	•	•	•
Plug	Schuko	Schuko	Schuko
DIMENSIONS			
Width (mm)	900	760	620
Height (mm)	55	55	55
Depth (mm)	520	520	520
Built-In Cut Out (W x D) mm	840 x 490	560 x 490	560 x 490

GAS HOBS


STEEL GAS HOBS



	CPH 1124 GWK X	CPH 905 GWK X	CPH 765 GWK X	CPH 604 G X
Type	4 In-line cooking zones	5 cooking zones	5 cooking zones	4 cooking zones
Finish	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Grids	Cast-iron	Cast-iron	Cast-iron	Cast-iron
PERFORMANCE				
Front RH	3000 W	1750 W	1750 W	1750 W
Rear RH	-	1750 W	1750 W	1750 W
Central RH	1000 W	-	-	-
Central	-	4000 W	4000 W	-
Central LH	1750 W	-	-	-
Front LH	4000 W	1000 W	1000 W	1000 W
Rear LH	-	3000 W	3000 W	3000 W
OTHER FEATURES				
Controls	Metal knobs	Metal knobs	Metal knobs	Metal knobs
Electric ignition under the knob	•	•	•	•
Gas safety	•	•	•	•
ACCESSORIES				
Cast iron Wok adapter	•	•	•	-
Cast-iron reduction grid	•	•	•	•
POWER RATING				
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz
Power cord	•	•	•	•
Plug	Schuko	Schuko	Schuko	Schuko
DIMENSIONS				
Width (mm)	1120	860	770	590
Height (mm)	75	75	75	75
Depth (mm)	384	510	510	510
Built-In Cut Out (W x D) mm	1100 x 365	840 x 490	750 x 490	560 x 490

GAS HOBS

STEEL GAS HOBS



	FSH 1124 G 2DWK XX	FSH 905 G DWK XX	FSH 775 G DWK XX
Type	4 In-line cooking zones	5 cooking zones	5 cooking zones
Finish	Stainless Steel	Stainless Steel	Stainless Steel
Grids	Cast-iron	Cast-iron	Cast-iron
PERFORMANCE			
Front RH	4000 W	4000 W	1000 W
Rear RH	-	-	1750 W
Front Centre RH	1750 W	1000 W	4000 W
Rear Centre RH	-	1750 W	-
Front Centre LH	1750 W	-	-
Front LH	4000 W	3000 W	1750 W
Rear LH	-	1750 W	3000 W
FEATURES			
Knob regulation / type	• / Metal knobs	• / Metal knobs	• / Metal knobs
Electric ignition under the knob	•	•	•
Gas safety / Gas types	• / NG - LPG	• / NG - LPG	• / NG - LPG
ACCESSORIES			
Wok adapter	•	•	•
Adapter for small pans	•	•	•
POWER RATING			
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz
Power cord	•	•	•
Plug	Schuko	Schuko	Schuko
DIMENSIONS			
Width (mm)	1120	900	770
Height (mm)	55	50	55
Depth (mm)	425	520	510
Built-In Cut Out (W x D) mm	1100 x 405	880 x 490	750 x 490

GAS HOBS

GLASS GAS HOBS



	FCH 1124 G 2DWK BK	FCH 905 G DWK BK	FCH 775 G WK BK	FCH 604 G BK
Type	4 In-line cooking zones	5 cooking zones	5 cooking zones	4 cooking zones
Finish	Black Glass	Black Glass	Black Glass	Black Glass
Grids	Cast-iron	Cast-iron	Cast-iron	Cast-iron
PERFORMANCE				
Front RH	4000 W	4000 W	1000 W	1000 W
Rear RH	-	-	1750 W	1750 W
Front Centre RH	1750 W	1000 W	4000 W	-
Rear Centre RH	-	1750 W	-	-
Front Centre LH	1750 W	-	-	3000 W
Front LH	4000 W	4000 W	1750 W	1750 W
Rear LH	-	1750 W	3000 W	-
FEATURES				
Knob regulation / type	• / Metal knobs	• / Metal knobs	• / Metal knobs	• / Metal knobs
Electric ignition under the knob	•	•	•	•
Gas safety	•	•	•	•
Gas types	NG / LPG	NG / LPG	NG / LPG	NG / LPG
ACCESSORIES				
Wok adapter	•	•	•	•
Adapter for small pans	•	•	•	•
POWER RATING				
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz
Power cord / Plug	• / Schuko	• / Schuko	• / Schuko	• / Schuko
DIMENSIONS				
Width (mm)	1120	909	770	580
Height (mm)	55	50	55	55
Depth (mm)	425	510	510	510
Built-In Cut Out (W x D) mm	1100 x 405	840 x 490	750 x 490	560 x 490

GAS HOBS

STEEL GAS HOBS



	QH 1124 GWK X	QH 906 GWK X	QH 765 GWK X	QH 604 GWK X
Type	4 in-line cooking zones	6 cooking zones	5 cooking zones	4 cooking zones
Finish	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Grids	Cast-iron	Cast-iron	Cast-iron	Cast-iron
PERFORMANCE				
Front RH	3000 W	1000 W	1750 W	1000 W
Rear RH	-	3000 W	1750 W	3000 W
Front Centre RH	1750 W	1750 W	1000 W	-
Rear Centre RH	-	1000 W	3000 W	-
Front Centre LH	1000 W	-	-	-
Front LH	4000 W	4000 W	4000 W	4000 W
Rear LH	-	1750 W	-	1750 W
FEATURES				
Knob regulation / type	• / Metal knobs	• / Metal knobs	• / Metal knobs	• / Metal knobs
Electric ignition under the knob	•	•	•	•
Gas safety	•	•	•	•
ACCESSORIES				
Wok adapter	•	•	•	•
Adapter for small pans	•	•	•	•
POWER RATING				
Voltage / Frequency (V - Hz)	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz	220 - 240 V; 50 - 60 Hz
Power cord	•	•	•	•
Plug	Schuko	Schuko	Schuko	Schuko
DIMENSIONS				
Width (mm)	1120	909	760	620
Height (mm)	55	50	50	50
Depth (mm)	425	510	510	510
Built-In Cut Out (W x D) mm	1100 x 405	840 x 490	560 x 480	560 x 480

COMBISET

STEEL GAS HOBS



CPH 401 G DWK X		CPH 402 G X
Type / Finish	Large cooking zone / Stainless Steel	2 cooking zones / Stainless Steel
Grids	Cast-iron	Cast-iron
PERFORMANCE		
Front	-	1000 W
Central	4000 W	-
Rear	-	3000 W
OTHER FEATURES		
Regulation with metal knobs no.	1	2
DUAL regulation	•	-
Electric ignition under the knob	•	•
Gas safety	•	•
ACCESSORIES		
Power cord / Schuko plug	• / •	• / •
Cast iron Wok adapter	•	-
DIMENSIONS		
Product (W x H x D) mm	380 x 73 x 510	380 x 73 x 510
Built-In Cut Out (W x D) mm	360 x 490	360 x 490

COMBISET

STEEL INDUCTION HOBS



CPH 402 ID X		CPH 401 ID X
Type / Finish	2 cooking zones / Stainless Steel	1 large cooking zone / Stainless Steel
PERFORMANCE		
Ø 260	-	2300 / 3000 W
Ø 180	1400 / 2000 W	-
Ø 160	1400 W	-
Max electrical power (W)	3450 W	3000 W
FEATURES		
Regulation with metal knobs no.	2	1
Power levels no.	9 + P	9 + P
Residual heat detector (H)	•	•
ACCESSORIES		
Scraper / Power cord	• / •	• / •
DIMENSIONS		
Product (W x H x D) mm	380 x 60 x 510	380 x 60 x 510
Built-In Cut Out (W x D) mm	360 x 490	360 x 490

COMBISET

STEEL INDUCTION HOBS



CPH 402 ID TY TC X/2		CPH 402 ID TC X/2
Type / Finish	Induction Teppan Yaki / Stainless Steel	2 induction / Stainless Steel cooking areas
PERFORMANCE		
Ø 180	1400 W	1400 W
Ø 160	1400 W	1400 W
Max electrical power (W)	2800 W	2800 W
FEATURES		
Operating system / Digital display	Touch control / •	Touch control / •
AUTO cooking	-	•
Timer up to 99 minutes	•	•
Power levels no.	9 + P	9 + P
Keypad lock / Residual heat detector	• / •	• / •
ACCESSORIES		
Scraper	-	•
Power cord / Schuko plug	• / •	• / •
DIMENSIONS		
Product (W x H x D) mm	380 x 70 x 510	380 x 64 x 510
Built-In Cut Out (W x D) mm	360 x 490	360 x 490

COMBISET

ELECTRIC STEEL HOBS



CPH 401 BQ X		CPH 401 FR X
Type / Finish	Electric Grill / Stainless steel	Electric fryer / Stainless steel
PERFORMANCE		
Heating element	1	1
Max electrical power (W)	2400 W	2300 W
FEATURES		
Knob controls / Cooking levels no.	• / 11	• / -
Temp. regulation / Operation indicator	- / •	• / •
Safety switch for maintaining the oil temperature	-	•
ACCESSORIES		
Removable stainless steel container	•	•
Steel frying rack with flip-up handle	-	•
Power cord / Schuko plug	• / •	• / •
DIMENSIONS		
Width (mm) / Recessed compartment (DxW) mm	380 x 77 x 510 / 490x360	380 x 181 x 510 / 490x360

EXTRACTION

DOWNDRAFT (LIFT) HOODS



FDDH 1120 TRC ...			FDDH 900 TRC ...		
Type	Downdraft		Downdraft		
Finish	Stainless steel	X	Stainless steel	X	
	Black Glass	BK	Black Glass	BK	
	White Glass	WH	White Glass	WH	
Installation	On the countertop		On the countertop		
FEATURES					
Efficiency class	A		A		
Extraction levels	4		4		
Auto power off	•		•		
Anti-grease filter saturation indicator	•		•		
Carbon filter saturation indicator (filtering)	•		•		
Lighting	LED bar		LED bar		
Type of anti-grease filters	Aluminium		Aluminium		
Dishwasher-safe anti-grease filters	•		•		
Minimum air outlet tube ø	Ø 150 mm / rect. 220 x 90 x (230 x 80)		Ø 150 mm / rect. 220 x 90 x (230 x 80)		
Airflow non-return valve	•		•		
CONTROLS					
Operating system / Remote control	Touch control / •		Touch control / •		
PERFORMANCE / ELECTRICAL DATA					
Suction power m³/h (max) with FDD2M / FEM1/ FEM2	790 - 740 / 790		760 - 680 / 730		
Noise (dBA) with FDD2M / FEM1 / FEM2 min.- max	39 - 68 / 28 - 55 / 39-57		38 - 68 / 28-59 / 43 - 62		
Annual consumption (kWh) FDD2M / FEM1 / FEM2	51.9 / 49.9 / 99.4		44.5 / 58.5 / 87		
Motor power (W) FDD2M / FEM1 / FEM2	275 / 275 / 200		275 / 275 / 200		
Voltage / Frequency (V-Hz)	230 - 240 / 50 - 60		230 - 240 / 50 - 60		
Power cord (m)	2		2		
ACCESSORIES					
Motor included	-		-		
On-Board motor (on request)	FDD 2M		FDD 2M		
Internal remote motor (on request)	FEM 1		FEM 1		
External remote motor on request	FEM 2		FEM 2		
HP filter for filtering version (on request)	FCHF 12		FCHF 9		
DIMENSIONS					
Width (mm)	1120		790		
Height (mm)	min.740 max 1040		min.740 max 1040		
Depth (mm)	96 + motor		96 + motor		

EXTRACTION

DOWNDRAFT WALL-MOUNTED HOOD



FCLHD 900 TC BK	
Type	Electronic
Finish	Black Glass
Installation	Wall-mounted
Special feature	Automatic Cooking
FEATURES	
Efficiency class	A +
Extraction levels	4
Power off timer	•
Anti-grease filter saturation indicator	•
HP filter saturation indicator	•
Lighting	LED
Type of anti-grease filters	Aluminium
Aluminium anti-grease filters	•
Minimum air outlet tube ø	Ø 150 mm / rect.
Airflow non-return valve	•
CONTROLS	
Programming	Touch controls
Remote control	-
PERFORMANCE / ELECTRICAL DATA	
Extraction power m³/h (max)	760
Noise (dBA)	49 - 71
Annual consumption (kWh)	46
Motor power (W)	275
Voltage / Frequency (V - Hz)	230 - 50
Power cord (m)	2
Plug (Schuko)	•
ACCESSORIES	
Motor included	•
HP filter for filtering version (on request)	FCHF 18
DIMENSIONS	
Width (mm)	900
Height (mm)	890 - 1100
Depth (mm)	450

EXTRACTION

COOKTOP HOODS



	FPHD 52 TS BK	FPHD 51 TS X
Type	Cooktop hood	Cooktop hood
Installation	Cooktop hood	Cooktop hood
Finish	Black Glass Ceramic	Stainless Steel
HOOD FEATURES		
Efficiency class	A +	A +
Extraction levels	5	A +
Power off timer	•	A +
Filter saturation indicator with oil-collection tray	•	•
Aluminium and stainless steel anti-grease filters	•	•
Minimum air tube ø Ø	Ø 150 mm / rect. 220 x 90 (230 x 80)	Ø 150 mm / rect. 220 x 90 (230 x 80)
Airflow non-return valve	•	•
CONTROLS		
Operating system	Touch control	Touch control
PERFORMANCE / ELECTRICAL DATA		
Extraction power up to m³/h	700 m³/h	700 m³/h
Sound emissions (dBA)	55 - 70	55 - 70
Estimated annual consumption (kWh)	49	49
Motor power (W)	168 W	168 W
Voltage / Frequency (V - Hz)	220 / 40 - 50 / 60	220 / 40 - 50 / 60
Power cord (m)	2	2
Plug (Schuko)	v	•
ACCESSORIES		
Motor included	•	•
HP filter for filtering version (on request)	FCHF 45 (X2)	FCHF 45 (X2)
DIMENSIONS		
Width (mm)	520	510
Height (mm)	140	140
Depth (mm)	200	200

EXTRACTION

CEILING-MOUNTED HOODS



FCHD 1200 RC ...		FCHD 900 RC ...		
Type	Integrated	Integrated		
Finish	Stainless steel White Glass	X WH	Stainless steel White Glass	X WH
Installation	Ceiling-mounted	Ceiling-mounted		
FEATURES				
Efficiency class	B	B		
Extraction levels	4	4		
Power off timer	•	•		
Anti-grease filter saturation indicator	•	•		
HP filter saturation indicator (filtering)	•	•		
Lighting /	LED / 4 spot	LED / 3 spot		
Washable aluminium anti-grease filters	•	•		
Minimum air outlet tube ø ø	Ø 150 mm / rect.	Ø 150 mm / rect.		
Airflow non-return valve	•	•		
CONTROLS				
Remote control	•	•		
PERFORMANCE / ELECTRICAL DATA				
Extraction power m³/h (max)	600	600		
Noise (dBA)	53 - 64	53 - 64		
Annual consumption (kWh)	54	54		
Motor power (W)	110	110		
Voltage / Frequency (V - Hz)	230 - 50	230 - 50		
Power cord (m) / Plug (Schuko)	2 / •	2 / •		
ACCESSORIES				
Motor included	•	•		
HP filter for filtering version (on request)	FCHF 2	FCHF 2		
DIMENSIONS				
Space-saving dimensions 200 mm	•	•		
Dim. Product (W x H x D) mm	1200 x 100 - 180 x 650	900 x 100 - 180 x 550		

EXTRACTION

ISLAND HOODS



FTIHD 1260 TC X		FTIHD 960 TC ...	
Type	Visible	Visible	
Finish	Stainless steel	Stainless steel Black Glass White Glass	X BK X WH X
Installation	Island-mounted	Island-mounted	
FEATURES			
Efficiency class	A	A	
Extraction levels	4	4	
Auto power off	10 minutes	10 minutes	
Anti-grease filter saturation indicator	•	•	
HP filter saturation indicator (filtering)	•	•	
Lighting	Front and rear LED bar	Front and rear LED bar	
Type of anti-grease filters	PRO stainless steel baffle	PRO stainless steel baffle	
Dishwasher-safe anti-grease filters	•	•	
Minimum air outlet tube ø ø	Ø 150 mm / rect.	Ø 150 mm / rect.	
Airflow non-return valve	•	•	
CONTROLS			
Operating system	Touch control	Touch control	
Remote control	•	•	
PERFORMANCE / ELECTRICAL DATA			
Extraction power m³/h (max)	730	730	
Noise (dBA)	47 - 72	47 - 72	
Annual consumption (kWH)	49	49	
Motor power (W)	275	275	
Voltage / Frequency (V - Hz)	220 - 240 / 50	220 - 240 / 50	
Power cord (m)	2	2	
Plug (Schuko)	•	•	
ACCESSORIES			
Motor included	•	•	
HP filter for filtering version (on request)	FCHF 49 (X2)	FCHF 49 (X2)	
DIMENSIONS			
Width (mm)	1200	900	
Height (mm)	755 - 1174	755 - 1174	
Depth (mm)	600	600	

EXTRACTION

WALL-MOUNTED HOODS



FTHD 1200 TC X		FTHD 900 TC ...	
Type	Visible	Visible	
Finish	Stainless steel	Stainless steel Black Glass White Glass	X BK X WH X
Installation	Wall-mounted	Wall-mounted	
FEATURES			
Efficiency class	A	A	
Extraction levels	5	4	
Auto power off	• 10 minutes	• 10 minutes	
Anti-grease filter saturation indicator	•	•	
HP filter saturation indicator (filtering)	•	•	
Lighting	LED bar	LED bar	
Type of anti-grease filters	PRO stainless steel baffle	PRO stainless steel baffle	
Dishwasher-safe anti-grease filters	•	•	
Minimum air outlet tube ø ø	Ø 150 mm / rect.	Ø 150 mm / rect.	
Airflow non-return valve	•	•	
CONTROLS			
Operating system	Touch control	Touch control	
Remote control	•	•	
PERFORMANCE / ELECTRICAL DATA			
Extraction power m³/h (max)	730	730	
Noise (dBA)	47 - 72	47 - 72	
Annual consumption (kWH)	49	49	
Motor power (W)	275	275	
Voltage / Frequency (V - Hz)	230 - 50	230 - 50	
Power cord (m)	2	2	
Plug (Schuko)	•	•	
ACCESSORIES			
Motor included	•	•	
HP filter for filtering version (on request)	FCHF 49 (X2)	FCHF 49 (X2)	
DIMENSIONS			
Width (mm)	1200	900	
Height (mm)	1200	605 - 1030	
Depth (mm)	500	505	

EXTRACTION

INSERTION HOODS



	FBHD 900 PT X - FBHD 700 PT X	FBGHD 800 PT X	FBGHD 850 TC X
Type	Integrated	Integrated	Integrated
Finish	Stainless steel	Stainless steel	Stainless steel
Installation	In wall unit	In wall unit	Under cabinet
FEATURES			
Efficiency class	A	A	A +
Extraction levels	4	4	4
Timer and auto power off	•	•	•
Anti-grease filter saturation indicator	•	•	•
HP filter saturation indicator (filtering)	•	•	•
Lighting	LED / 4 spot	LED bar	LED
Type of anti-grease filters	Aluminium	Aluminium	Aluminium
Dishwasher-safe anti-grease filters	•	•	•
Minimum air outlet tube ø ø	Ø 150 mm / rect.	Ø 150 mm / rect.	Ø 150 mm / rect.
Airflow non-return valve	•	•	•
CONTROLS			
Operating system	Soft touch	Soft touch	Touch control
PERFORMANCE / ELECTRICAL DATA			
Extraction power m³/h (max)	700	700	780
Noise (dBA)	47 - 70	47 - 70	45 - 71
Annual consumption (kWh)	50	50	45
Motor power (W)	275	275	275
Voltage / Frequency (V - Hz)	230 - 50	230 - 50	230 - 50
Power cord (m)	2	2	2
Plug (Schuko)	•	•	•
ACCESSORIES			
Motor included	•	•	•
HP filter for filtering version (on request)	FCHF 13	FCHF 13	FCHF 8 (X2)
DIMENSIONS			
Width (mm)	900 and 700	780	850
Height (mm)	325	440	350
Depth (mm)	290	290	290

REFRIGERATION

REFRIGERATORS



	FBCD 761 TNF EDBL	FBCD 762 TNF EDBL
Type	Combined	Combined
Finish	Built-In	Built-In
Fixing	Self-supporting hinges	Self-supporting hinges
Reversible doors	•	•
PERFORMANCE		
Total gross capacity	460 L	460 L
Total net capacity	452 L	452 L
Efficiency class	E	E
Energy consumption (KWh / year) based on results of standard testing over 24 hours*	467	551
Autonomy without electricity (h)	11	11
Freezing power (Kg / 24h)	5.8	5.8
Climate class	SN-T	SN-T
Sound level dB (A) re1pW	43	43
GENERAL FEATURES		
	Electronic regulation	Digital touch display
	Independent refrigerator temperature regulation / Freezer / fresh zone	Holiday function
	Temperature indicator	Open door buzzer
	LED lighting	Fast Freezing indicator
No. of compressors / type	1/Inverter	1/Inverter
Refrigerant gas	R600a	R600a
REFRIGERATOR COMPARTMENT		
Cooling system	No Frost	No Frost
Defrosting	Automatic	Automatic
Rear panel with LED light	•	•
“FRESH 0 °C” zone	•	•
Freshwater dispenser	-	•
Glass shelves	3	3
Egg container	•	•
Produce drawer	•	•
Refrigerator compartment volume	325 L	325 L
FREEZER COMPARTMENT		
Cooling system	No Frost	No Frost
Defrosting	Automatic	Automatic
Fast Freezing	•	•
Removable drawers	2	2
Automatic Ice Maker	-	•
Freezer compartment volume	127 L	127 L
POWER RATING		
Max power absorbed at 220 V	572W	572W
Power supply (V - Hz)	220-240 / 50-60	220-240 / 50-60
Plug (Schuko)	•	•
WEIGHT, DIMENSIONS		
Weight (kg)	148	155
Dim. Product (W x H x D) mm	2123 x 756 x 595	2123 x 756 x 595

REFRIGERATION

REFRIGERATORS



	FBCD 701 TNF EDBL	FBCD 355 TNF EDBL	FBC 345 TNF ED
Type	Combined	Combined	Combined
Finish	Built-In	Built-In	Built-In
Fixing	Self-supporting hinges	Self-supporting hinges	Towing
Reversible doors	•	•	•
PERFORMANCE			
Total gross capacity	350 L	252 L	252 L
Total net capacity	341 L	237 L	244 L
Efficiency class	E	E	E
Energy consumption (KWh / year) based on results of standard testing over 24 hours*	250	235	234
Autonomy without electricity (h)	11	11	11
Freezing power (Kg / 24h)	3.8	2.6	2.6
Climate class	SN-T	SN-T	SN-T
Sound level dB (A) re1pW	41	41	41
GENERAL FEATURES			
Electronic regulation	•	•	•
Digital display	•	•	•
Independent regulation Refrigerator / Freezer temperature	•	•	•
Holiday function	•	•	•
Open door buzzer	•	•	•
Temperature indicator	•	•	•
Fast Freezing indicator	•	•	•
Lighting	LED	LED	LED
No. of compressors / type	1/Inverter	1/Inverter	1/Inverter
Refrigerant gas	R600a	R600a	R600a
REFRIGERATOR COMPARTMENT			
Cooling system	No Frost	No Frost	No Frost
Defrosting	Automatic	Automatic	Automatic
Rear panel with LED light	•	•	-
“FRESH 0 °C” zone	•	•	•
Glass shelves	4	4	4
Egg container	•	•	•
Produce drawer	•	•	•
Refrigerator compartment volume	257 L	170 L	177 L
FREEZER COMPARTMENT			
Cooling system	No Frost	No Frost	No Frost
Defrosting	Automatic	Automatic	Automatic
Fast Freezing / Removable drawers	• / 3	• / 3	• / 3
Freezer compartment volume	84 L	67 L	67 L
POWER RATING			
Max power absorbed at 220 V	176W	176W	176W
Power supply (V - Hz)	220-240 / 50-60	220-240 / 50-60	220-240 / 50-60
Plug (Schuko)	•	•	•
WEIGHT, DIMENSIONS			
Weight (kg)	85	60	60
Dim. Product (W x H x D) mm	1937 x 690 x 550	177 x 540 x 550	177 x 540 x 550
Built-In Cut Out (HxWxD)	1939x712x560	1775x560x560	1775x560x560

REFRIGERATION

REFRIGERATOR AND FREEZER



	FBR 300 F ED	FBF 290 NF ED
Type	Single door	Freezer
Finish	Built-In	Built-In
Fixing	Towing	Towing
Reversible doors	•	•
PERFORMANCE		
Total gross capacity	320 L	210 L
Total net capacity	316 L	200 L
Efficiency class	E	E
Energy consumption (KWh / year) based on results of standard testing over 24 hours*	114	234
Autonomy without electricity (h)	-	11
Freezing power (Kg / 24h)	-	9
Climate class	SN-T	SN-T
Sound level dB (A) re1pW	41	41
GENERAL FEATURES		
Electronic regulation	•	•
Digital display	•	•
Temperature regulation	•	•
Buzzer	-	•
Temperature indicator	•	•
Fast Freezing indicator	-	•
Lighting	LED	-
No. of compressors / type	1/Inverter	1/Inverter
Refrigerant gas	R600a	R600a
REFRIGERATOR COMPARTMENT		
Cooling system	Ventilated	-
Defrosting	Automatic	-
Glass shelves	6	-
Egg container	•	-
Produce drawer	•	-
Refrigerator compartment volume	316 L	-
FREEZER COMPARTMENT		
Cooling system	-	No Frost
Defrosting	-	Automatic
Fast Freezing	-	•
Removable drawers / flaps	-	5 / 2
Freezer compartment volume	-	200 L
POWER RATING		
Max power absorbed at 220 V	176W	176W
Power supply (V - Hz)	220-240 / 50-60	220-240 / 50-60
Plug (Schuko)	•	•
WEIGHT, DIMENSIONS		
Weight (kg)	58	59
Height (mm)	177	177
Width (mm)	540	540
Depth (mm)	550	550
Built-In Cut Out (HxWxD)	1775x560x560	1775x560x560

WINE CELLARS

WINE CELLAR 82



FWC 8200 U TC ...	
Type	Wine cellar
Finish	Undercounter
Bottle no. (Ø 76 mm)	39
Door finish	Stainless Steel Black Glass BKX GBK
Reversible door	•
PERFORMANCE	
Cooling system	Ventilated
Temperature zones	2
Adjustable upper zone temperature (°C)	from 5 to 20
Adjustable lower zone temperature (°C)	from 5 to 20
Efficiency class	G
Anti-vibration system	•
Anti-condensation system	•
Climate class	SN-T
Sound level dB (A) re1pW	38
CONTROL SYSTEM	
Electronic regulation	•
Digital touch display	•
Double automatic hot / cold circuit	•
Control light indicator	•
ACCESSORIES	
UV-insulating glass pane	•
Lighting	LED
Wooden shelves / type	4 / Beech
Champagne shelf (5 bottles)	•
Sliding shelves	4
POWER RATING	
Max power absorbed at 220 V	160W
Power supply (V - Hz)	220-240 / 50
Plug (Schuko)	•
DIMENSIONS	
Height (min - max) mm	820 / 870
Width (mm)	595
Depth (mm)	570
Built-In Cut Out (W x L x D) mm	(from 830 to 880) x 600 x 595

WINE CELLARS

WINE CELLAR 88



FWC 8800 TC ...	
Type	Wine cellar
Finish	Built-In
Bottle no. (Ø 76 mm)	40
Door finish	Stainless steel Black Glass BKX GBK
Reversible door	•
PERFORMANCE	
Cooling system	Ventilated
Temperature zones	2
Adjustable upper zone temperature (°C)	from 5 to 20
Adjustable lower zone temperature (°C)	from 5 to 20
Efficiency class	G
Anti-vibration system	•
Anti-condensation system	•
Climate class	SN-T
Sound level dB (A) re1pW	40
CONTROL SYSTEM	
Electronic regulation	•
Digital touch display	•
Double automatic hot / cold circuit	•
Control light indicator	•
ACCESSORIES	
UV-insulating glass pane	•
Lighting	LED
Wooden shelves / type	5 / Beech
Champagne shelf (4 bottles)	•
Sliding shelves	5
POWER RATING	
Max power absorbed at 220 V	160W
Power supply (V - Hz)	220-240 / 50
Plug (Schuko)	•
DIMENSIONS	
Height (mm)	885
Width (mm)	590
Depth (mm)	555
Built-In Cut Out (W x L x D) mm	888 x 565 x 575

DISHWASHING

DISHWASHER



FDW 9093.1			FDW 8292.1		
Type	Integrated		Integrated		
ENERGY CONSUMPTION					
Efficiency class	B		E		
Washing efficiency class	A		A		
Drying efficiency class	A		A		
Water consumption (litre / cycle)	9 L		12 L		
Estimated annual energy consumption (Kwh)	230		258		
Estimated annual water consumption (litres)	2520 L		3360 L		
Sound level dB (A) re 1pW	44		46		
MAIN FEATURES					
Max place setting no. / IEC	13		13		
Electronic control	•		•		
Delayed start (hours)	0 - 24		0 - 24		
Door opening system	Standard		Standard		
Interior light	•		-		
End-of-cycle detection floor buzzer / light	• / •		• / -		
Multi-tablet arrangement	•		•		
Drying with door auto opening	•		•		
Cold/hot water supply (max 60°C)	• / •		• / •		
FUNCTIONS AND PERFORMANCE					
Washing temperatures (°C)	38°-45°-50°-55°-65°-70°-75°		45 / 55 / 65 / 70 °C		
Washing programs no.	10		10		
Fast cycles	-		•		
Auto 45 - 65°C	•		•		
Half load (for all programs)	Distributed with option		Distributed with option		
Intensive pan washing (SUPER)	•		•		
Drying system	With residual heat		With residual heat		
SAFETY SYSTEM					
AcquaStop	•		•		
No salt indicator	•		•		
No rinse aid indicator	•		•		
Water softener adjustable from 0 to 90 ° dF	•		•		
POWER RATING					
Voltage / Frequency (V - Hz)	220 - 240 / 50		220 - 230 / 50		
Power cord (m)	1.4		1.4		
Plug	•		•		
WEIGHT, DIMENSIONS, INSTALLATION					
Net weight (kg)	45		43		
Height (mm)	858 - 908		818 - 868		
Width (mm)	598		598		
Depth (mm)	577		545		
Door regulation	860 variable fulcrum with regulation		Hinges with sliding system		
Built-In Cut Out (W x H x D) mm	600 x 860 x 575		600 x 820 x 575		
Rear feet front regulation	•		•		

DISHWASHING

DISHWASHER



FDW 82103	
Type	Integrated
ENERGY CONSUMPTION	
Efficiency class	F
Washing efficiency class	A
Drying efficiency class	A
Water consumption (litre / cycle)	9 L
Estimated annual energy consumption (Kwh)	292
Estimated annual water consumption (litres)	1960 L
Sound level dB (A) re 1pW	45
MAIN FEATURES	
Max place setting no. / IEC	13
Electronic control	•
Delayed start (hours)	0 - 24
Door opening system	Standard
End-of-cycle detection floor buzzer / light	• / •
Multi-tablet arrangement	•
Drying with door auto opening	•
Cold/hot water supply (max 60°C)	• / •
FUNCTIONS AND PERFORMANCE	
Washing temperatures (°C)	45 / 55 / 65 / 70 °C
Washing programs no.	10
Fast cycles	•
Auto 45 - 65°C	•
Half load (for all programs)	Distributed with option
Intensive pan washing (SUPER)	•
Drying system	With residual heat
SAFETY SYSTEM	
Complete water safety	•
No salt indicator	•
No rinse aid indicator	•
Water softener adjustable from 0 to 90 ° dF	•
POWER RATING	
Voltage / Frequency (V - Hz)	220 - 240 / 50
Power cord (m)	1.4
Plug	•
WEIGHT, DIMENSIONS, INSTALLATION	
Net weight (kg)	42
Height (mm)	818 - 868
Width (mm)	598
Depth (mm)	545
Door regulation	Variable fulcrum height minimum base 10 mm
Built-In Cut Out (W x H x D) mm	600 x 820 x 575
Rear feet front regulation	•

DISHWASHING

DISHWASHER



FDW 8291.1	
Type	Variable fulcrum
ENERGY CONSUMPTION	
Efficiency class	F
Washing efficiency class	A
Drying efficiency class	A
Water consumption (litre / cycle)	8.5 L
Estimated annual energy consumption (Kwh)	292
Estimated annual water consumption (litres)	2380 L
Sound level dB (A) re 1pW	44
MAIN FEATURES	
Max place setting no. / IEC	13
Electronic control	•
Delayed start (hours)	0 - 24
Door opening system	Standard
Interior light	-
End-of-cycle detection floor buzzer / infolight	• / •
Multi-tablet arrangement	•
Drying with door auto opening	-
Cold/hot water supply (max 60°C)	• / •
FUNCTIONS AND PERFORMANCE	
Washing temperatures (°C)	38 / 55 / 65 / 70 °C
Washing programs no.	10
Fast cycles / Auto 45 - 65° C	• / •
Half load (for all programs)	Distributed with option
Intensive pan washing (SUPER)	•
Drying system	With residual heat
SAFETY SYSTEM	
Complete water safety	•
No salt indicator	•
No rinse aid indicator	•
Water softener adjustable from 0 to 90 ° dF	•
POWER RATING	
Voltage / Frequency (V - Hz)	220 - 240 / 50
Power cord (m) / Plug	1.4 / •
WEIGHT, DIMENSIONS, INSTALLATION	
Net weight (kg)	42
Height (mm)	818 - 868
Width (mm)	598
Depth (mm)	545
Door regulation	Variable fulcrum height minimum base 10 mm
Built-In Cut Out (W x H x D) mm	600 x 820 x 575
Rear feet front regulation	•

DESIGNED IN ITALY



UGO MARINELLO

IDA Award winning designer Ugo Marinello is passionate about his work and his desire to synthesize modern rationality with traditional design. A graduate of IUAV in Venice, he draws inspiration from the unique architecture of that city, using it as a foundation to bring innovative yet timeless design and quintessential Italian spirit to your home and kitchen throughout the Fulgor Milano line.



ALFRED HENDRICKX

Known internationally for his mid-century furniture collections, designer Alfred Hendrickx began incorporating the strong lines of industrial styling and materials like stainless steel early in his career. After many successful design collaborations in Europe, he turned his attention to the design of household appliances, notably marrying modern form and function for Meneghetti and Fulgor Milano.

FULGOR
MILANO

Rosà - Vicenza - Italy
www.fulgor-milano.com
info@fulgor-milano.com